

R

2014 PRODUCT CATALOG

REMINGTON A





R51

ARMS CO.

R51

9mm
Luger +P

THE UNVEILING

Introducing the most intuitive concealed carry handgun on the planet – for when it matters most. Forged from nearly 200 years of defending the American way of life. Designed and developed by the industry's most powerful minds to keep you safe. The definition of shootability, by America's most trusted gunmaker. *See page 8.*



THE UNVEILING

Introducing the most intuitive concealed carry handgun on the planet – for when it matters most. Forged from nearly 200 years of defending the American way of life. Designed and developed by the industry's most powerful minds to keep you safe. The definition of shootability, by America's most trusted gunmaker. *See page 8.*



197 YEARS

OF DEFINING AN INDUSTRY AND
DEFENDING A NATION.



As the oldest continuously operating manufacturer in North America and America's oldest gun company, Remington® enjoys a rich American heritage thanks to iconic products like the Model 700™ bolt-action rifle and the Model 870™ pump-action shotgun.

Today, the Versa Max® shotgun is quickly becoming the go-to firearm of choice for hardcore waterfowlers and 3-gun competitors who demand speed, accuracy and the ability to shoot *any load, anywhere, every time*.

In 2013, we introduced the revolutionary Model 783™ bolt-action rifle and set a new standard for accuracy and performance in its category.

With nearly 200 years of history, Remington doesn't just build firearms; we look to our past, assess the present and forecast the future. Our engineers at "The Rock," our world-class skunk-works and engineering center, devoted thousands of hours to meticulously designing, testing and building our first sub-compact handgun in 50 years, the R51.™

Unlike traditional handguns, the R51™ is designed with a low bore axis to reduce felt recoil and diminish muzzle lift. The sleek design is ideal for concealed carry and is scaled for comfort to fit both male and female shooters. This pistol will change the market.

Meanwhile, in 2013 we broke ground on a \$32-million ammunition plant expansion that will revolutionize the industry and add hundreds of millions of rounds to store shelves. In 2014, our Core-Lokt® ammunition celebrates 75 years of excellence. We're also introducing the Ultimate Defense Compact Handgun round, designed for pistols like the R-51™, while expanding offerings for Hog Hammer and HyperSonic® Rifle Bonded.

This will be a big year for Remington.

Let us know what you think. Please visit us at Remington.com or join the conversation with hundreds of thousands of other fans at facebook.com/remingtonarmscompany.

George Kollitides
Chief Executive Officer

NEW PRODUCTS

As the ultimate engine of progress in the industry, Remington® is committed to improving existing products and developing new ones. Look for the “New” symbol throughout these pages to see the products we’re unveiling for 2014.

NEW



MODEL R51™
Page 8



**MODEL 1911 R1™
CARRY COMMANDER
CRIMSON TRACE®**
Page 10

**MODEL 700™
TACTICAL
CHASSIS**
Page 16



**MODEL 700™
LONG RANGE**
Page 24



REMINGTON® 20/20™ Pre-installed on select rifles, the Remington 2020 Digital Optic System packs numerous devices and technologies together in a single unit. The result is the ultimate 500 yard confidence boost. *See page 38.*



**VERSA MAX®
WATERFOWL PRO**
Page 46



**VERSA MAX®
WOOD TECH**
Page 46



**VERSA MAX®
COMPETITION
TACTICAL**
Page 60



MODEL 870™ EXPRESS® PISTOL GRIP
Page 60



**ULTIMATE DEFENSE
COMPACT HANDGUN**
Page 72



**BUCKSHOT
VALUE PACKS**
Page 103



**100TH
ANNIVERSARY
REM® OIL**
Page 112



**REM® SQUEEG-E™
CLEANING SYSTEMS**
Page 111



RIFLE ACTIONS
Page 44



**2014
BULLET KNIFE**
Page 119



CONTENTS

5	NEW PRODUCTS
8	HANDGUNS
14	RIFLES
38	OPTICS
40	CUSTOM SHOP
44	RIFLE PARTS
46	SHOTGUNS
62	COMPACT FIREARMS
65	AIRGUNS
66	SHOTGUN PARTS
69	REMINGTON COUNTRY TV
70	AMMUNITION
110	GUN CLEANING
118	STORAGE & SECURITY
119	CUTLERY
124	SPECIFICATIONS
135	BALLISTICS



ENGINEERING EXCELLENCE FOR EVERY PASSION.

OUR PURPOSE, OUR PROMISE,
AS AMERICA'S MOST ENDURING
AND TRUSTED GUNMAKER.

For 2014, the R&D masterminds at
The Rock carry this torch of innovation
and reliability farther than ever before.

The tack-driving **Model 783™** family
expands with new offerings. The Model
700's legend grows with a **Model 700
Tactical Chassis** and more. And with the
VersaPort® gas-operated system, the
unstoppable **Versa Max®** continues to
take the shotgun world by storm.

We're advancing the sport beyond making
firearms with **Remington® 2020™
Digital Optic System**, the ultimate in
precision-boosting technology.

Progressing the sports you cherish.
A pledge met, and surpassed, at The
Rock. Learn more about The Rock at
TheRock.Remington.com



8	HANDGUNS
14	RIFLES
34	RIMFIRE
38	DIGITAL OPTIC SYSTEM
40	CUSTOM SHOP
46	SHOTGUNS
65	AIRGUNS



POINT INSTINCTIVELY. RECOVER INSTANTLY.

The all-new Remington® Model R51™. Fine-tuned by Remington engineers to deliver intuitive shootability so you can be ready and stay safe when it matters most. Simply put, no subcompact points more naturally to get you on-target faster and neutralize the threat. With the lowest bore axis in the industry, it reduces muzzle rise by an average of 25%, meaning follow-ups are more likely to find their mark. To dramatically reduce recoil, it features an optimized grip angle and time-tested Pedersen block design. With a 3.4" barrel and smooth, rounded edges it conceals easily and deploys like lightning. The CCW trigger system is consistent, light and ultra-crisp, with a trigger guard undercut for near-zero disturbance when firing. The sub-compact frame and two flush magazines enhance conceal-ability. And it all comes with a confidence-boosting 7+1 rounds of 9mm +P. Engineered at The Rock from the industry's most intensive R&D process, the Model R51 is the reinvention of the American subcompact and the definition of shootability.

MODEL R51™ FEATURES

- AVERAGE 25% LESS MUZZLE FLIP WITH THE LOWEST BORE AXIS IN THE INDUSTRY
- INTUITIVE POINTING CHARACTERISTICS WITH OPTIMIZED GRIP ANGLE AND SLIM, ALUMINUM FRAME
- MATCH-GRADE 3.4" BARREL AND BUSHING
- CHAMBERED IN 9MM +P
- FRONT STRAP CHECKERED AT 25 LPI
- CCW TRIGGER SYSTEM
- TWO FLUSH 7+1 MAGAZINES

PEDERSEN BLOCK DESIGN

Absorbs recoil energy for reduced felt recoil

SMOOTH, ROUNDED EDGES

Reduces interference for drawing from concealment

POSITIVE GRIP SAFETY

Safety without the secondary lever to remember under stress

OPTIMIZED GRIP ANGLE

Reduces felt recoil and increases shootability

SLIM, ALUMINUM SUB-COMPACT FRAME

Easy to conceal

INTERCHANGEABLE GRIPS

Larger grip available for larger hands



LIGHT SLIDE-RACKING FORCE
Easier to rack slide to chamber rounds

LOWERED/FLARED EJECTION PORT
Improves spent case ejection

DRIFT ADJUSTABLE SIGHTS
User can adjust sights to their preference



9mm
Luger +P

REMINGTON ARMS CO.

R51

**LIGHT, LONG & CRISP
CCW TRIGGER**
Consistent light trigger with longer pull

NEW

LOW BORE AXIS
Reduces muzzle flip and lower felt-recoil

MODEL R51™

Available in: 9mm +P (Order No. 96430)

**AMBIDEXTROUS
MAGAZINE RELEASE**
For right and left hand use

**AVERAGE 25% LESS MUZZLE RISE FOR FASTER FOLLOW-UPS.
INTUITIVE POINTING CHARACTERISTICS TO GET YOU ON-TARGET FASTER.**

TRIGGER GUARD UNDERCUT
Allows higher hand hold for increased control

CHECKERED FRONT GRIP STRAP (25 LPI)
For better grip and increased control



NEW

MODEL R51™ CRIMSON TRACE®

Available in: 9mm +P (Order No. 96432)

**TWO FLUSH 7+1
MAGAZINES STANDARD**
Enhances conceal-ability, back-up magazine included



ULTIMATE DEFENSE COMPACT.
Deep penetration and massive expansion for superior stopping power when seconds count. *See page 72.*

MODEL R51™ CRIMSON TRACE® FEATURES

- BUILT-IN CRIMSON TRACE® LASER SIGHT FOR SUPERIOR ACCURACY
- LOW BORE AXIS: AVERAGE 25% LESS MUZZLE FLIP
- INTUITIVE POINTING CHARACTERISTICS WITH OPTIMIZED GRIP ANGLE AND SLIM, ALUMINUM FRAME

See page 132 for model specifications.

R | MODEL 1911 R1™



NEW MODEL 1911 R1™
CARRY COMMANDER
CRIMSON TRACE®

Available in: 45 ACP (Order No. 96356)

NEW MODEL 1911 R1™ CARRY COMMANDER
Available in: 45 ACP (Order No. 96335)

ENGINEERED ON AMERICA'S MOST PROVEN PLATFORM FOR DEFENDING LIFE AND LIBERTY.

It carved a legacy defending the American way both at home and abroad. Now Remington's engineers have enhanced the iconic Model 1911 R1™ into the ultimate concealed carry pistol. Introducing the **Model 1911 R1 Carry Commander Crimson Trace®**, with accuracy-enhancing laser sight built in for a precision advantage when you need it most. The 4 1/4" stainless steel barrel, and a de-horned, carbon steel frame and slide, delivers the easy concealment and fast deployment of a smaller-sized pistol, but with the recoil-reducing effects of steel. With a match-grade 5" stainless steel barrel, the **Model 1911 R1 Carry** returns to bring the sweet-shooting reliability on which the 1911 built its name. And the **Model 1911 R1 Enhanced** returns this year, delivering sure handling with flat mainspring housing and beavertail grip safety.



MODEL 1911 R1™ CARRY

Available in: 45 ACP (Order No. 96332)

MODEL 1911 R1™ CARRY FEATURES

- MATCH-GRADE STAINLESS STEEL 5" BARREL AND BUSHING
- DE-HORNED CARBON STEEL FRAME AND SLIDE
- SATIN BLACK OXIDE FINISH
- ONE 7-ROUND AND ONE 8-ROUND MAGAZINE

**MODEL 1911 R1™
CARRY COMMANDER
CRIMSON TRACE® FEATURES**

- MATCH-GRADE STAINLESS STEEL
4 ¼" BARREL AND BUSHING
- DE-HORNED CARBON STEEL FRAME
AND SLIDE
- SATIN BLACK OXIDE FINISH
- BUILT-IN CRIMSON TRACE® LASER SIGHT
- BEAVERTAIL GRIP SAFETY WITH
CHECKERED MEMORY BUMP (25 LPI)
- CHECKERED FRONT STRAP AND
MAINSRING HOUSING (25 LPI)
- NOVAK® SIGHTS WITH TRITIUM FRONT SIGHT
- ENHANCED AMBIDEXTROUS SAFETY
- FLARED AND LOWERED EJECTION PORT
- ALUMINUM TRIGGER
- TWO 7-ROUND MAGAZINES



**NEW MODEL 1911 R1™
ENHANCED 9MM**

Available in: 9mm (Order No. 96364)

**MODEL 1911 R1™ ENHANCED 9MM
FEATURES**

- 9MM NATO
- 5" MATCH-GRADE BARREL
- OVERSIZED, FLARED EJECTION PORT
- WIDE COCKING SERRATIONS ON FRONT AND REAR OF SLIDE
- CARBON STEEL FRAME AND SLIDE
- RED FIBER OPTIC FRONT SIGHT, WITH NOVAK-STYLE
ADJUSTABLE REAR
- EXTENDED BEAVERTAIL GRIP SAFETY
- ADJUSTABLE SKELETONIZED TRIGGER
- BLACK OXIDE FINISH
- DARK LAMINATE GRIPS
- TWO 9-ROUND MAGAZINES

**MODEL 1911 R1™
ENHANCED CRIMSON
TRACE® FEATURES**

- MATCH-GRADE STAINLESS STEEL
5" BARREL AND BUSHING
- SATIN BLACK OXIDE OR
STAINLESS STEEL FINISH
- BUILT-IN CRIMSON TRACE® LASER SIGHT
- ADJUSTABLE DOVETAILED REAR SIGHT
WITH FIBER OPTIC FRONT SIGHT
- BEAVERTAIL GRIP SAFETY WITH
CHECKERED MEMORY BUMP (20 LPI)
- FLAT CHECKERED MAINSRING
HOUSING (20 LPI)
- BEVELED MAGAZINE WELL
- ALUMINUM TRIGGER
- 8+1 ROUND CAPACITY (INCLUDES
TWO 8-ROUND MAGAZINES
WITH BUMPER PADS)
- ENHANCED HAMMER AND WIDE
THUMB SAFETY
- FLARED AND LOWERED EJECTION PORT
- FRONT GRIP SERRATIONS



**NEW MODEL 1911 R1™ ENHANCED
CRIMSON TRACE®**

Available in: 45 Auto (Order No. 96366)

MODEL 1911 R1™ ENHANCED
Available in: 45 ACP (Order No. 96328)

MODEL 1911 R1™ ENHANCED STAINLESS
Available in: 45 Auto (Order No. 96329)

**MODEL 1911 R1™ ENHANCED
THREADED BARREL**

Available in: 45 Auto (Order No. 96339)



BUILT-IN CRIMSON TRACE® GRIP

See page 132 for model specifications.

R | MODEL 1911 R1™



**MODEL 1911 R1™
STAINLESS**

Available in: 45 ACP (Order No. 96324)

**AMERICA'S FAVORITE
PISTOL DESIGN, BUILT BY AMERICA'S
MOST TRUSTED GUNMAKER.**

For more than 100 years it has served justice, protected families and defended freedom. Now it's once again a Remington. The finest blend of exacting craftsmanship and out-of-box performance available today, the **Model 1911 R1™** is a sweet-shooting advancement of America's most reliable, accurate and enduring handgun. Produced to ultra-tight tolerances using state-of-the-art technology, it features a crisp trigger, dovetailed rear and front sights, precision-machined slide and frame, and fine-checked American walnut grips. New for 2014, get the high-speed and concealability advantage of a 4 1/4" barrel with the **Model 1911 R1 Commander**.



19 VERTICAL SERRATIONS



FLARED AND LOWERED EJECTION PORT

**REMINGTON® UMC®
AMMUNITION.** American-made in Lonoke, Arkansas, all UMC ammo uses high-quality brass and Kleanbore® primers to provide best value for shooters. *See page 104.*



MODEL 1911 R1™ FEATURES

- MATCH-GRADE STAINLESS STEEL 5" BARREL AND BUSHING
- STAINLESS STEEL OR SATIN BLACK OXIDE FINISH
- TWO-DOT DOVETAILED REAR SIGHT WITH SINGLE DOT DOVETAILED FRONT SIGHT
- CHECKERED DOUBLE DIAMOND WALNUT GRIPS
- FLAT MAINSPRING HOUSING
- BEVELED MAGAZINE WELL
- SOLID ALUMINUM TRIGGER
- 7+1 ROUND CAPACITY (INCLUDES TWO 7-ROUND MAGAZINES)
- G.I. THUMB SAFETY, GRIP SAFETY AND HAMMER

HANDGUN ACCESSORIES

Visit www.remington.com for the complete line of handgun accessories.



RSI THREADED BARREL

MAGAZINES



GRIP PANELS



R51™

1911 R1™



MODEL 1911 R1™

Available in: 45 Auto (Order No. 96323)

NEW

MODEL 1911 R1™ COMMANDER

Available in: 45 ACP (Order No. 96336)

MODEL 1911 R1™ COMMANDER FEATURES

- MATCH-GRADE STAINLESS STEEL 4 1/4" BARREL AND BUSHING
- CARBON STEEL FRAME AND SLIDE
- SATIN BLACK OXIDE FINISH
- TWO 7-ROUND MAGAZINES


See page 132 for model specifications.

R | MODEL 783™



ENGINEERED FOR ACCURACY.

EXPECT TIGHT GROUPS WITH A WIDE RANGE OF FACTORY AMMO. RIGHT OUT OF THE BOX.



FROM A BLANK SHEET OF PAPER TO ONE RAGGED HOLE. Using the expertise that's dominated bolt-action technology for more than 50 years, the engineers at The Rock combined the most accuracy-enhancing features to create an all-new platform. The Model 783™ is crafted in our advanced manufacturing facility using proprietary methods that create the tightest tolerances from rifle to rifle, by the most efficient means possible. Perhaps the first thing you'll notice are the striking lines of the new stock design. Inside it's a true performance-enhancer, with a dual-pillar bedding platform that free-floats the barrel for incredible shot-to-shot consistency. For shot control, it's equipped with the crisp new CrossFire™ trigger system that's user adjustable to suit your preferences. New this year, the **Model 783™ Camo** and **Model 783™ Compact** bring the custom-grade accuracy of our tack-driving workhorse to even more hunters and shooters. Expect a lifetime of rock-solid reliability, from the next generation in a legendary bloodline.




MODEL 783™ FEATURES

- PREMIUM CARBON STEEL, MAGNUM CONTOUR, BUTTON RIFLED BARREL FOR SHOT-TO-SHOT ACCURACY AND CONSISTENCY
- BARREL ATTACHED TO RECEIVER WITH BARREL NUT SYSTEM FOR SETTING MINIMUM HEADSPACE
- PILLAR-BEDDED SYNTHETIC STOCK WITH FREE-FLOATED BARREL FOR OPTIMAL ACCURACY
- DETACHABLE METAL BOX MAGAZINE WITH METAL LATCH
- CROSSFIRE™ TRIGGER SYSTEM WITH TWO-POSITION SAFETY, FACTORY SET AT 3½ LBS. AND USER ADJUSTABLE FROM 2½ TO 5 LBS.

CROSSFIRE™ ADJUSTABLE TRIGGER SYSTEM.

It breaks like glass and comes set from the factory at a sweet 3 ½ lbs., and is completely user adjustable from 2 ½ to 5 lbs.



RIFLE PARTS
PAGES **R** 44-45

MODEL 783™

Available in: 243 Win. (Order No. 85832), 270 Win. (Order No. 85834), 30-06 SPRG (Order No. 85836), 308 Win. (Order No. 85837), 7mm Rem Mag (Order No. 85838), 300 Win. Mag (Order No. 85839)



MODEL 783™ CAMO

Available in: 270 Win. (Order No. 85860), 30-06 SPRG (Order No. 85861), 308 Win. (Order No. 85862), 7mm Rem Mag (Order No. 85863), 300 Win. Mag (Order No. 85864)



MODEL 783™ COMPACT

Available in: 243 Win. (Order No. 85850), 308 Win. (Order No. 85851)
Length of Pull Kit included.



PILLAR-BEDDED STOCK AND FREE-FLOATED BARREL



EASY-TO-OPERATE BOLT HANDLE AND STYLISH SHROUD



DETACHABLE STEEL BOX MAGAZINE

MORE MODELS AVAILABLE. See page 127 for model specifications.





R | MODEL 700™ TACTICAL



NEW

THE ULTIMATE TACTICAL ADVANTAGE, BUILT ON A LEGENDARY FOUNDATION.

Decades in the trenches with America's military and law enforcement inspired us to craft the tactical rifles you see here – unequaled in precision, reliability and versatility. Leading the charge for 2014, the **Model 700™ Tactical Chassis**. Equipped with a MDT TAC21™ Chassis, its lightweight, ergonomic design serves as a base for easily adding components based on your desired function. The free-floating 24" or 26" barrels deliver superior accuracy, while the Magpul® fully adjustable stock and pistol grip ensure shot-to-shot consistency for any shooter or scenario. Featuring a stainless steel barreled action coated in black TriNyte®, the **Model 700 XCR Tactical Long Range** is the peak in extended-range accuracy. The **Model 700 XCR Compact Tactical** is a highly maneuverable short-action version with a 20" barrel, while the **Model 700 SPS Tactical** offers rock-solid precision in a fast-handling package. Both the **Model 700 SPS Tactical Threaded Muzzle** and **Model 700 SPS Tactical AAC®-SD™** are adapted for silencers, flash hiders muzzle brakes and more. And the best family features of our Model 700 tactical, target and varmint rifles come together in the **Model 700 Target Tactical**, creating one world-class rifle. Tactical perfection. It runs in the family.



MODEL 700™ XCR TACTICAL LONG RANGE

Available in: 223 Remington (Order No. 84460),
308 Win. (Order No. 84461), 338 Lapua (Order No. 84463),
300 Win. Mag. (Order No. 84462)



MODEL 700™ XCR COMPACT TACTICAL

Available in: 223 Remington (Order No. 84466), 308 Win. (Order No. 84467)





MODEL 700™ TACTICAL CHASSIS FEATURES

- MDT TAC21™ TACTICAL CHASSIS CONSTRUCTED OUT OF ALUMINUM ANODIZED TO MIL-SPEC TYPE III, WITH A TOP FULL-LENGTH MIL-STN-1914 ACCESSORIES MOUNTING RAIL
- STAINLESS STEEL BARRELED ACTION WITH BLACK CERAKOTE FINISH
- MAGPUL® MAG307 PRS FULLY ADJUSTABLE STOCK AND PISTOL GRIP
- TARGET TACTICAL BOLT HANDLE
- AAC 51-T RATCHET MOUNT MUZZLE BRAKE
- X-MARK PRO® EXTERNALLY ADJUSTABLE TRIGGER SET AT A CRISP 3½ LBS.
- CHAMBERED IN 308 WIN OR 300 WIN MAG WITH 24" BARREL; 338 LAPUA MAG WITH 26" BARREL, EACH WITH VARMIN'T PROFILE
- SHIPS IN HARD CASE



Magpul® fully adjustable stock

Free-floating modular fore-end with varmint profile barrel



Black Cerakote-coated action and target tactical bolt handle

NEW MODEL 700™ TACTICAL CHASSIS

Available in: 308 Win. (Order No. 84474), 300 Win. Mag. (Order No. 84475), 338 Lapua Mag (Order No. 84477)



MODEL 700™ SPS TACTICAL
Available in: 223 Remington (Order No. 84206), 308 Win. (Order No. 84207)



MODEL 700™ SPS TACTICAL THREADED MUZZLE
Available in: 223 Remington (Order No. 85549), 300 AAC Blackout (Order No. 84205), 308 Win (Order No. 85538)



MODEL 700™ SPS TACTICAL AAC®-SD™
(Scope, base, rings and silencer not included)
Available in: 308 Win. (Order No. 84203)
Works with AAC® silencers and flash suppressors.
For more information, visit www.advanced-armament.com



MODEL 700™ TARGET TACTICAL
(Scope, base and rings not included)
Available in: 308 Win. (Order No. 84456)

MORE MODELS AVAILABLE. See pages 127-129 for model specifications.





NEW



**CELEBRATING MILESTONES.
ADVANCING THE LEGEND.**

The Remington® Model 700™ is a legend in every way. Its accuracy and dependability remain the standard more than 50 years since it was unveiled. And its superior performance is represented in the diverse lineup you see here. Updated for 2014, the **Model 700 CDL SF Limited Edition** is chambered in 223 Remington, commemorating the 50th anniversary of our renowned cartridge. An advancement of America's favorite bolt gun for the high-country, the **Model 700 Mountain Rifle SS**, in stainless steel with a sleek 22" Mountain Contour barrel and a Bell & Carlson aramid-fiber-reinforced stock that helps reduce weight to a mere 6 ½ lbs. Our ever-popular **Model 700 CDL SF** showcases a blend of traditional looks with the added performance of a 24" fluted barrel and stainless steel finish. The **Model 700 CDL** is available in a high-polish blued finish and our satin finish, and the **Model 700 CDL DM** with satin finish offers the convenience of a detachable box magazine. Over fifty years and stronger than ever, the **Model 700 BDL** is an all-time bestseller. All cataloged models feature our X-Mark Pro® externally adjustable trigger system.



MODEL 700™ CDL

Available in: 243 Win. (Order No. 27007), 25-06 Remington (Order No. 27009), 270 Win. (Order No. 27011), 7mm-08 Remington (Order No. 27015), 7mm Remington Mag (Order No. 27047), 30-06 SPRG (Order No. 27017), 300 Win. Mag (Order No. 27049), 300 Remington Ultra Mag (Order No. 27053)

Left-hand models also available, see page 20.



MODEL 700™ CDL DM

(Scope, base and rings not included)

Available in: 243 Win. (Order No. 84074), 7mm-08 Remington (Order No. 84075), 270 Win. (Order No. 84076), 30-06 SPRG (Order No. 84077), 7mm Remington Mag (Order No. 84078), 300 Win. Mag (Order No. 84079)





NEW MODEL 700™ CDL SF LIMITED EDITION

Available in: 223 Remington (Order No. 84023)

FEATURES

- CHAMBERED IN 223 REMINGTON CARTRIDGE, FIRST INTRODUCED IN 1964
- 50TH ANNIVERSARY COMMEMORATIVE FLOORPLATE
- SATIN-FINISHED AMERICAN WALNUT STOCK
- 24" STAINLESS FLUTED BARREL
- RECEIVER MACHINED FROM SOLID-STEEL BAR STOCK FOR UNIFORMITY AND STRENGTH
- "THREE RINGS OF STEEL" ENCLOSURES THE CARTRIDGE CASE FOR UNPARALLELED STRENGTH
- X-MARK PRO® EXTERNALLY ADJUSTABLE TRIGGER SYSTEM SET AT 3½ LBS., AND FEATURING SUPER-TIGHT TOLERANCES AND MIRROR-LIKE SURFACE FINISHES



MODEL 700™ CDL SF

Available in: 7mm-08 Remington (Order No. 84012), 270 Win. (Order No. 84014), 30-06 SPRG (Order No. 84015), 257 Weatherby Mag (Order No. 84019), 7mm Remington Mag (Order No. 84016), 270 WSM (Order No. 84013), 300 WSM (Order No. 84017)



MODEL 700™ BDL

Available in: 243 Win. (Order No. 25787), 270 Win. (Order No. 25791), 7mm Remington Mag (Order No. 25803), 30-06 SPRG (Order No. 25793), 300 Remington Ultra Mag (Order No. 26410)



MODEL 700™ MOUNTAIN SS

Available in: 7mm-08 Remington (Order No. 84276), 308 Win (Order No. 84277), 25-06 Remington (Order No. 84272), 270 Win. (Order No. 84273), 280 Remington (Order No. 84274), 30-06 SPRG (Order No. 84275)



MORE MODELS AVAILABLE. See pages 127-130 for model specifications.



PREMIER® CORE-LOKT® ULTRA BONDED®

The only high-performance bullet worthy of the Core-Lokt® name. Developed and designed by the industry-leading Remington® R & D staff, and manufactured to our exacting process standards, this bullet delivers exceptional on-game terminal performance. See page 86.

RIFLE PARTS
PAGES **R** 44-45





PART OF THE MOST COMPLETE SELECTION OF LEFT-HANDED FIREARMS IN THE INDUSTRY.

Nowhere will you find as broad a selection of left-handed centerfires, and Remington is proud to offer these specially configured Model 700™ rifles so everyone can experience the legendary accuracy and dependability of our flagship bolt action. Along with our unrivaled standard for out-of-the-box accuracy, all come equipped with the X-Mark Pro® externally adjustable trigger for the ultimate shooting experience. The **Model 700 SPS Left-Hand** features a black matte finish and rugged synthetic stock. Our **Model 700 SPS Compact Synthetic Left-Hand** is the industry's first and only left-handed rifle made specifically for youth and small-stature shooters, with 1" shorter length of pull and swift-handling 20" barrel. The **Model 700 SPS Varmint Left-Hand** sports a 26" heavy-contour barrel, black matte finish and durable synthetic stock with a vented beavertail fore-end to facilitate rapid cooling. Combining traditional good looks with leading-edge standards for precision and performance, the **Model 700 CDL Left-Hand** is available in a wide range of chamberings to suit the demands of most hunters.

MODEL 700™ CDL LEFT HAND FEATURES

- TRADITIONAL STRAIGHT-COMB AMERICAN WALNUT STOCK WITH SATIN FINISH, FINELY CUT CHECKERING, RIGHT-HANDED CHEEK PIECE, BLACK FORE-END TIP AND GRIP CAP, AND SLING SWIVEL STUDS
- SATIN BLUED FINISH OF THE BARRELED ACTION AND THE JEWELLED BOLT BODY COMPLETES THE TASTEFUL DESIGN
- STANDARD CALIBERS FEATURE 24" NON-SIGHTED CARBON STEEL BARRELS, WHILE MAGNUM CALIBERS SPORT 26" BARRELS
- HINGED FLOOR PLATE MAGAZINE HAS A FOUR-ROUND CAPACITY IN STANDARD CALIBERS AND A THREE-ROUND CAPACITY IN MAGNUM CALIBERS
- X-MARK PRO® EXTERNALLY ADJUSTABLE TRIGGER



MODEL 700™ SPS SYNTHETIC LEFT HAND FEATURES

- RUGGED, ERGONOMICALLY DESIGNED SYNTHETIC STOCK DELIVERS EXCELLENT HANDLING CHARACTERISTICS
- NON-GLARE MATTE FINISH OVER CARBON STEEL BARRELED ACTION
- STANDARD CALIBERS FEATURE 24" NON-SIGHTED CARBON STEEL BARRELS, WHILE MAGNUM CALIBERS SPORT 26" BARRELS
- X-MARK PRO® EXTERNALLY ADJUSTABLE TRIGGER

MODEL 700™ SPS VARMIN'T LEFT HAND FEATURES

- ERGONOMICALLY DESIGNED BLACK SYNTHETIC STOCK WITH VENTED BEAVERTAIL FORE-END FOR ENHANCED GRIP, REDUCED WEIGHT AND BETTER HEAT DISSIPATION
- 26" HEAVY CONTOUR CLEAN BARREL
- NON-REFLECTIVE MATTE BLUED FINISH ON THE BARREL AND RECEIVER
- HINGED FLOORPLATE MAGAZINE, SLING SWIVEL STUDS, AND A DRILLED AND TAPPED RECEIVER
- SLING SWIVEL STUDS INCLUDED



**MODEL 700™ CDL
LEFT HAND**

Available in: 270 Win. (Order No. 27105), 30-06 SPRG (Order No. 27107), 7mm Remington Mag (Order No. 27109), 300 Remington Ultra Mag (Order No. 27111)



**MODEL 700™ SPS SYNTHETIC
LEFT HAND**

Available in: 270 Win. (Order No. 84177), 30-06 SPRG (Order No. 84178), 7mm Remington Mag (Order No. 84179), 300 Win. Mag (Order No. 84180)



**MODEL 700™ SPS COMPACT SYNTHETIC
LEFT HAND**

Available in: 243 Win. (Order No. 84150), 7mm-08 Remington (Order No. 84151)



**MODEL 700™ SPS VARMINT
LEFT HAND**

Available in: 22-250 Remington (Order No. 84226), 223 Remington (Order No. 84227), 243 Win. (Order No. 84228), 308 Win. (Order No. 84229)



MORE MODELS AVAILABLE. See pages 127-129 for model specifications.

RIFLE PARTS
PAGES R 44-45

REMINGTON CORE-LOKT®

The world's best-selling big game ammunition, and the most proven of all time. With consistent 2x expansion, deep penetration and outstanding accuracy, it has filled more tags and freezers than any other ammo. See page 76.



R | MODEL 700™ SPS



NO NONSENSE, ALL MODEL 700™ DOMINANCE.

For the next generation of fully featured, affordably priced rifles, the legendary Model 700™ continues to lead the way. This year, we're proud to offer every rifle you see here in our popular 260 Remington cartridge, with a new 1:8" twist rate to stabilize the heavier, 140 gr. bullet. With its handsome, durable walnut decorated stock, the **Model 700™ SPS Wood Tech** is easy on the eyes and a workhorse in the field. Its rock-solid action and hammer-forged barrel deliver the unrivaled accuracy of America's favorite centerfire, while the X-Mark Pro® externally adjustable trigger ensures peak shot control. The **Model 700 SPS** features carbon steel barrels and a matte blue finish on all exterior metal work, while the **Model 700 SPS Stainless Synthetic** includes a durable, stainless steel barrel and weather-resistant synthetic stock. With a Mossy Oak® Break-Up Infinity stock and over-molded grip panels for a superior grip in any weather, the **Model 700 SPS Camo** is outfitted to make an impact wherever you roam. And the **Model 700 SPS Varmint** offers a heavy-contour 26" barrel housed in a SPS Varmint stock with a vented beavertail fore-end for greater grip, reduced weight and better heat dissipation.



MODEL 700™ SPS VARMINT

Available in: 204 Ruger (Order No. 84214), 22-250 Remington (Order No. 84216), 223 Remington (Order No. 84215), 243 Win. (Order No. 84217), 308 Win. (Order No. 84218)

Left-hand models also available, see page 20.



REMINGTON CORE-LOKT®

The world's best-selling big game ammunition, and the most proven of all time. With consistent 2x expansion, deep penetration and outstanding accuracy, it has filled more tags and freezers than any other ammo. *See page 76.*





MODEL 700™ SPS WOOD TECH FEATURES

- WALNUT DECORATED SYNTHETIC STOCK WITH OVER-MOLDED GRIP PANELS
- 22" BARRELS ON STANDARD AND 24" ON MAGNUM CHAMBERINGS
- REMINGTON X-MARK PRO® EXTERNALLY ADJUSTABLE TRIGGER, FACTORY SET AT 3½ LBS.
- SUPERCCELL™ RECOILD PAD REDUCES FELT RECOIL UP TO 54%

RIFLEPARTS
PAGES **R** 44-45

MODEL 700™ SPS WOOD TECH

Available in: 270 Win. (Order No. 84193), 7mm Remington Mag (Order No. 84197), 30-06 SPRG (Order No. 84195), 300 Win. Mag (Order No. 84199)



MODEL 700™ SPS STAINLESS

Available in: 223 Remington (Order No. 27133), 22-250 Remington (Order No. 27135), 243 Win. (Order No. 27263), 25-06 Remington (Order No. 27251), 270 Win. (Order No. 27267), 270 WSM (Order No. 27253), 7mm-08 Remington (Order No. 27265), 7mm Remington Mag (Order No. 27271), 7mm Remington Ultra Mag™ (Order No. 84300), 30-06 SPRG (Order No. 27269), 300 WSM (Order No. 27255), 300 Win. Mag (Order No. 27273), 308 Win. (Order No. 27136), 300 Rem Ultra Mag™ (Order No. 27140)



MODEL 700™ SPS

Available in: 223 Remington (Order No. 27351), 260 Remington (Order No. 84149), 243 Win. (Order No. 27355), 270 Win (27361), 270 WSM (Order No. 27331), 7mm-08 Remington (Order No. 27357), 7mm Remington Mag (Order No. 27385), 30-06 SPRG (Order No. 27363), 300 WSM (Order No. 27333), 300 Win. Mag (Order No. 27387), 308 Win. (Order No. 27359), 300 Rem Ultra Mag (Order No. 27389)

Left-hand models also available, see page 20.

MODEL 700™ SPS COMPACT Available in: 243 Win. (27475), 7mm-08 Remington (27391)



MODEL 700™ SPS CAMO

(Scope, base and rings not included)

Available in: 243 Win. (Order No. 84183), 7mm-08 Remington (Order No. 84184), 270 Win. (Order No. 84185), 30-06 SPRG (Order No. 84186), 7mm Remington Mag (Order No. 84187), 300 Win. Mag (Order No. 84188).

MODEL 700™ SPS CAMO COMPACT Available in: 223 Remington (84109), 243 Win. (84190), 7mm-08 Remington (84191)

MORE MODELS AVAILABLE. See pages 128-129 for model specifications.





NEW

ENGINEERED TO MAKE THREE SHOTS LOOK LIKE ONE.

From extended-range big-game hunting to printing one-ragged-hole groups, nothing delivers like the Model 700.™ And our engineers at The Rock are constantly discovering new ways to enhance the legendary action's inherent precision. Case in point, our **Model 700 Long Range**. Delivering tack-driving, big game-dropping accuracy at any distance with a 26" heavy varmint barrel, it also features a Bell and Carlson M40 Tactical stock, for superior toughness on any terrain. Built with input from shooters coast-to-coast, the **Model 700 Sendero SF II** brings a stunning degree of hair-splitting precision right out of the box.



MODEL 700™ SENDERO® SF II

Available in: 7mm Remington Mag (Order No. 27311), 300 Win. Mag (Order No. 27313), 300 Remington Ultra Mag (Order No. 27318)



SuperCell™
RECOIL PAD

DIEHARDS, MEET THE DIE NEVER.

When conditions push you to the extreme, hit back with the most durable rifle ever built. The **Model 700™ XCR II** (Xtreme Conditions Rifle) featuring our TriNyte® Corrosion Control System. Its stainless steel barrel and receiver are coated with black TriNyte® for a more classic look with less glare for superior stealth. And it's every bit as impervious to abuse as our original finish, with the accelerated saltwater testing to prove it. For positive handling in adverse weather, the stock is equipped with rubber overmolding at key grip areas. Choose from a wide range of hard-hitting big game cartridges, enhanced by the tack-driving accuracy only a Model 700 action can provide.

Go behind the scenes at Remington's R&D facilities at TheRock.Remington.com

NEW

MODEL 700™ LONG RANGE

Available in: 25-06 Remington (Order No. 84162), 7mm Remington Mag (Order No. 84163), 30-06 SPRG (Order No. 84166), 300 Win. Mag (Order No. 84164), 300 Remington Ultra Mag (Order No. 84165)

MODEL 700™ LONG RANGE FEATURES

- BELL AND CARLSON M40 TACTICAL STOCK – SOLID URETHANE STOCK, COMBINED WITH ARAMID, GRAPHITE AND FIBERGLASS
- ALUMINUM BEDDING BLOCK FOR ADDED ACCURACY AND AN EXTRA SWIVEL FOR BI-POD
- 26" HEAVY VARMINT BARREL WITH MATTE FINISH PERFECTLY MATCHED TO ITS HIGH-VELOCITY CALIBER OFFERINGS
- X-MARK PRO® EXTERNALLY ADJUSTABLE TRIGGER SYSTEM SET AT 3½ LBS., AND FEATURING SUPER-TIGHT TOLERANCES AND MIRROR-LIKE SURFACE FINISHES
- MAGAZINE CAPACITY – FOUR STANDARD CALIBERS, THREE MAGNUM

RIFLE PARTS
PAGES **R** 44-45



MODEL 700™ XCR II FEATURES

- PROPRIETARY TRINYTE® CORROSION CONTROL SYSTEM PROVIDES UNPRECEDENTED CORROSION RESISTANCE
- STOCK FEATURES PATENTED RUBBER OVERMOLDING TECHNOLOGY ON GRIP AND FORE-END AREAS
- STANDARD SHORT ACTION, SHORT ACTION MAGNUM AND LONG-ACTION CALIBER OFFERINGS FEATURE A 24" BARREL WHILE ULTRA MAGNUM OFFERINGS FEATURE A 26" BARREL
- HINGED FLOORPLATE MAGAZINE
- DRILLED AND TAPPED FOR SCOPE MOUNTS
- X-MARK PRO® EXTERNALLY ADJUSTABLE TRIGGER SYSTEM SET AT 3 ½ LBS.
- SUPERCCELL™ RECOIL PAD PROVIDES UP TO 54% RECOIL REDUCTION

MODEL 700™ XCR II

Available in: 270 Win. (Order No. 84521), 7mm Remington Mag (Order No. 84524), 30-06 SPRG (Order No. 84523), 300 WSM (Order No. 84525), 300 Win. Mag (Order No. 84526), 300 Remington Ultra Mag (Order No. 84528), 338 Remington Ultra Mag (Order No. 84529), 338 Win. Mag (Order No. 84530), 375 H&H (Order No. 84531)

MODEL 700™ XCR II RMEF EDITION Available in: 257 Weatherby (84545)



TRINYTE® CORROSION CONTROL SYSTEM. (Patent pending.) Consisting of 416 Stainless Steel, electroless nickel and proprietary PVD, this armor-tough, multilayer coating is the world's most effective barrier against rust and abrasion for firearms, yet it is only a fraction of a human hair in thickness.

As proved in a rigorous saltwater test by an independent laboratory, our armor-tough, multilayer TriNyte® coating forms a virtually impenetrable barrier to corrosion. In fact, it's the most effective on the planet.



See pages 127-129 for model specifications.

R | MODEL 700™



NEW

SuperCell™
RECOIL PAD

BECOME A LEGEND IN YOUR OWN RIGHT.

Three-shot groups that drop jaws. Long-range shots that split hairs. True to their reputation, our legendary Model 700™ Varmint rifles will earn you one. This year we've upgraded the Model 700 VTR with two new lines, each engineered to crush more critters than ever before. The **Model 700 VTR** comes in a Flat Dark Earth stock with black Hogue® overmolded grip panels, while the **Model 700 VTR Stainless Steel** has a black stock with gray overmold. Both also include a tactical bolt knob, Picatinny rail and bi-pod, a huge value on hair-splitting shots. The **Model 700 SPS Varmint** has a heavy-contour, 26" barrel and SPS Varmint stock. The **Model 700 Varmint Stainless Fluted (SF)** has a heavy-contour barrel with six longitudinal flutes for rapid cooling and less weight, with a concave target-style barrel crown for even greater consistency. And the **Model 700 VLS** features a richly blued finish, heavy-contour barrel and a distinctive laminated stock, contributing to its status as a long-time favorite.



TACTICAL BOLT HANDLE



MODEL 700™ VTR SS

Available in: 223 Remington (Order No. 84356),
308 Win. (Order No. 84358)



PREMIER® ACCUTIP-V

World-renowned pinpoint accuracy and explosive on-game results take varmint lethality to a new level. *See page 84.*



NEW

MODEL 700™ VTR

Available in: 22-250 Remington (Order No. 84376), 223 Remington (Order No. 84374), 260 Remington (Order No. 84375), 308 Win. (Order No. 84377)

MODEL 700™ VTR FEATURES

- STOCK IN FLAT DARK EARTH WITH BLACK HOGUE® OVERMOLDED GRIP PANELS
- TACTICAL BOLT KNOB, PICATINNY RAIL AND BI-POD INCLUDED
- 22" BARREL WITH INTEGRATED MUZZLE BRAKE TO REDUCE MUZZLE RISE AND TRIANGULAR BARREL CONTOUR TO ENHANCE ACCURACY
- X-MARK PRO® EXTERNALLY ADJUSTABLE TRIGGER SYSTEM SET AT 3½ LBS., AND FEATURING SUPER-TIGHT TOLERANCES AND MIRROR-LIKE SURFACE FINISHES



Bipod

Aluminum rail



RIFLE PARTS
PAGES **R** 44-45



MODEL 700™ SPS VARMINT

Available in: 204 Ruger (Order No. 84214), 22-250 Remington (Order No. 84216), 223 Remington (Order No. 84215), 243 Win. (Order No. 84217), 308 Win. (Order No. 84218)



MODEL 700™ VARMINT SF

Available in: 22-250 Remington (Order No. 84342), 223 Remington (Order No. 84343), 220 Swift (Order No. 84344), 308 Win. (Order No. 84345)



MODEL 700™ VLS VARMINT LAMINATED STOCK

Available in: 204 Ruger (Order No. 27467), 223 Remington (Order No. 27491), 22-250 Remington (Order No. 27489), 243 Win. (Order No. 27495), 308 Win. (Order No. 27499)

See page 130 for model specifications.





HANDLES LIKE A SPORTS CAR, HITS LIKE A FREIGHT TRAIN.

The Model Seven™ puts game-dropping precision and power in a fast-handling platform perfect for blinds and tree stands, or on the move when swift shot placement is essential. And this year they're available in our powerhouse .260 Remington chambering, with a 1:8" twist rate for better performance with big game loads. These rifles are equipped with 20" standard contour barrels in non-magnum chamberings. All deliver the breaks-like-glass feel of our X-Mark Pro® externally adjustable trigger. The **Model Seven Synthetic** features a rugged black synthetic stock with textured grip panels for sure handling, and a matte blue finish. Our **Model Seven CDL** is the quintessential short-action hunting rifle, with a satin-finished walnut stock and a sleek satin-blued barreled action. The **Model Seven Predator** is every predator and varmint's worst nightmare. It's fully decked in Mossy Oak® Brush™ camo with a magnum-contour 22" fluted barrel.



MODEL SEVEN™ CDL

Available in: 243 Win. (Order No. 26417), 260 Remington (Order No. 26419), 7mm-08 Remington (Order No. 26421), 308 Win. (Order No. 26423)



MODEL SEVEN™ PREDATOR

Available in: 22-250 Remington (Order No. 85953), 223 Remington (Order No. 85952), 243 Win. (Order No. 85954)



MODEL SEVEN™ SYNTHETIC

(Scope, base and rings not included)
Available in: 223 Remington (Order No. 85910), 243 Win. (Order No. 85911), 260 Remington (Order No. 85912), 7mm-08 Remington (Order No. 85913), 308 Win. (Order No. 85914)

MODEL SEVEN™ SYNTHETIC COMPACT
Available in: 243 Win. (85915), 7mm-08 Remington (Order No. 85916)



MODEL SEVEN™ SHORT-ACTION FEATURES

- PERFECTLY SIZED FOR SMALL-STATURED SHOOTERS AND DENSE-COVERED HUNTING WITH A SHORTER OVERALL LENGTH THAN THE MODEL 700™
- COMPACT DESIGN FOR FAST HANDLING
- FEATURES THE SAME LEGENDARY STRENGTH AS THE MODEL 700™ ACTION: "THREE RINGS OF STEEL," WITH THE BOLT FACE, BARREL AND RECEIVER ENCASING THE CARTRIDGE HEAD
- CYLINDRICAL RECEIVER DESIGN PROVIDES A CONSISTENT BEDDING AREA IN THE STOCK


Now featuring a 260 Remington caliber with 1:8" twist rate for improved stabilization of heavier hunting bullets. **NEW**



See pages 130-131 for model specifications.



TRIGGER IS EXTERNALLY ADJUSTABLE. It breaks like glass, has virtually zero creep and offers a level of shot control unmatched by any factory trigger today. The X-Mark Pro® externally adjustable trigger delivers true custom-grade performance in a production trigger and is user-adjustable with readily available tools. Not that you'll feel the need. It comes from the factory with a lighter average pull weight preset to 3 ½ lbs and user adjustable from 2 ½ to 5 lbs. While others use gadgets and add-ons to hide inconsistencies, Remington® eliminates them with state-of-the-art manufacturing techniques and the tightest possible production tolerances.





RIGGED AND READY, RIGHT OUT OF THE BOX.

The Model 770™ is the perfect choice for any hunter looking to fast-forward through the process of selecting a scope and components. It comes with a pre-mounted and boresighted 3-9x40mm riflescope and is built to our rigorous standards for accuracy and reliability. Just choose your ammo and you're ready to shoot. The **Model 770 Stainless Camo** has a Realtree® AP™ camo synthetic stock design with molded sling swivel studs. Our **Model 770 Synthetic** comes with a black synthetic stock and molded sling swivel studs.

ERGONOMIC STOCK DESIGN. Sleek, textured fore-end improves handling in all conditions.



MODEL 770™ STAINLESS CAMO

(Scope, base and rings included)
Available in: 270 Win. (Order No. 85655),
7mm Remington Mag (Order No. 85657), 30-06 SPRG
(Order No. 85656), 300 Win. Mag (Order No. 85658)

MODEL 770™ FEATURES

- BLACK OR REALTREE® AP™ CAMO SYNTHETIC STOCK DESIGN WITH MOLDED SLING SWIVEL STUDS
- BLUED OR STAINLESS OFFERINGS AVAILABLE
- FACTORY MOUNTED AND BORE-SIGHTED 3-9X40MM SCOPE
- SMOOTH-CAMMING 60 DEGREE BOLT
- DETACHABLE MAGAZINE HOLDS FOUR STANDARD CARTRIDGES AND THREE MAGNUM CARTRIDGES
- SIX-GROOVE, BUTTON-RIFLED, ORDNANCE-GRADE STEEL BARREL (22" STANDARD CALIBERS AND 24" MAGNUM CALIBERS).

RIFLE PARTS
PAGES **R** 44-45



MODEL 770™ SYNTHETIC

(Scope, base and rings included)
Available in: 243 Win. (Order No. 85630), 270 Win. (Order No. 85632), 7mm-08 Remington
(Order No. 85631), 7mm Remington Mag (Order No. 85635), 30-06 SPRG
(Order No. 85633), 300 Win. Mag (Order No. 85636), 308 Win. (Order No. 85634)
MODEL 770™ SYNTHETIC COMPACT Available in: 243 Win. (85637)

See page 131 for model specifications.



SHOULD YOU NEED ANOTHER SHOT AT THAT SHOT OF A LIFETIME.

Hunts don't always unfold like you see on TV, and when the heat of the moment finds you looking for a follow-up, our famous Model 7600™ can deliver with outstanding speed and accuracy, time and time again. The twin steel action bars and rotary bolt lockup of its pump action provide smooth operation, ultra-positive chambering and ejection and rock-solid strength. For accuracy rivaling that of the best bolt guns, the barrel is free floated. Hunters who rely on the Model 870 in other pursuits will love that the action, slide release and safety are based on the best-selling pump shotgun of all time. Its weight distribution and sleek design provide shotgun-like pointability. Equipped with a 22" barrel with iron sights, the rifle's receiver is also drilled and tapped for scope mounts. Choose the **Model 7600** with a satin-finished American walnut stock and fore-end or the **Model 7600 Synthetic** with a durable black synthetic stock and fore-end. Both come with a four-shot magazine.



MODEL 7600™ SYNTHETIC

Available in: 243 Win. (Order No. 25143), 270 Win. (Order No. 25145), 30-06 SPRG Carbine (Order No. 25153), 30-06 SPRG (Order No. 25149), 308 Win. (Order No. 25151)



ONE-SHOT ACCURACY. FIVE SHOTS OF LIGHTNING-FAST ASSURANCE.

The woods can provide a narrow window of success. Our Model 750™ throws it wide open with a smooth, gas-operated semi-automatic action and a balanced, low-profile design that points like a dream. Along with providing up to five fast, accurate shots, the Model 750's gas system reduces felt recoil for quicker scope recovery. The **Model 750 Woodsmaster®** features a stylish American walnut stock and fore-end, while the **Model 750 Synthetic** has a tough black synthetic stock and fore-end. Both come with pre-installed sling swivel studs. Receivers are drilled and tapped for Model 7400™ scope mounts.



MODEL 7600™

Available in: 243 Win. (Order No. 24653), 270 Win. (Order No. 24655), 270 Win. High Gloss (Order No. 24667), 30-06 SPRG Carbine (Order No. 24661), 30-06 SPRG (Order No. 24657), 30-06 SPRG High Gloss (Order No. 24671), 308 Win. (Order No. 24659)

MODEL 7600™ FEATURES

- ACTION, SLIDE RELEASE AND SAFETY BASED ON THE DESIGN OF THE MODEL 870,™ AMERICA'S MOST POPULAR PUMP SHOTGUN, FOR INSTANTANEOUS USER FAMILIARITY
- WEIGHT DISTRIBUTION AND SLIMLINE DESIGN RESULT IN SHOTGUN-LIKE BALANCE AND POINTABILITY
- 22" BARREL WITH IRON SIGHTS (18 ½" ON THE CARBINE)

RIFLE PARTS
PAGES *R* 44-45



MODEL 750™ WOODSMASTER®

Available in: 243 Win. (Order No. 27055), 308 Win. (Order No. 27057), 308 Win. Carbine (Order No. 27075), 270 Win. (Order No. 27059), 30-06 SPRG Carbine (Order No. 27077), 30-06 SPRG (Order No. 27061)

MODEL 750™ FEATURES

- IMPROVED GAS-OPERATED ACTION FOR SLICK, SUPER-FAST CYCLING
- STYLISH AMERICAN WALNUT OR BLACK SYNTHETIC STOCK AND FORE-END
- STELLAR BALANCE AND A STREAMLINED DESIGN FOR FAST TARGET ACQUISITION
- 22" BARREL WITH IRON SIGHTS (18 ½" ON THE CARBINE)
- RECEIVER DRILLED AND TAPPED FOR MODEL 7400™ SCOPE MOUNTS
- EXCEPTIONAL ACTION STRENGTH – ROTARY-BOLT LOCKUP

FORE-END DESIGN. Restyled American walnut fore-end emblazoned with a Remington "R".



MODEL 750™ SYNTHETIC

Available in: 243 Win. (Order No. 85682), 30-06 SPRG Carbine (Order No. 85687), 30-06 SPRG (Order No. 85686), 308 Win. (Order No. 85683), 308 Win. Carbine (Order No. 85684)

See pages 131-132 for model specifications.



NOT YOUR GRANDDAD'S HUNTING RIFLE.

The hair-splitting accuracy, blazing-fast followups and a hunt-specific features for securing your place at the top of the food chain. The **Model R-15™ VTR Predator Magpul® MOE (Collapsible Stock)** upgrades our apex predator platform with advanced Magpul technology. Like the Magpul Grip for max comfort and control, the “V”-shaped polymer Magpul trigger guard for use with gloves, and the 51 tooth AAC® Blackout Flash hider to reduce recoil. The **Model R-15 VTR Predator Rifle** has a 22" barrel, fixed stock and weighs a stabilizing 7 ¾ lbs. The **Model R-15 VTR Stainless Steel** uses our triangular fluted barrel in a 24" configuration that optimizes repeat-shot accuracy with less weight than traditional varmint-style designs. And the lightweight, hard-hitting **Model R-15** is an ever-reliable choice for piling up predators, packing the big-game dropping power of 450 Bushmaster chambering and decked in Mossy Oak® New Break-Up camo.



THE MODERN SPORTING RIFLE WITH BIG-GAME PUNCH.

A masterwork of big game-dropping performance and predator-hunting specific features that will load any camp's meat pole. For enhanced accuracy, the The Model R-25's Chromoly barrel is free-floated within the machined aluminum fore-end. Six longitudinal flutes forward of the gas block keep weight to a minimum and facilitate rapid heat dissipation. Barrel also features a recessed hunting crown to protect the rifling and deliver consistent bullet flight. The ergonomic pistol-grip gives you unmatched control and rock-steady aim, while its crisp, single-stage trigger comes from the factory set at 4 ½ to 5 lbs. And it's all decked in Mossy Oak® Treestand™ camo with a 4-round magazine. To meet various state compliance requirements, the Model R-25 is now available with a fixed magazine option.



MODEL R-15 VTR PREDATOR MAGPUL® MOE FEATURES

- AAC® 51 TOOTH BRAKEOUT IS MACHINED FROM HIGH STRENGTH AEROSPACE 17-4 STAINLESS STEEL ALLOY AND COATED IN A HARD, DURABLE, CORROSION-RESISTANT SCARMOR FINISH
- MAGPUL GRIP FEATURES REINFORCED POLYMER BODY CONSTRUCTION WITH COMFORTABLE, WRAP-AROUND RUBBER OVERMOLDING
- MAGPUL TRIGGER GUARD – ENHANCED POLYMER DROP IN REPLACEMENT, WITH SHALLOW “V” SHAPE FOR BETTER USE WITH GLOVES
- DECKED IN FULL MOSSY OAK® BRUSH™ CAMO
- COMPETITION TWO STAGE TRIGGER

RIFLEPARTS
PAGES R 44-45

MODEL R-15 VTR PREDATOR MAGPUL® MOE COLLAPSIBLE STOCK

Available in: 223 Remington (Order No. 60018 / 16" barrel), (Order No. 60019 / 18" barrel)



MODEL R-15 VTR PREDATOR FIXED STOCK

Available in: 223 Remington (Order No. 60001)



MODEL R-15 VTR SS VARMINT

Available in: 223 Remington (Order No. 60007)



MODEL R-15

(Scope and mount not included)
Available in: 450 Bushmaster (Order No. 60102)




MODEL R-25 MODULAR REPEATING RIFLE FEATURES

- LEGAL FOR HUNTING IN MOST STATES
- SEMI-AUTOMATIC AR-10-TYPE RIFLE DEVELOPED WITH AN INDUSTRY LEADER IN THE CATEGORY
- 20" FREE-FLOATED CHROMOLY BARREL WITH A RECESSED HUNTING CROWN
- FLUTED BARREL DESIGN REDUCES WEIGHT AND PROMOTES RAPID COOLING
- CLEAN-BREAKING SINGLE-STAGE HUNTING TRIGGER
- RECEIVER-LENGTH PICATINNY RAIL
- ERGONOMIC PISTOL GRIP
- FULL MOSSY OAK® TREESTAND™ COVERAGE
- INCLUDES 4-ROUND MAGAZINE

MODEL R-25

Available in: 243 Win. (Order No. 60030), 7mm-08 Remington (Order No. 60031), 308 Win. (Order No. 60032)

INCLUDES
4-ROUND
MAGAZINE
Accepts DPMS
308 Win.-type magazines



PICATINNY GAS BLOCK



FLUTED BARREL 0.680" OD,
WITH RECESSED HUNTING CROWN



SINGLE-STAGE
HUNTING TRIGGER

MORE MODELS AVAILABLE. See page 131 for model specifications.



TURBOCHARGE YOUR SHOOTING EXPERIENCE.

The fastest, smoothest, most advanced autoloading rimfire rifle, the Model 597™ continues to lead the way in accuracy and reliability. And the rate it zips out rounds is rivaled only by the speed of its advancement. We're proud to offer the **Model 597 Heavy Barrel A-TACS Threaded**, dressed in revolutionary A-TACS digital camouflage that absorbs surrounding light for concealment in varied conditions. It has a 16" heavy-contour barrel that's threaded to accept AAC® and other ½"-28-threaded flash hiders, muzzle brakes and silencers. For hunters who prefer a standard contour barrel threaded to accept the same accessories, we still offer the **Model 597 AAC-SD**. The **Model 597 Heavy Barrel** has a 16" heavy-contour barrel and a rugged synthetic stock. **Model 597 TVP (Target-Varmint Plinker)** is the ultimate 22 target-rifle platform, with a 20" stainless heavy barrel and ambidextrous laminated thumbhole stock. **Model 597 FLX** has a digital camo stock that assumes the detail and definition of the surroundings for near invisibility. Our **Model 597 Mossy Oak® Blaze Orange Camo** and **Model 597 Mossy Oak® Pink Camo** both offer 20" carbon steel barrels and TruGlo® fiber-optic front sights. **Model 597 Magnum Synthetic** is chambered in 22 Win Mag and features a stagger-stacked eight-round capacity magazine.



**MODEL 597™
MAGNUM SYNTHETIC**

Available in: 22 Win. Mag (Order No. 26560)



MODEL 597™ SYNTHETIC
Scope Combo (3-9x32mm)

Available in: 22 LR (Order No. 26513)



MODEL 597™ TVP

Available in: 22 LR (Order No. 80852)

MODEL 597™ TVP FEATURES


- BOLT-GUIDANCE SYSTEM FEATURES TWIN, TOOL-STEEL GUIDE RAILS
- OFFERED IN LAMINATED AMBIDEXTROUS WOOD THUMBHOLE STOCK
- NON-GLARE MATTE FINISH
- PATENTED, 10-SHOT METAL DETACHABLE MAGAZINE
- LAST-SHOT HOLD-OPEN BOLT FOR ADDED SAFETY
- SCOPE RAIL

MODEL 597™ FEATURES

- BOLT-GUIDANCE SYSTEM FEATURES TWIN TOOL-STEEL GUIDE RAILS
- OFFERED IN BOTH TEXTURED FINISH SYNTHETIC OR LAMINATED WOOD STOCKS
- NON-GLARE MATTE FINISH
- PATENTED, 10-SHOT METAL DETACHABLE MAGAZINE, 8-SHOT FOR MAGNUM
- LAST-SHOT, HOLD-OPEN BOLT FOR ADDED SAFETY
- TRUGLO® FIBER-OPTIC SIGHTS ON CAMO MODELS
- SCOPE RAIL INCLUDED ON MODEL 597™ TVP/SD

Model 597™ bolt travels on twin tool-steel guide rails for flawless functioning

Unique attachment system rigidly joins barrel to receiver for perfect alignment and enhanced accuracy



Sear and hammer are Teflon®/nickel-plated for crisp, smooth trigger pull

Patented drop-out style staggered-stack box magazine assures reliable feeding and fast, easy reloading

Last-shot hold-open for positive identification of empty chamber



MODEL 597™ HB

Available in: 22 LR (Order No. 80877)



MODEL 597™ HB A-TACS CAMO

Available in: 22 LR (Order No. 80912)



MODEL 597™ AAC-SD™

(AAC® silencer not included)
Available in: 22 LR (Order No. 80910)



MODEL 597™ FLX

Available in: 22 LR (Order No. 80864)



MODEL 597™ BLAZE ORANGE CAMO

Available in: 22 LR (Order No. 80853)



MODEL 597™ PINK CAMO

Available in: 22 LR (Order No. 80854)



CLASSIC DESIGNS THAT CONTINUE TO LEAD THE WAY.

For those who still love the look and feel of a classic rimfire rifle, our Model 572™ BDL™ Deluxe Fieldmaster® and Model 552™ BDL™ Deluxe Speedmaster® may be the finest available today. Their tack-driving accuracy and quick follow-ups have made them a customer favorite. So much so, the Model 572 Fieldmaster has been an American standard since its introduction in 1955, and the Model 552 Speedmaster a mainstay since it hit the scene in 1957. They combine richly blued carbon steel barrels with generously checkered high-gloss American walnut stocks and fore-ends. Both feature big-game sights, a positive cross-bolt safety and a grooved receiver for scope mounting. The Model 572 Fieldmaster is the most popular pump-action 22 rimfire made in America today, and handles 22 short, 22 long and 22 long rifle cartridges interchangeably. Our Model 552 Speedmaster is the only American-made 22 autoloader that handles 22 short, long and long rifles interchangeably.

COMPLETE YOUR SHOOTING EXPERIENCE.

For years of optimal performance, pair your Model 552 BDL Speedmaster or Model 572 BDL Fieldmaster with our full range of .22 Short and .22 Long Rifle cartridges. One of the most complete lineups in the industry, all our rimfire ammo is made to the highest standards of quality, delivering reliability, accuracy and consistency with every shot. *See page 106.*





**MODEL 552™ BDL™
DELUXE SPEEDMASTER®**

MODEL 552™/572™ FEATURES

- MODEL 552™ SPEEDMASTER® FEATURES AN AUTOLOADING ACTION FOR SERIOUS PLINKING
- MODEL 572™ FIELDMASTER® FEATURES A SMOOTH CLASSIC SLIDE ACTION
- CHAMBERS 22 SHORT, 22 LONG AND 22 LONG RIFLE CARTRIDGES
- HIGH-GLOSS AMERICAN WALNUT STOCK AND FORE-END WITH CUT CHECKERING
- TUBULAR MAGAZINE FED
- RICHLY BLUED CARBON-STEEL RECEIVER AND BARREL
- ADJUSTABLE IRON SIGHTS FOR OPEN SIGHT PLINKING
- RECEIVER GROOVED FOR SCOPE MOUNTS FOR PRECISION SHOOTING WITH OPTICS



**MODEL 552™ BDL™
DELUXE SPEEDMASTER®**

Shoots: 22 Short, 22 Long, 22 LR (Order No. 25594)



**MODEL 572™ BDL™
DELUXE FIELDMASTER®**

Shoots: 22 Short, 22 Long, 22 LR (Order No. 25624)

See page 132 for model specifications.



SPORTSMAN® UNIVERSAL KIT

Keep your .22 caliber to 12-gauge firearms performing to peak capacity. 27 piece-kit includes 50 patches, 3-piece brass rod, and brass and nylon brushes for actions, bolts, cylinders and semi-auto slides. *See page 116.*



ELIMINATE DOUBT FROM 500 YARDS.

Created via a collaboration between Remington Arms Company, LLC and TrackingPoint™, an applied technology company in Austin, Texas, the Remington® 2020™ Digital Optic System effectively bundles numerous devices and technologies together in a single unit. The result is confidence at distances of up to 500 yards.

RECORDING & STREAMING

From the moment the tag is placed, until 15 seconds after the shot is made, the Remington 2020 records both audio and video to an internal memory. This allows you to replay and share proof of your achievement with others.

Streaming allows you to see what the shooter sees, providing opportunities for real-time coaching and mentoring from father to child, guide to client, or peer to peer.

The integrated Wi-Fi system allows for streaming of the HUD to an external device.



MATCHED AMMUNITION

The Remington 2020 Digital Optic System is programmed specifically for the hand-selected Remington and Bushmaster rifles and the ballistic performance of the ammunition being used.

Each rifle platform is profiled for three ammunition types:

- A target round featuring a Sierra® MatchKing® bullet
- A traditional (lead-core) hunting round
- An alternative (solid copper) hunting round

SHOOT2020.COM



MODEL 700™ LONG RANGE (LR)

Long Action | 30-06 Sprg (Order No. 84169/11204)
Features a 26" Heavy Barrel in Bell & Carlson M40 Stock

NEW

COMPETITION TARGET	TRADITIONAL HUNTING	ALTERNATIVE HUNTING
168-gr Remington® Premier® Match	180-gr Remington® Premier® Core-Lokt® Ultra Bonded®	168-gr Barnes® VOR-TX® Tipped TSX® BT



MODEL 700™ SPS™ TACTICAL

Short Action | 308 Win (Order No. 84210/11203)
Features a 20" Heavy Barrel with Threaded Muzzle in Hogue® Over-molded Ghillie® Green Pillar Bedded Stock

NEW

COMPETITION TARGET	TRADITIONAL HUNTING	ALTERNATIVE HUNTING
168-gr Remington® Premier® Match	180-gr Remington® Premier® Core-Lokt® Ultra Bonded®	168-gr Barnes® VOR-TX® Tipped TSX® BT



BUSHMASTER VARMINTER

223 Remington (Order No. 90393/11202)
Features a 24" Fluted Barrel with Magpul® Stock

NEW

COMPETITION TARGET	TRADITIONAL HUNTING	ALTERNATIVE HUNTING
69-gr Remington® Premier® Match	55-gr Remington® Premier® Accutip	55-gr Barnes® VOR-TX® TSX®



THE COMPLETE PACKAGE – EACH SYSTEM COMES WITH:

- A wheeled hard case with custom-fitted foam insert
- Mounted Remington 2020 Digital Optic System
 - Zeroed at the factory
 - Pre-loaded with three ballistic solutions for the paired ammunition types
- Hand-selected rifle
- Four (4) rechargeable batteries
- Charging cradle for two (2) batteries
- Eyeshade & removable infrared filter
- 115VAC Power Supply cord for charging cradle (12VDC output)
- 300 rounds of ammunition – 100 rounds of each type of ammunition
- Owner's documentation for the rifle and Remington 2020



TAG. TRACK. REACT. (TTR®)

The Remington 2020 Digital Optic System allows the shooter to Tag the target, Track it, and receive a visual indication when the point-of-aim is on target.



TAG

The sequence begins by aligning the dot in the Heads-Up Display with the target and pressing the “Tag” button located atop the scope.



TRACK

The ballistic computer calculates the firing solution and the blue reticle instantaneously offsets to indicate actual point-of-impact.



REACT

When the blue reticle is aligned with the tag, it will turn red; indicating the point of aim is on-target. The shooter may now take the shot.





HANDCRAFTED ONE AT A TIME. MADE TO LAST A LIFETIME.

When your passion for the finest equipment is surpassed only by your love of the sport, you owe yourself a visit to the Remington Custom Shop. With old-world-style craftsmanship, and an expertly trained eye for detail, our select group of artisans will individually produce a Remington Custom Shop long gun to meet and exceed your every expectation. Using the world's most advanced gunmaking equipment, our highly skilled team is able to engrave, accurize and hone components on your Remington Custom Shop rifle or shotgun. When all is said and done, you'll be the proud owner of a firearm that performs reliably for a lifetime, reaching a standard simply described as perfection.

WHAT MAKES A CUSTOM SHOP GUN SPECIAL?

ACCURATE.

Made to exacting tolerances to deliver pinpoint precision.

RELIABLE.

Crafted with extreme care to perform for generations.

COMFORT.

Finely tuned to fit the individual shooter.

TOUGH.

Built to weather any environment or condition.



THE WORLD'S MOST LEGENDARY HUNTER.

Through painstaking, personal attention by industry-leading gunsmiths, our Hunter Series takes the Model 700's legendary performance to all new heights. Among its many advancements, the barrel is matted to blueprinted actions for unparalleled accuracy, while the nearly indestructible synthetic stock delivers impeccable shot-to-shot consistency and comfort. The result is a superior performer in every way, proven across the nation and around the world.



MODEL 700™
APR



MODEL 700™ CUSTOM SENDERO®

HUNTER SERIES FEATURES

- BLUEPRINTED AND TRUED CARBON AND STAINLESS MODEL 700 ACTION
- BUTTON-RIFLED 40X BARREL, SENDERO HEAVY CONTOUR
- PREMIUM COMPOSITE STOCK, PILLAR BEDDED FOR 100% SUPPORT ACROSS THE LENGTH OF THE RIFLE
- X-MARK PRO® EXTERNALLY ADJUSTABLE TRIGGER SYSTEM
- PREMIUM COMPOSITE STOCK
- AVAILABLE IN 56 CALIBERS IN SHORT OR LONG ACTIONS



MODEL 700™
AWR II



MODEL 700™
NORTH AMERICAN



MODEL 700™
NORTH AMERICAN STAINLESS



THE ACTION REPUTATIONS ARE BUILT ON.

Built around our world-renowned Model 40-X™ action, our 40-X Series is designed and engineered for unsurpassed accuracy. The blueprinted action is squared to the barrel, with the barreled action hand-fitted and bedded into the stock. And the Adjustable 40-X trigger gives you a 1½ lbs. – 3½ lbs. range. This year we're giving you an even greater competitive edge, with new models adapted for the most popular tactical pursuits.



PRECISION FOR A LIFETIME.

Guaranteed to deliver 5-shot ½" groups or better, the Model 547™ Series is a rimfire family like no other, delivering great fun and hairsplitting accuracy to last a lifetime. Key to its astounding precision is a button-rifled, hand-lapped Shilen barrel, with match chamber for 22 LR. And the one-piece bolt handle is based on the Model 700™ bolt handle for enduring strength and life-lasting durability.



MODEL 40-XS

MODEL 40-XS SERIES FEATURES

- MCMILLAN A-5 STOCK WITH DEVCON TITANIUM PILLAR BEDDING
- CUSTOM SHOP, 24" BARREL WITH 1-12 TWIST
- MACHINED STAINLESS STEEL FLOORPLATE ASSEMBLY
- CHAMBERED IN .308 WIN.
- BLACK METAL COLOR
- STANDARD 700 BOLT KNOB



MODEL 40-X TIR

MODEL 40-XB™ TACTICAL

MODEL 40-X TDR



MODEL 547™ CUSTOM "C" GRADE

MODEL 547™ C-GRADE RIMFIRE FEATURES

- TRUED, HIGH POLISHED BLUED ACTION FOR REMARKABLE PRECISION
- BOLT HANDLE MODELED AFTER THE MODEL 700 BOLT HANDLE
- ONE-PIECE BOLT HANDLE/ COCKING PIECE
- SHILEN BARRELS WITH MATCH CHAMBER FOR 22LR
- TRIGGER SET AT CRISP 3 LBS.
- 22" BARREL
- WALNUT STOCK WITH ROSEWOOD FOREND TIP AND GRIP CAP



MODEL 547™ CUSTOM TARGET

MODEL 547™ CUSTOM CLASSIC

IF YOU DREAM IT, WE CAN BUILD IT. A Remington® Custom Shop firearm is anything you want it to be. From standard coverage to full customization, our in-house master engraver works with you every step of the way. Engineered performance and artistry perfectly blend to exhibit gunmaking in its highest form. Visit remingtoncustom.com for additional models.

ACTIONS.

Build your custom rifle on the industry's most trusted and popular platform. Our cylindrical receiver and 3-rings-of-steel, the foundation for our legendary Model 700™, are now available as aftermarket accessories. Made in the USA.

CARBON STEEL

- Available for Remington Model 700™ rifles
- X-Mark Pro® externally adjustable trigger system



Available in:

- Short Action (223 bolt face) – #27347
- Short Action (308 bolt face) – #27553
- Long Action – #27555
- Long Action Magnum – #27557
- Long Action Ultra Magnum – #85319

NEW

STAINLESS STEEL

- Available for Remington Model 700™ rifles
- X-Mark Pro® externally adjustable trigger system



Available in:

- Short Action (308 bolt face) – #27559
- Long Action – #27561
- Long Action Magnum – #27563
- Long Action Ultra Magnum – #85320

NEW

EXPRESS BIT™ GUN TOOL

Easily disassemble your firearm with one tool. Unlike average screwdrivers, only this tool includes a Torx® bit for use on scope rings, and a Punch bit for TPA pins on common fire controls.

Available in Orange, with 3" grip for better torque and Green, with 2 1/2" grip for smaller hands. Also includes flat head, phillips and hex bits.



LARGE (ORANGE)

- Bit Load – 5/32" and 1/4" slot, 5/32" Allen, #0 and #1 Phillips, Torx® and Punch
- S2 Steel

#19269 (Single),
#19953 (12-Pack Display)

NEW

SMALL (GREEN)

- Bit Load – 5/32" and 3/16" slot, 5/32" Allen, #0 and #1 Phillips, Torx # 15 and Punch
- 8660 Steel

#19265 (Single),
#19951 (12-Pack Display)



STOCKS.

For the ultimate in comfort and durability for your firearm, nothing but a Remington® replacement stock will do. Get yours in a fiberglass-reinforced, weatherproof, lightweight synthetic stock that will never bend or swell, or an handsome wood upgrade that's tough as nails and easy on the eyes. Made in the USA. (See chart on page 134 for all listings.)



MODEL 783™

Mossy Oak® Break-Up™ Infinity



MODEL 700™

Black Synthetic with Checkering



MODEL 700™

Camo with Hogue® Overmolded Grips

SUPERCELL™ RECOIL PAD

- The world's most effective recoil pad
- Generates up to 54% less recoil on our Model 870™ against leading competitors' autoloading shotguns
- Innovative design uses millions of tiny super cells absorb and release energy over a longer time period for a more comfortable shooting experience
- Made in the USA

#19483 (Wood), #19484 (Synthetic)



SuperCell™
RECOIL PAD



SuperCell recoil pad not included

ADJUSTABLE LENGTH OF PULL KIT


- Full 1" of adjustment to customize fit up to standard size
- For young and smaller shooters, or to adjust for different seasons – thin clothing for spring turkeys to thick coats for fall deer
- Kit includes – Two 1/4" LOP spacers, One 1/2" LOP spacer, Corresponding screw lengths to accommodate three different lengths
- Made in the USA

#19481

MOUNTS.

Lightweight, incredibly strong and providing the most secure attachment possible – keeping your scope and other accessories tight without excessive pressure.


INTEGRAL SCOPE MOUNTS - HIGH

- Available for Remington Model 700™ and Model 783™ rifles
- Fits 30mm scope tube without inserts or 1" with inserts
- Z-2 alloy construction – 50% stronger than aluminum
- Super strong design – base & lower ring all in one
- Available in black and silver
- Made in the USA 

Model 700: #19477 (Black), #19476 (Silver)
 Model 783: #19729 (Black), #19728 (Silver)




INTEGRAL SCOPE MOUNTS - MEDIUM

- Available for Remington Model 700™ and Model 783™ rifles
- Fits 1" scope tube only
- Z-2 alloy construction – 50% stronger than aluminum
- Available in black and silver
- Made in the USA 

Model 700: #19425 (Black), #19424 (Silver)
 Model 783: #19731 (Black), #19730 (Silver)



597 SCOPE RAIL

- One-piece scope mount rail
- Allows use of Weaver-type rings
- Lightweight and easy to install
- Made in the USA 

#18635



MAGAZINES.

Spend more time shooting, less time reloading. Extra mags made to factory standards of quality to work seamlessly with their matching firearm. Made in the USA.



MODEL 700™




MODEL 783™



MODEL 7600™



MODEL R-15



MODEL 597™



MODEL 770™

MAGAZINES				
ORDER NO.	MAGAZINES	CALIBER	CAPACITY	MATERIALS
19645	Model 700™ BDL Boxes – BLUED	Short Action - 6mm, .243, 7mm-08, .308	4	Steel
19650	Model 700™ BDL Boxes – BLUED	Long Action - .25-06, .270, .280, .30-06	4	Steel
19651	Model 700™ BDL Boxes – BLUED	Long Action Magnum - 7mm Rem® Mag., .300 Win. Mag., .338 Win. Mag.	3	Steel
19635	Model 770™/ 710™	Long Action - .30-06, .270, 7mm REM Mag., .300 Win. Mag.	3 to 4	Steel Polymer
19633	Model 770™/ 710™	Short Action - .243 Win., .308 Win., 7mm-08 REM	4	Steel Polymer
19524	Model 783™	Long Action Magnum	3	Steel Polymer
19523	Model 783™	Long Action	4	Steel Polymer
19522	Model 783™	Short Action - .308	4	Steel Polymer
19636	Models Six™, 7600™, 760™, 76™	Short Action - 7mm-08, .308, 6mm, .243, .257 Roberts	4	Steel
19637	Models Six™, 7600™, 760™, 76™	Long Action - .25-06, .30-06, .270, .35 Whelen, .280 Rem™	4	Steel
19638	Models Four™, 7400™, 742™, 740™, 74™, 750™ Woodmaster®	Short Action - .308, 6mm, .243	4	Steel
19642	Models Four™, 7400™, 742™, 740™, 74™, 750™ Woodmaster®	Long Action - .30-06, .270, .35 Whelen, .280 Rem™	4	Steel
19452	Model R-15 VTR™ – Camo	.223 Rem	5	Metal
19453	Model R-15 VTR™	.450 Bushmaster®	4	Metal
19653	Model 597™ – Magnum	.17 HMR, .22 WMR	8	Metal
19654	Model 597™ LR	.22	10	Metal
19667	Model 597™ LR - Clear	.22	30	Polymer
19668	Model 597™ LR - Black	.22	30	Polymer
19655	Models 581-S™, 541™	.22	10	Metal
19656	Model Nylon 77™	.22	10	Metal



NEW

ANY LOAD. ANYWHERE. EVERY TIME.

Versa Max,® the new standard for reliability in autoloading shotguns. Powered by our revolutionary VersaPort® gas-operated system, Versa Max shatters convention and all previous benchmarks for reliability. Proven in extreme endurance tests with thousands of rounds, Versa Max cycles any 12-gauge load with flawless consistency, dramatically reduced recoil and less maintenance than any autoloader ever. Versa Max expands its reign in 2014 with multiple new configurations. Equipped to take the flyways by force, the **Versa Max Waterfowl Pro** is decked in Mossy Oak® Shadow Grass Blades Camo, and features oversized controls, enlarged feeding port and more. **Versa Max Wood Tech** is easy on the eyes and devastating in the field, with a walnut-decorated synthetic stock. The **Versa Max Competition Tactical** is outfitted with the features top competitors demands, like a green Cerakote receiver, oversized controls, an enlarged feeding port and more. And the unstoppable reliability of Versa Max now fits comfortably in a southpaw's hands with **Versa Max Left Hand** models. Available in Realtree® Camo or Black Synthetic. Should the ultimate power of Versa Max and you'll never look back.



NEW **VERSA MAX® WOOD TECH**
Available in 12 gauge (3 1/2")
Order No. 83202 (28")




NEW **VERSA MAX® COMPETITION TACTICAL**
Available in 12 gauge (2 3/4" and 3")
Order No. 81029 (22")
(10 round total capacity with 2 shot extension)




NEW LEFT HAND AVAILABLE **VERSA MAX® BLACK SYNTHETIC**
Available in 12 gauge (3 1/2")
Order No. 83500 (28")
Order No. 81042 (28"), 81043 (26")




NEW LEFT HAND AVAILABLE **VERSA MAX® CAMO**
Available in 12 gauge (3 1/2")
Order No. 83506 (28")
Order No. 81054 (26")




MORE MODELS AVAILABLE. See page 124 for model specifications.



VERSA MAX® WATERFOWL PRO FEATURES

- GROUNDBREAKING VERSA PORT® OPERATING SYSTEM, FEATURING MULTI-PORT GAS SYSTEM, SELF-CLEANING PISTONS AND ROTATING BOLT-HEAD
- ROUNDS – FROM 2 ¼" TO 3 ½" MAGNUMS
- TEFLON® PLATED INTERNAL COMPONENTS FOR EXTREME CORROSION RESISTANCE
- MOSSY OAK® SHADOW GRASS BLADES CAMO
- TACTICAL BOLT HANDLE, BOLT BUTTON AND SAFETY FOR EASIER USE WITH GLOVES
- EXTENDED PRO BORE CHOKE TUBES
- ENLARGED FEEDING PORT
- FLAT-FACED CARRIER
- FEATURES HIVEZ® INTERCHANGEABLE SIGHTS, LENGTH-OF-PULL KIT AND FULLY ADJUSTABLE STOCK
- SLING INCLUDED




Oversized controls

Enlarged feeding port and flat faced carrier for easy snag-free loading with gloved hands

NEW VERSA MAX® WATERFOWL PRO

Available in 12 gauge (3 ½")
Order No. 83205 (28")

VERSA MAX WATERFOWL IN MOSSY OAK DUCK BLIND ALSO AVAILABLE:
12 gauge (3 ½"), Order No. 81048 (28")



THE VERSAPORT® ADVANTAGE.

Our advanced, patented gas-operated system is the future of autoloader technology.

SELF-REGULATES GAS PRESSURE BASED ON THE LENGTH OF THE SHELL


RELIABLY CYCLES 12 GAUGE LOADS – FROM LIGHT 2 ¼" TARGET LOADS TO THE HEAVIEST 3 ½" MAGNUMS

AVAILABLE ON ALL VERSA MAX® AND VERSA MAX® SPORTSMAN® SHOTGUNS

REDUCED RECOIL.

The softest-shooting semi-auto action ever.

Versa Port® reduces 12 gauge recoil to that of a 20 gauge.



NEVER SAY DIE DEPENDABILITY.

Tested and proven with thousands of rounds.


In an extreme torture test, our engineers fed it thousands of rounds without cleaning.



ANY LOAD. ANY GAME.

Cycles light target loads to heavy magnums.

By cycling any 12 gauge load, VersaPort® delivers maximum versatility and unequaled reliability to all hunters and shooters.



**THE UNSTOPPABLE
AMERICAN WORKHORSE.**

**ANY LOAD YOU FEED IT, ANYWHERE YOU NEED IT,
EVERY TIME YOU PULL THE TRIGGER.**

The engineers at The Rock changed the world of autoloader design forever when they created the Versa Max[®] – and then they boldly did it again when they unveiled the Versa Max[®] Sportsman[®]. A hard-working, streamlined version of our breakthrough Versa Max, yet driven by the same relentless heart. Versa Port[®]. Our revolutionary, self-regulating gas system, that flawlessly cycles any 12-gauge load – from light 2 3/4" to the heaviest 3 1/2" magnums. Along with its unstoppable, self-cleaning design, it reduces the felt recoil of a 12-gauge load to that of 20-gauge pump gun. Meaning faster, smoother followups, more comfort and simply better shooting. Here to take the woods, fields and flyways by force, the Sportsman is available in 5 configurations. Get your Versa Max Sportsman in standard black with a 26" or 28" barrel, or decked in Mossy Oak[®] Duck Blind or Realtree[®] AP[™] HD camo coverage. The Versa Max Sportsman Turkey sports Mossy Oak Obsession[™] camo and a highly maneuverable 22" barrel. Any load. Anywhere. Every time. For every application.



**VERSA MAX[®] SPORTSMAN[®] TURKEY
MOSSY OAK[®] OBSESSION**

Available in 12 gauge (3 1/2")
Order No. 81028 (22")



**VERSA MAX[®] SPORTSMAN[®]
REALTREE[®] AP[™] HD**

Available in 12 gauge (3 1/2")
Order No. 81027 (26")



**VERSA MAX® SPORTSMAN®
BLACK SYNTHETIC**

Available in 12 gauge (3 ½")
Order No. 81045 (28"), Order No. 81046 (26")

**VERSA MAX® SPORTSMAN
FEATURES**

- GROUNDBREAKING VERSAPORT® OPERATING SYSTEM, FEATURING A MULTI-PORT GAS SYSTEM, SELF-CLEANING PISTONS AND ROTATING BOLT-HEAD
- SYNTHETIC STOCK WITH TEXTURED GRIP PANELS
- BLACK OXIDE BARREL AND ANODIZED RECEIVER
- IVORY FRONT BEAD, STEEL MID BEAD, RS BEAD ON TURKEY MODEL
- SUPERCCELL™ RECOIL PAD FOR UP TO 54% LESS RECOIL
- INCLUDES ONE MODIFIED PRO BORE CHOKE TUBE AND ONE TXF ON TURKEY MODEL
- STEPPED TAPERED, UNDERCUT VENT RIB



**VERSA MAX® SPORTSMAN®
MOSSY OAK® DUCK BLIND**

Available in 12 gauge (3 ½")
Order No. 81049 (28")

MORE MODELS AVAILABLE. See page 124 for model specifications.



Ivory front bead

ProBore® choke

Textured grip panels





A SPORTSMAN FOR ALL SEASONS.

No matter the season, the Model 11-87™ Sportsman® family answers the call. Built to our legendary standards for autoloader performance, each features the unrivaled speed, reliability and smooth operation that have made this platform a standout for more than two decades. Truly as timeless and versatile as the American sportsman, the **Model 11-87 Sportsman® Field** offers classic looks that are complimented with an all-around versatility for clays, field and upland hunting. It comes with a handsome, satin-finish walnut stock and fore-end with cut fleur-di-lis checkering, and is available in 12- and 20-gauge versions, with 2 ¾" and 3" capability. Enhanced with a camo-clad ShurShot® stock for ambidextrous comfort and precision, the **Model 11-87 Sportsman Fully Rifled Cantilever ShurShot Deer** proves this family is just as deadly to bucks as to birds. And because we're constantly striving to serve sportsmen of all stripes, the **Model 11-87 Sportsman** is also available in black synthetic or decked in full Mossy Oak® Break Up® camo.



NITRO PHEASANT LOADS

One of the most potent pheasant loads on the market. Uses our Copper-Lokt shot for deep penetration and consistent patterns. *See page 96.*

SHOTGUNPARTS
PAGES **R** 66-68

MORE MODELS AVAILABLE. See page 125 for model specifications.



MODEL 11-87™ SPORTSMAN FIELD FEATURES

- WALNUT STOCK AND FORE-END WITH SATIN FINISH AND FLEUR-DE-LIS CHECKERING
- 12 GAUGE WITH 28" BARREL (MOD CHOKE INCLUDED) 20 GAUGE WITH 26" BARREL (MOD CHOKE INCLUDED)
- IVORY FRONT BEAD AND STEEL MID SIGHTS
- NICKEL-PLATED BOLT AND GOLD TRIGGER



Fleur-de-lis checkering compliments the satin-finished walnut stock and fore-end to create classic appeal.

MODEL II-87™ SPORTSMAN® FIELD

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 83700 (12/28"), 83704 (20/26")



MODEL II-87™ SPORTSMAN® CAMO

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 29895 (12/28"), 29917 (20/26")
(Compact model also available, see page 62)




MODEL II-87™ SPORTSMAN® BLACK SYNTHETIC

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 29879 (12/28"), 29881 (12/26"), 29825 (20/28"), 29827 (20/26")
(Compact model also available, see page 62)



MODEL II-87™ SPORTSMAN® FULLY RIFLED CANTILEVER SHURSHOT® DEER

Available in: 12 gauge (2 ¾" and 3")
Order No. 83602 (21")





THE ULTIMATE COMPETITIVE ADVANTAGE.

Chosen by millions across the nation for its exceptionally soft recoil and sleek pointing characteristics, the Model 1100™ has been dominating the competitive scene for years. The **Model 1100 Competition** features an action optimized for 2 ¾" target and light field loads, a fully adjustable stock, plus a handsome, nickel-Teflon® finish on the receiver and all internal parts for the smoothest, most reliable cycling possible. Built around the same time-tested, extremely reliable Model 1100 action, the **Model 1100 Tactical-4** delivers semi-auto speed and soft recoil in a quick-handling package that's perfect for tight quarters. Its 4-shot magazine extension packs an 8+1 capacity, while the 22" barrel is equipped with single bead sight and is compatible with Rem chokes. Chambered for 2 ¾" and 3," 12-gauge rounds, the **Model 1100 Tactical-2** has all the same great features with a 2-shot magazine extension that packs 6+1 capacity and 18" barrel.



THE MOST FAMOUS AUTOLOADER OF ALL TIME.

More than 50 years since it was first introduced, the Remington® Model 1100 has cemented its name as the most popular autoloader in history. And it is still the choice of countless competitive shooters nationwide – for its proven-reliable Model 1100 action, superior handling qualities and rich tradition. One of the most successful competitors ever, the **Model 1100 Classic Trap** provides serious shooters all of the time-tested features of the Model 1100 field guns, but optimized to handle 2 ¾" target and light field loads. Ivory front bead and steel mid-bead sights provide for ease of target acquisition and improved followups. And it features a B-grade, American walnut stock with handsome hi-gloss finish and cut checkering. Highlighted by nickel receivers, with intricate fine-line embellishments and gold accents, the **Model 1100 Sporting Series** shotguns are quick to impress and sweet to shoot. Gold triggers and a custom Premier Sporting hard case complete the package. If you haven't already, shoulder this and you'll soon see why the Model 1100 is America's favorite.





MODEL 1100™ COMPETITION

Available in: 12 gauge (2 3/4")
Order No. 82821 (30")

MODEL 1100™ COMPETITION FEATURES

- STOCK IS FULLY ADJUSTABLE AT THE COMB. ALSO FULLY ADJUSTABLE FOR CAST AND LOP
- TWIN TARGET-STYLE BEAD SIGHTS
- AVAILABLE WITH SYNTHETIC OR AMERICAN WALNUT STOCK AND FORE-ENDS
- POLISHED NICKEL FINISH ON RECEIVER
- NICKEL-TEFLON® COATED INTERNALS
- INCLUDES FULL SET OF FIVE BRILET (TARGET) PRO-BORE CHOKE TUBES: SKEET, IMPROVED CYLINDER, LIGHT MODIFIED, MODIFIED AND FULL



MODEL 1100™ TAC-4

Available in: 12 gauge (2 3/4" and 3")
Order No. 82800 (22")



MODEL 1100™ TAC-2

Available in: 12 gauge (2 3/4" and 3")
Order No. 82801 (22")



MODEL 1100™ CLASSIC TRAP

Available in: 12 gauge (2 3/4")
Order No. 25333 (30")

MODEL 1100™ CLASSIC TRAP FEATURES

- BLUED RECEIVER
- FINE-LINE EMBELLISHMENTS ON RECEIVERS
- GOLD TRIGGERS AND GOLD EMBELLISHMENTS ON RECEIVERS
- SEMI-FANCY, B-GRADE, SOLID AMERICAN WALNUT STOCKS AND FORE-ENDS
- TWIN TARGET-STYLE BEAD SIGHTS
- HIGH-GRADE WALNUT STOCKS



MODEL 1100™ SPORTING SERIES

Available in: 12, 20 and 28 gauge (2 3/4") and 410 bore (3")
Order No. 25315 (12/28"), 25399 (20/28"), 29583 (28/27"), 29549 (.410/27")

PREMIER® NITRO SPORTING CLAYS

A long-time favorite of trap and skeet shooters thanks to their 1300 fps velocity, pattern uniformity and "reloader-friendly" design. Pair your Model 1100 with this for an extra competitive edge. *See page 98.*



R | MODEL 887™ NITRO MAG®



SuperCell™
RECOIL PAD

REALTREE
MAX-4

M887™
NITROMAG®

BUILT WITH ARMOR SKIN AND BONES OF STEEL.

The most durable shotgun on the planet. Born of the gunmaking expertise that brought you the best-selling, most trusted shotgun of all time, the Model 870,™ the **Model 887™ Nitro Mag®** is an armor-clad warrior designed to carry the torch of our great pump-gun legacy through the most extreme conditions on earth. Our softest-shooting pump-gun ever, it has superior balance and natural pointing characteristics.

Our exclusive **ArmorLokt®** process seals the receiver and barrel in a vault of weather-impervious synthetic armor that's both completely rustproof and tough as nails. The barrel is hammer forged to last a lifetime. Twin steel action bars ensure smooth, positive chambering and ejection. And the sleek receiver design, perfect balance and natural pointing characteristics spell trouble for any game within reach of its 12-gauge 3 ½" Super Magnum capability. The synthetic stock and fore-end are ergonomically contoured to offer a positive grip and comfortable handling. Swivel studs are conveniently built-in.

The **Model 887™ Nitro Mag® Waterfowl** is fully concealed with Realtree® Max-4 camo. The **Model 887™ Nitro Mag® Tactical** has an 18 ½" barrel with solid rib and HiViz® front sight, and includes a ported, extended Remington Tactical Choke.



ARMORLOKT
TECHNOLOGY

ARMORLOKT® COATING. The barrel and receiver are locked in a vault of nail-tough polymer armor that's impenetrable to moisture and will never rust. This over-molded construction not only minimizes maintenance, it withstands abrasion and punishment like no other. Consider it full-coverage insurance for anything the season throws at you.

HYPERSONIC STEEL®

The world's fastest, hardest-hitting steel shortens lead by 11% to put more pellets in the head and neck, and help kill more birds with fewer shots. See page 93.



SHOTGUNPARTS
PAGES **R** 66-68



**MODEL 887™ NITRO MAG®
WATERFOWL CAMO**

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 82502 (28")

**MODEL 887™ NITRO MAG®
FEATURES**

- ACTION DESIGN BASED ON THE VENERABLE MODEL 870™ – ULTRA-SMOOTH AND RELIABLE
- RUGGED ARMORLOKT® COATING PREVENTS RUST ON ALL EXTERIOR SURFACES
- SUPERCCELL™ RECOIL PAD REDUCES THE FELT RECOIL UP TO 54%
- HANDLES 12 GAUGE 2 ¾", 3" AND 3 ½" LOADS INTERCHANGEABLY
- RUGGED SYNTHETIC STOCK AND FORE-END WITH SPECIALLY CONTOURED GRIP PANELS
- ARMORLOKT® BARREL WITH SOLID RIB AND HlVIZ® FRONT SIGHT WITH INTERCHANGEABLE FIBER OPTICS
- SLING SWIVEL STUDS BUILT IN
- REM CHOKES

Handles 12 gauge 2 ¾", 3" and 3 ½" loads interchangeably



HiViz® front sight with interchangeable fiber optics

ArmorLokt® barrel with solid integral rib

Durable synthetic stock and fore-end with specially contoured grip panels

Designed to accept Rem Choke system

ArmorLokt® coating prevents rust on barrel and receiver

Built-in sling swivel studs



MODEL 887™ NITRO MAG®

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 82501 (12/26"), 82500 (12/28")



MODEL 887™ NITRO MAG® TACTICAL

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 82540 (18 ½")



MORE MODELS AVAILABLE. See page 126 for model specifications.



THE ULTIMATE 63 YEARS. OVER 11

THE MOST POPULAR, MOST TRUSTED SHOTGUN EVER. More than 60 years ago the Remington® Model 870™ changed the face of shotgun design like nothing ever before. And today it remains the epitome of slick, dependable function. With a receiver machined from a single block of solid steel, the Model 870 is the smoothest, most reliable pump-action in the market. This superior dependability, as well as our ever-growing family, is why the Model 870 has been trusted by hunters, shooters and law enforcement professionals above all others – six decades running. It is a proud legacy, measured in 11 million sold and countless generations served. But for the greatest shotgun of all time, there's even more history to be made.



THE GREATEST OF ALL TIME.

The smoothness and reliability of the Model 870™ still sets the standard 60 years after its introduction. And with its strength, durability, silky-smooth bind-free action and sleek, classic lines, it's no wonder it has become the best-selling shotgun of any type in history with over 11 million made. Our Model 870 Wingmaster® is the smoothest pump-action shotgun on the market. The pump glides effortlessly on twin action bars for the utmost in positive chambering and ejection. For utmost strength, its receiver is machined from a solid steel billet. Its American walnut woodwork, plus richly blued and highly polished receiver and barrel, creates a look as timeless as its performance. Choose from a wide array of barrel and choke options.



MODEL 870™ CLASSIC TRAP

Available in: 12 gauge (2 3/4")
Order No. 24857 (30")

SMOOTH OPERATOR. MILLION SOLD.

It is the heart of the Model 870's landmark dependability and durability – a receiver machined from a single block of solid steel. From this foundation of impeccable strength is a smooth-shooting, rock-solid action that would still be hailed as an advancement, even if it were introduced today.



MODEL 870™ WINGMASTER®

Available in: 12 and 20 gauge (2 3/4" and 3"), 28 gauge (2 3/4"), and 410 bore (3")
Order No. 26927 (12/28"), 26929 (12/26"), 26947 (20/28"), 26949 (20/26"), 24983 (28/25"), 24991 (.410/25")

SHOTGUNPARTS
PAGES **R** 66-68

MORE MODELS AVAILABLE. See page 126 for model specifications.

MODEL 870™ WINGMASTER® FEATURES

- THE SMOOTHEST PUMP-ACTION SHOTGUN ON THE MARKET
- REMARKABLE RELIABILITY AND DURABILITY
- SUPERIOR BALANCE, HANDLING AND LOOKS
- POINTS, SWINGS AND FUNCTIONS BETTER THAN ANY OTHER IN ITS CLASS
- THE HIGHLY POLISHED AND RICHLY BLUED RECEIVER IS MILLED FROM A SOLID BILLET OF STEEL FOR THE ULTIMATE IN RUGGED DEPENDABILITY
- A WIDE ARRAY OF BARREL AND CHOKE OPTIONS MAKE VERSATILITY A WINGMASTER® HALLMARK
- TWIN-ACTION BARS FOR NON-BINDING ACTION

WEST VIRGINIA'S MOST HORRIFIC FLOOD.
16 YEARS OF NEGLECT. YET ONE
HUNTER'S MODEL 870™ SURVIVED
AND IS NOW GOING STRONG.

If there was any doubt about the durability of the Model 870, Randall Kesner's story will officially put it to rest. Read his incredible story at Remington.com/Model870Miracle





SuperCell™
RECOIL PAD

MOSSY OAK
BOTTOMLAND

100% ALL-AMERICAN ICON.

No imported parts. No aluminum. Just 100% pure American muscle. And with 11 million unleashed into the woods, fields and flyways, the **Model 870™** family's reign as this nation's favorite continues uncontested. The reason is simple – it remains the most advanced, smoothest-shooting pump-shotgun on the planet. Shot after shot, the pump slides seamlessly on twin action bars for positive chambering and ejection. And the receiver is machined from solid steel, for unrivaled strength and reliability. The **Model 870™ Express®** family puts this time-proven performance into the hands of virtually every hunter, with the widest selection of configurations available. And with four specialized designs, the **Model 870™ Special Purpose** family takes what was already an engineering marvel to the next level of application-specific innovation.



TRUGLO

ShurShot®
Stock

MOSSY OAK
Obsession

**MODEL 870™ SPS SUPER MAGNUM
TURKEY PREDATOR W/SCOPE**

Available in: 12 gauge (2 3/4", 3" and 3 1/2")
Order No. 81062 (20")



ShurShot®
Stock

REALTREE
APG

MODEL 870™ SPS SUPER MAGNUM

Available in: 12 gauge (2 3/4", 3" and 3 1/2")
Order No. 81061 (23")



ShurShot®
Stock

MOSSY OAK
freestand

**MODEL 870™ SPS SHURSHOT®
FULLY RIFLED SUPER SLUG®**

Available in: 12 gauge (2 3/4" and 3")
Order No. 82101 (25 1/2")



MODEL 870™ SPS MARINE MAGNUM®

Available in: 12 gauge (2 3/4" and 3")
Order No. 25012 (18")



**MODEL 870™ EXPRESS®
SUPER MAGNUM TURKEY/
WATERFOWL FEATURES**

- 12 GAUGE, HIVIZ® VENT-RIB SIGHT WITH REPLACEABLE FIBER OPTICS
- 26" BARREL WITH EXTENDED TURKEY AND WATERFOWL CHOKES
- MOSSY OAK® BOTTOMLAND™ FULL CAMO
- SHOOTS 2 ¾", 3" AND 3 ½" SHELLS
- SUPERCCELL™ RECOIL PAD
- DRILLED AND TAPPED RECEIVER



Remington is proud to support Ducks Unlimited, the world leader in wetlands conservation. To learn more, visit ducks.org.



NITRO TURKEY® Bird-hammering performance at an outstanding value. See page 95.

SHOTGUNPARTS
PAGES **R** 66-68

**MODEL 870™ EXPRESS®
SUPER MAGNUM TURKEY/WATERFOWL**

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 81125 (12/26") Mossy Oak® Bottomland,
81111 (12/28") Mossy Oak® Duck Blind



MODEL 870™ EXPRESS® TURKEY CAMO

Available in: 12 gauge (2 ¾" and 3")
Order No. 81115 (21")

MOSSY OAK OBSESSION WITH SHURSHOT STOCK ALSO AVAILABLE:
12 gauge (2 ¾" and 3"), Order No. 81114 (21")



MODEL 870™ EXPRESS®

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 25569 (12/26"), 25568 (12/28"), 25582 (20/26"),
25583 (20/28"), 25577 (12/28") Left-Hand

SUPER MAGNUM ALSO AVAILABLE: 12 gauge (3 ½"), Order No. 25114 (12/20" & 26")



MODEL 870™ EXPRESS® BLACK SYNTHETIC

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 25589 (12/26"), 25587 (12/28")



**MODEL 870™ EXPRESS®
FULLY RIFLED SHURSHOT® SLUG**

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 81118 (12/23"), 81120 (20/18 ½")



MODEL 870™ EXPRESS® DEER

Available in: 12 and gauge (2 ¾" and 3")
Order No. 25575 (12/20"/Rifled), 25565 (12/20"/Imp Cyl)
Black model not shown. Order No. 25097 (12/28")



MODEL 870™ EXPRESS® FULLY RIFLED CANTILEVER

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 25090 (12/23"), 25183 (20/18 ½")

COMBO ALSO AVAILABLE: 12 gauge (3"), Order No. 81280 (12/23" & 28")



MODEL 870™ EXPRESS® COMBO

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 25578 (12/20" & 26"), 25597 (20/20" & 26")

SUPER MAGNUM ALSO AVAILABLE: 12 gauge (3 ½"), Order No. 25114 (12/20" & 26")

MORE MODELS AVAILABLE. See pages 125-126 for model specifications.



BOOST YOUR SCORES. DEFEND YOUR TURF.

For competition or personal defense, no challenge too great for Remington® tactical shotguns. Our lineup includes some of the most trusted and popular shotguns in the industry, each fine-tuned for your specific tactical application. Our centerpiece is the **Versa Max® Competition Tactical**. We started with our Versa Max Tactical, then outfitted it to meet the 3-gunner's demands. Features include an 8-shot magazine, with a carbon fiber two-shot extension, oversized controls for handling with gloves, green Cerakote™-coated receiver, an enlarged loading port for faster reloads, express dovetail sights – and more. This year we're proud to add to our lineup the **Model 870 Express Magpul® FDE**, with a SGA Magpul stock for extra maneuverability, as well as the **Model 870 Tactical Pistol Grip**, equipped with a Pachmayr pistol grip for better shot control and less recoil. They're joined by the returning Versa Max Tactical and our crew of rock-solid, powerhouse shotguns. Whatever the job, Remington shotguns get it done better than anyone else.



NEW

MODEL 870™ EXPRESS® TACTICAL MAGPUL® FDE

Available in: 12 gauge (2 ¾" and 3")
Order No. 81226 (18 ½")



MODEL 870™ EXPRESS® TACTICAL MAGPUL®

Available in: 12 gauge (2 ¾" and 3")
Order No. 81209 (18 ½")
(6+1 capacity)



MODEL 870™ EXPRESS® TACTICAL WITH GHOST RING SIGHTS

Available in: 12 gauge (2 ¾" and 3")
Order No. 81198 (18 ½")



A-TACS

MODEL 870™ EXPRESS® TACTICAL A-TACS CAMO WITH GHOST RING SIGHTS

Available in: 12 gauge (2 ¾" and 3")
Order No. 81204 (18 ½")


NEW

VERSA MAX® COMPETITION TACTICAL

Available in 12 gauge (2 3/4" and 3")
Order No. 81029 (22") 8+1 Capacity

VERSA MAX® COMPETITION TACTICAL FEATURES

- PROVEN, RELIABLE VERSA MAX PLATFORM
- EXTENDED 10+1 CAPACITY, WITH CARBON FIBER, TWO-SHOT MAGAZINE EXTENSION TUBE
- PRO BORE® CHOKE SYSTEM
- OVERSIZED BOLT RELEASE BUTTON, BOLT RELEASE AND TRIGGER GUARD
- ENLARGED LOADING PORT
- QD SWIVEL ATTACHMENTS ON STOCK AND FORE-END
- RAISED RIB INCLUDES FIBER OPTIC FRONT BEAD AND SHALLOW REAR XS® EXPRESS SIGHTS



Oversized controls



QD swivel attachment

SuperCell™
RECOIL PAD



VERSA MAX® TACTICAL

Available in 12 gauge (3 1/2")
Order No. 81059 (22") 8+1 Capacity

NEW

MODEL 870™ EXPRESS® PISTOL GRIP

Available in: 12 gauge (2 3/4" and 3")
Order No. 81193 (18 1/2")



MODEL 870™ EXPRESS® TACTICAL BLACKHAWK!

Available in: 12 gauge (2 3/4" and 3")
Order No. 81404 (12/18 1/2")



MODEL 870™ EXPRESS® TACTICAL WITH KNOXX® SPEC OPS STOCK

Model 870 Tactical-2 with Knox Folding Stock not shown.
Order No. 81402 (18 1/2")

Available in: 20 gauge (2 3/4" and 3")
Order No. 81180 (18 1/2")
(6+1 capacity)



MODEL 870™ EXPRESS® TACTICAL

Available in: 12 gauge (2 3/4" and 3")
Order No. 25549 (12/18 1/2")



MODEL 870™ EXPRESS® TACTICAL WITH 7-ROUND CAPACITY

Available in: 12 and 20 gauge (2 3/4" and 3")
Order No. 25077 (12/18 1/2"), 81100 (20/18 1/2")



MODEL 1100 TAC-2 not shown. Order No. 82801 (22")

MODEL 1100™ TAC-4

Available in: 12 gauge (2 3/4" and 3")
Order No. 82800 (22")



MODEL 887™ NITRO MAG® TACTICAL

Available in: 12 gauge (2 3/4", 3" and 3 1/2")
Order No. 82540 (18 1/2")

SuperCell™
RECOIL PAD

MORE MODELS AVAILABLE. See pages 124-126 for model specifications.



THE INDUSTRY'S FINEST SELECTION OF COMPACT SHOTGUNS AND RIFLES.

Remington® is committed to the future of the hunting and shooting tradition. And because young shooters are more apt to continue the shooting sports if they start with a gun that fits properly, we crafted our standard, premium-grade stocks with a shorter length of pull, then fit them to some of our finest firearms. For the utmost in versatility. All synthetic compact firearms feature our complete adjustable length of pull kit. This kit grows with youngsters, and also helps smaller-framed adults tailor their firearm to meet their specific needs. These guns feature the world's most effective recoil pad, the SuperCell.™ It is standard equipment on all Compact firearms to ensure maximum shooting comfort. All **Model 870™ Express® Compact** and **Model 11-87™ Compact** shotguns are equipped with 21" barrels, while the **Model 700™** and **Model 770™ Compact** rifles have 20" barrels.

ADJUSTABLE LENGTH OF PULL KIT INCLUDED WITH COMPACT FIREARMS



Our Adjustable Length of Pull Kit is included with all synthetic compact firearms. The kit offers a full 1" adjustment, so any compact model can be custom-fit to shooters of smaller-frame and grow alongside youngsters – all the way up to the standard LOP. *See page 44 for the Adjustable Length of Pull Kit.*

KIT INCLUDES:

- Two ¼" LOP spacers
- One ½" LOP spacer
- Corresponding screw lengths to accommodate 3 different lengths
- Full 1" adjustment
- SuperCell recoil pad

MANAGED-RECOIL®

For recoil-sensitive shooters, half the recoil of standard-velocity rounds with a lethal punch out to 200 yards. *See page 90.*



RIFLE PARTS
PAGES R 44-45



SHOTGUNPARTS
PAGES **R** 66-68

**MODEL 870™ EXPRESS®
COMPACT CAMO**

Available in: 20 gauge (2 ¾" and 3")
Order No. 81166 (21")

**MODEL 870™ EXPRESS®
COMPACT CAMO FEATURES**

- 13" LENGTH OF PULL
- OFFERED IN 20 GAUGE
- ADJUSTABLE LENGTH OF PULL SYSTEM
- FEATURES REM CHOKE BARRELS
- PERFECT LENGTH, WEIGHT AND BALANCE FOR SMALLER-FRAMED SHOOTERS
- MODEL 870™ ACTION IS THE RELIABILITY STANDARD FOR PUMP SHOTGUNS AROUND THE WORLD
- REALTREE® HARDWOODS® HD™ CAMO
- SUPERCCELL™ RECOIL PAD



MODEL II-87™ SPORTSMAN® COMPACT SYNTHETIC

Available in: 20 gauge (2 ¾" and 3")
Order No. 83626 (21")
Camo model not shown. Order No. 83630 (21")



MODEL 870™ EXPRESS® COMPACT JR.

Available in: 20 gauge (2 ¾" and 3")
Order No. 81161 (18 ¾")



**MODEL 870™ EXPRESS®
BLACK SYNTHETIC YOUTH COMBO**

Available in: 20 gauge (2 ¾" and 3")
Order No. 25659 (20" & 21")



MODEL 870™ EXPRESS® COMPACT PINK CAMO

Available in: 20 gauge (2 ¾" and 3")
Order No. 81150 (21")
Black model not shown. Order No. 81148 (21")
Wood model not shown. Order No. 25561 (21")

**MODEL 870™ EXPRESS®
COMPACT JR. FEATURES**

- SHORTER 12" LENGTH OF PULL (1" SHORTER THAN COMPACT MODEL)
- ADJUSTABLE LENGTH OF PULL SYSTEM
- FEATURES REM CHOKE BARRELS
- PERFECT LENGTH, WEIGHT AND BALANCE FOR SMALLER-FRAME SHOOTERS
- MODEL 870™ ACTION IS THE RELIABILITY STANDARD FOR PUMP SHOTGUNS AROUND THE WORLD

**RIFLE
FEATURES**

- LEGENDARY REMINGTON® BOLT-ACTION ACCURACY
- 1-INCH-SHORTER STOCK FOR SMALLER-STATURE SHOOTERS
- ORDNANCE-GRADE STEEL RECEIVERS
- THREE RINGS OF STEEL (BOLT, BARREL AND RECEIVER) SURROUND THE CARTRIDGE HEAD FOR STRONGEST LOCK-UP
- HAMMER-FORGED BARREL WITH BLUED FINISH (MODEL 700™ ONLY)
- BUTTON-RIFLED BARREL (MODEL 770™)
- HINGED FLOORPLATE OR DETACHABLE MAGAZINES



**MODEL 700™ SPS
COMPACT SYNTHETIC**

Available in: 243 Win. (Order No. 84150), 7mm-08 Remington (Order No. 84151)
(Left-hand compact models also available, see page 50)



MODEL 770™ COMPACT

(Scope, base and rings included)
Available in: 243 Win. (Order No. 85637)



MODEL 597™ PINK CAMO

Available in: 22 LR (Order No. 80854)

MORE MODELS AVAILABLE. See pages 125-132 for model specifications.

CLASSICS TODAY. HEIRLOOMS FOREVER.

OUR MOST FAMOUS FIREARMS, NEW AND UPGRADED FOR YOU.



NEW



MODEL 1100™

Available in: 12 gauge (Order No. 83016),
20 gauge (Order No. 83018),
28 gauge (Order No. 83020)



AMERICAN CLASSIC EDITION FEATURES

- HANDSOME, B-GRADE AMERICAN WALNUT STOCK
- MACHINED-CUT ENGRAVED RECEIVER WITH GOLD FILL
- VENTILATED RECOIL PAD AND WHITE LINE SPACER
- WHITE DIAMOND GRIP CAP
- HIGH-POLISH, BLUED FINISH



NEW

MODEL 870™

Available in: 12 gauge (Order No. 82084),
20 gauge (Order No. 82085), 28 gauge (Order No. 82086)

REMINGTON® AMERICAN CLASSICS. CELEBRATING THE HERITAGE OF REMINGTON ARMS CO. WITH SPECIAL LIMITED EDITIONS.

For 2014 we're proud to present the Remington American Classics Collection, honoring the most enduring legacy in American firearms – and the generations who have made it possible.

These are the firearms that have established our immutable place in the grand sporting tradition, built in the spirit of their original forebears. Inaugurating this exclusive new line are respectively the most popular autoloading shotgun and the most popular pump-action shotgun of all time – the Model 1100™ and Model 870™. There's more to come, so please join us as we celebrate our shared history and future with Remington American Classics.



See page 126 for model specifications.

REMINGTON'S AIR RIFLE IS COMING BACK AT 1,000 FPS.

Driven by our mission to build the most advanced firearms for every passion comes the all-new Remington Airguns family. Leading the way for 2014, the Remington® Express™ built butt to bore to deliver optimal velocity, superior accuracy and incredible knock down power. And there's more to come. So whether for practice, small game hunting or just plain fun, turn to the high-performance Airguns offered by America's most trusted gunmaker.



Our Air Rifle heritage dates back to 1928 with the pump-action Model 26 – one of the most powerful, smoothest-shooting air rifles of its day.



Fitted rubber recoil pad

4x 32mm scope

Auto/reset safety

2-stage trigger

Full-length checkered real hardwood stock

Adjustable fiber optic rear sight

Break barrel design

Tapered rifled barrel

Fiber optic front sight

NEW REMINGTON® EXPRESS™
Available in: .177 caliber (Order No. 89200)



PACKED WITH OUR FINEST FEATURES, LIKE THE MOST FUN YOU'VE EVER HAD SHOOTING.

Remington® is proud to now offer the Remington® Express™ .177 Caliber Air Rifle – built for speed, precision, knock down power and simply having a great time. The spring piston break barrel fires lead pellets up to 1,000 fps, with 16 lbs-ft knock down energy to terminate targets or drop small game. For added confidence when making long shots, it includes fiber optic front and rear sights, plus a pre-installed 4x32mm scope mount. And the full length checkered hardwood stock gives handsome looks to the air rifle any shooter would be proud to call their own.



BREAK BARREL

AUTO/RESET SAFETY

REMINGTON® EXPRESS™ FEATURES

- .177 CALIBER SPRING PISTON BREAK BARREL
- SHOOTS LEAD PELLETS UP TO 1,000 FPS
- 16 LBS-FT KNOCK DOWN ENERGY
- 4X 32MM SCOPE AND MOUNTS INCLUDED
- FULL LENGTH CHECKERED HARDWOOD STOCK
- FIBER OPTIC FRONT AND ADJUSTABLE REAR SIGHTS
- FITTED RUBBER RECOIL PAD
- AUTO / RESET SAFETY
- TWO STAGE TRIGGER

STOCKS.

For the ultimate in comfort and durability for your firearm, nothing but a Remington® replacement stock will do. Get yours in a fiberglass-reinforced, weatherproof, lightweight synthetic stock that will never bend or swell, or an handsome wood upgrade that's tough as nails and easy on the eyes. Made in the USA. (See chart on page 134 for all listings.)



MODEL 870™
Laminated Wood



MODEL 1100™/11-87™
Mossy Oak® Break-Up™



MODEL 870™ MONTE CARLO



MODEL 870™ COMPACT
(13" LOP)
Realtree® Hardwood® HD™



MODEL 870™ COMPACT
(13" LOP)
Mossy Oak® Pink Camo



MODEL 870™ COMPACT JR.
(12" LOP)



MODEL 870™ 1100™ AND 11-87™ SHURSHOT®
(Camo and black versions available)



MODEL 870™ MAGAZINE EXTENSION KIT

- Add more rounds to your 870's shotgun's capacity (12 gauge only)
- Extends magazine chamber:
 - 18" Extension adds 2 extra shots
 - 20" Extension adds 3 extra shots
- Available in Blued or Parkerized finish
- Package includes tube assembly, swivel assembly with screw, magazine extension spring and coupling
- Made in the USA 🇺🇸

MAGAZINES				
ORDER NO.	MAGAZINES	CALIBER	CAPACITY	MATERIALS
19419	Model 870™ 18" Mag. Extension Kit	Adds 2 Extra shots	Blued	Stainless Steel
19420	Model 870™ 18" Mag. Extension Kit	Adds 2 Extra shots	Parkerized	Stainless Steel
19421	Model 870™ 20" Mag. Extension Kit	Adds 3 Extra shots	Blued	Stainless Steel
19422	Model 870™ 20" Mag. Extension Kit	Adds 3 Extra shots	Parkerized	Stainless Steel

VERSA MAX® COMB INSERT

- Made of same tested cellular polyurethane as our SuperCell recoil pad
 - Provides comfort and elevation
 - Made in the USA 🇺🇸
- #19478 (Raised), #19479 (Extra High)



RAISED
3/8" Higher Comb

EXTRA HIGH
5/8" Higher Comb



SHOTGUN MOUNT

- Saddle style mount allows use for Remington Model 870™, 1100™ and 11-87™
 - Made in the USA 🇺🇸
- #19440

BARRELS.

Update your “old reliable” to perform as good as new, or upgrade your current shotgun into a deer, turkey or duck gun. The only fitting barrel for your shotgun is one made by Remington.® Made in the USA.



MODEL 870™ WINGMASTER®
28" Vent Rib



MODEL 870™ EXPRESS®
28" Vent Rib



MODEL 887™ NITRO MAG®
Rifled Sights



MODEL II-87™
Cantilever Deer



MODEL II-87™
Rifled Sights

SUPERCELL™ RECOIL PAD

- The world's most effective recoil pad
- Generates up to 54% less recoil on our Model 870™ against leading competitors' autoloading shotguns
- Innovative design uses millions of tiny super cells absorb and release energy over a longer time period for a more comfortable shooting experience
- Made in the USA

#19471 (Wood), #19472 (Synthetic)



MAGAZINE CAP WITH SWIVEL STUD

- Fits all Model 870, 1100, and 11-87 12-, 20- and 16-gauge shotguns
- Swivel stud attached for sling
- Swivel stud for rear stock included
- Made in the USA

#19462 (12 and 16 ga), #19461 (20 ga)



MODEL 870™ EXTRA BARRELS		
LENGTH & CHOKE	12 GAUGE	20 GAUGE ¹
Deer Barrel, Rifle Sights, Wingmaster®		
20" Rem® Choke	24545 ²	—
Field Grade, Vent Rib, Wingmaster®		
28" Rem® Choke	24580 ⁵	—
Deer Barrel, Cantilever		
18 1/2" Fully Rifled	—	27599
23" Fully Rifled	27597	—
SP™ Deer Barrel, Cantilever		
18 1/2" Fully Rifled Scoped	—	27595 ³
23" Fully Rifled Scoped	24553 ³	—
Express® Bead Sights (18"), Cyl.	24620	—
Express® Vent Rib		
30" Modified Rem® Choke	24589	—
28" Modified Rem® Choke	26314	—
26" Modified Rem® Choke	26312	—
Express® Deer, Rifle Sights (20"), Imp. Cyl.	24622	—
Express® Deer, Fully Rifled, Rifle Sights (20")	24611 ⁴	24609 ⁴

Model 870™ extra barrels with 3" chambers used on Super Magnum™ and Magnum receivers will handle both 2 3/4" and 3" shells only. Use only 2 3/4" shells when these barrels are used on non-Magnum receivers. 1 20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns. 2 Rifle-sighted Rem® Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes. 3 Sold in 5 pack quantities only 4 Express® 20-ga. Fully Rifled Deer barrel has 2 3/4" chamber. Model 870™ extra barrels with 2 3/4" chambers will fit both Magnum and 2 3/4" receivers. Use only 2 3/4" shells in these barrels. 5 Supplied with Full, Mod and IC Rem® chokes

VERSA MAX® EXTRA BARRELS / 3" CHAMBERS	
LENGTH & CHOKE	12 GAUGE
Field Grade Deer, Rifle Sights	
25" Fully Rifled	80620

MODEL 887™ EXTRA BARRELS / 3" CHAMBERS	
LENGTH & CHOKE	12 GAUGE
Nitro Mag® Deer Barrel, FR-RS, HiViz® Fiber Optic Rifle Sights	
22" Fully Rifled	80200

MODEL II-87™ EXTRA BARRELS / 3" CHAMBERS		
LENGTH & CHOKE	12 GAUGE	20 GAUGE ¹
SP™ Deer Barrel, Cantilever Scope Mount²		
21" Fully Rifled	24645	—
Sportsman® Deer Barrel, Cantilever Scope Mount²		
21" Fully Rifled	—	27591
SP™ Deer Barrel, Rifle Sights²		
21" Fully Rifled	29609	—

Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 1 20-gauge 11-87™ Lightweight barrels will not fit 20-gauge standard 870™ guns. 2 Model 11-87™ Deer barrels are compatible with Model 1100™ G3 shotguns. Fitting Standard Barrels on Light Contour Shotguns – The fore-ends on our Light Contour Model 11-87™ shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker, or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700 or visit our website at: www.remington.com.

MODEL 1100™ EXTRA BARRELS / 2 3/4" CHAMBERS		
LENGTH & CHOKE	12 GAUGE	
Field Grade Deer, Cantilever Scope Mount		
21" Fully Rifled	26595	
Field Grade Deer, Rifle Sights		
21" Fully Rifled	29570	
Field Grade, Vent Rib		
30" Rem® Choke ¹	24488	
28" Rem® Choke ¹	24464	
26" Rem® Choke ¹	24466	

¹ Ships with Full, Mod and IC Rem® chokes

SHOTGUN PLUG

- Standard plug fits most Remington 12 gauge shotguns
- Made in the USA

#19451



CHOKE TUBES.

Get the most out of your shotgun with our expansive selection of choke tubes. Available for an array of pursuits, each is performance-tuned to deliver optimum pattern performance in your chosen application. Made in the USA.



REM® CHOKE

PRO BORE®



CHOKE TUBE BUNDLES NOW AVAILABLE

Value packs with most popular chokes now available at your favorite retailer.

CHOKE TUBE BAG

- Holds six flush or extended chokes
- Pocket with zipper for wrench
- Heavy-duty zippered Cordura® pouch
- Belt loop for carry convenience
- 6 choke tube vials included

#19172



Choke tubes and wrench not included

CHOKE TUBE SPEED WRENCH

- Available in 12 and 20 gauge
- Made in the USA

#19173 (12 ga), #19174 (20 ga)



CHOKE TUBES				
ORDER NO.	CHOKE TUBES	TYPE		SHOT TYPE
19154	Rem® Choke 12 gauge	Modified	Flush	Steel or Lead
19155	Rem® Choke 12 gauge	Improved Cylinder	Flush	Steel or Lead
19607	Rem® Choke 12 gauge	Skeet	Flush	Steel or Lead
19608	Rem® Choke 12 gauge	Improved Skeet	Flush	Steel or Lead
19153	Rem® Choke 12 gauge	Full	Flush	Steel or Lead
19612	Rem® Choke 12 gauge	Rifled	Flush	Slugs
19609	Rem® Choke 12 gauge	Turkey Extra Full	Extended	Lead Only
19156	Rem® Choke 12 gauge	Turkey Super Full	Extended	Lead Only
19616	Rem® Choke 12 gauge	Rifled	Extended	Slugs
19626	Rem® Choke 12 gauge	Flooded Timber Improved Cylinder	Extended	Steel or Lead
19627	Rem® Choke 12 gauge	Pass Shooting Full	Extended	Steel or Lead
19629	Rem® Choke 12 gauge	Over Decoys Modified	Extended	Steel or Lead
19631	Rem® Choke 12 gauge	Turkey/Predator Ex. Full	Extended	Steel or Lead
19791	Rem® Choke Tactical 12 Gauge	Tactical Ported	Extended	Lead Only
19157	Rem® Choke 20 gauge	Full	Flush	Lead Only
19158	Rem® Choke 20 gauge	Modified	Flush	Steel or Lead
19159	Rem® Choke 20 gauge	Improved Cylinder	Flush	Steel or Lead
19621	Rem® Choke 20 gauge	Skeet	Flush	Steel or Lead
19625	Rem® Choke 20 gauge	Turkey Super Full	Extended	Lead Only
19160	Pro Bore® Choke 12 Gauge	Full	Flush	Steel or Lead
19162	Pro Bore® Choke 12 Gauge	Improved Cylinder	Flush	Steel or Lead
19161	Pro Bore® Choke 12 Gauge	Modified	Flush	Steel or Lead
19165	Pro Bore® Choke 12 Gauge	Light Modified	Extended	Steel or Lead
19164	Pro Bore® Choke 12 Gauge	Modified	Extended	Steel or Lead
19166	Pro Bore® Choke 12 Gauge	Improved Cylinder	Extended	Steel or Lead
19163	Pro Bore® Choke 12 Gauge	Full	Extended	Steel or Lead
19167	Pro Bore® Choke 12 Gauge	Skeet	Extended	Steel or Lead
19792	Pro Bore® Choke Tactical 12 Gauge	Tactical Ported	Extended	Lead Only
BUNDLES				
19773	Rem® Choke 12 gauge Express Bundle	IC & Full	Flush	Steel or Lead
19777	Rem® Choke 12 gauge Target Bundle	Skeet, Skeet II, IC	Flush	Steel or Lead
19775	Rem® Choke 12 gauge Hunter Bundle	IC + Full + Mod	Extended	Steel or Lead
19776	Rem® Choke 12 gauge Hunter Bundle	Turkey SF + Rifled	Extended	Lead Only (TSF) Slugs (Rifled)
19774	Rem® Choke 20 gauge Express Bundle	IC & Full	Flush	Steel or Lead
KIT				
19423	Rem® Choke Upgrade Kit 12 gauge	IC, Mod, Speed Wrench, Universal Magazine Cap, Swivel	Flush	Steel or Lead


COMING SUMMER 2014!

DEER EXPERT
RUSS MACLENNAN

WATERFOWL EXPERT
DOUG LARSEN

BIG GAME EXPERT
DAN HARRISON

Remington[®] Country



Sponsored by:



Check local listings or visit Remington.com



Warning: Keep Out of Reach of Children.
Cartouches À Percussion Centrale
Mise En Garde: Gardez Hors De La Portée Des Enfants.

RIFLE CARTRIDGES

Remington.


PREMIER ACCUTIP™

20 CENTERFIRE RIFLE CARTRIDGES

SUPERIOR AMMUNITION, BORN OF UNMATCHED R&D.

There is no such place as off the clock for Remington engineers, even when it comes to tried-and-true loads like **Remington Core-Lokt.®** This year marks its 75th season as The Deadliest Mushroom in the Woods. It was born in 1939 as the very first controlled-expansion bullet, and we've been improving it ever since – a commitment to performance that's made it the world's best-selling centerfire hunting ammunition.

HyperSonic® Rifle Bonded. Hog Hammer.® Ultimate Defense Compact Handgun. Each exemplify our massive, ongoing commitment to R&D. And in each line you'll find more offerings than ever this year. Because at Remington,® the innovation never stops.



72	ULTIMATE DEFENSE
74	HANDGUN
76	CENTERFIRE
92	SHOTSHELL
106	RIMFIRE

DON'T TRUST YOUR SAFETY TO ANYTHING ELSE.

1 EXCLUSIVE BRASS JACKET

With precision nose cuts controls expansion and optimizes energy transfer

2 CASE MOUTH AND PRIMER WATERPROOFING


For maximum reliability

3 NICKEL-PLATED CASES

To reduce oxidation and improve feeding and extraction

4 SPECIALLY TREATED POWDERS

To suppress muzzle flash



PRECISION STOPPING POWER

The bullet diameter directly ahead of the Driving Band is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the rifling. The result: match-grade accuracy and reduced barrel friction at maximum velocities.




NEW ULTIMATE DEFENSE COMPACT HANDGUN

Designed with the concealed carry permit holder in mind to deliver big gun terminal performance out of shorter barreled pistols and revolvers. This round has been engineered to provide optimal penetration and expansion through even heavy clothing at lower velocities for maximum stopping power. It's all of our premium features now finely tuned for your most important handgun.

ULTIMATE DEFENSE HANDGUN

Based on the same platform trusted by law enforcement professionals to protect the American way of life, now available for personal defense. Loaded with our high-performance Brass Jacket Hollow Point (BJHP), these rounds deliver massive expansion and deep penetration for ultimate stopping power. Premium nickel-plated cases resist corrosion and cycle dependably after extended storage. Available in the most popular pistol and revolver calibers.



ULTIMATE DEFENSE COMPACT HANDGUN			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
9mm Luger	HD9MMBN	124	BJHP
380 Auto	CHD380BN	102	BJHP
38 Special (+P)	CHD38SBN	125	BJHP
40 S&W	CHD40SWBN	180	BJHP
45 Auto	CHD45APBN	230	BJHP

ULTIMATE DEFENSE HANDGUN			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
9mm Luger	HD9MMBN	124	BJHP
380 Auto	HD380BN	102	BJHP
38 Special (+P)	HD38SBN	125	BJHP
40 S&W	HD40SWBN	180	BJHP
45 Auto	HD45APBN	230	BJHP
45 Colt	HD45C410*	230	BJHP
45 Colt	HD45C410A**	230	BJHP

*Clam Pack **Box Pack

For more information on ballistics, see page 138.



ULTIMATE DEFENSE SHOTSHELL



These rounds deliver dense, devastating patterns and massive knockdown power when the stakes are at their highest. Short-range patterns in smoothbore barrels are tight and effective for one-shot confidence. Our 410 load packs four lead 000 buckshot pellets to maximize effectiveness of the Taurus® Judge® handgun.

ULTIMATE DEFENSE SHOTSHELL LOADS - LEAD BUCKSHOT					
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
410B000HD	410	2 ½	1225	4 PEL	000BK
413B000HD	410	3	1125	5 PEL	000BK
HD45C410*	410	2 ½	1225	4 PEL	000BK
HD45C410A**	410	2 ½	1225	4 PEL	000BK


*Clam Pack **Box Pack

ULTIMATE DEFENSE COMBO PACK



Two of the most tested and trusted payloads in home defense, together in one convenient package. For serious stopping power, Ultimate Defense 45 Colt features a 230-grain BHP-style bullet, while the 410 load offers 4 pellets of 000 buckshot to deliver ultra-tight patterns and one-shot confidence. For the ultimate in close range assurance when it matters most, each feeds seamlessly through your combination handgun.

A SOLID GOLD INSURANCE POLICY FOR PROTECTING WHAT MATTERS MOST.



1 JACKET NOSE CUT

Forms a folded spiral pattern that curls one edge of each jacket petal inward, completely cutting through the lead core into the hollow point for reliable and predictable expansion

2 HIGH-PERFORMANCE BRASS JACKET

Made entirely of thicker and stiffer cartridge brass instead of standard copper gilding metal for ultimate in controlled expansion

3 DRIVING BAND™

Mechanically locks core to jacket to prevent core/jacket separation and reduces rifling contact friction for optimum muzzle velocity and tack driving accuracy



This series of photos shows the totally controlled and extremely uniform expansion of Golden Saber® HPJ bullets.

GOLDEN SABER® HPJ

DEAD-SERIOUS BULLET INNOVATION.

A superior bullet for when the stakes are at their highest. Designed for law enforcement and personal defense, the Golden Saber® High Performance Jacket successfully combines match-type accuracy, deep penetration, maximum expansion and near 100 percent weight retention.



PREMIER® GOLDEN SABER® HPJ (HIGH PERFORMANCE JACKET)		
CARTRIDGE	INDEX/ EDI NO.	BULLET WT. (GRS.)
357 Magnum	GS357MA	125
9mm Luger	GS9MMB	124
	GS9MMC	147
9mm Luger (+P)	GS9MMD	124
380 Auto.	GS380B	102
38 Special (+P)	GS38SB	125
40 S&W	GS40SWA	165
	GS40SWB	180
45 Auto.	GS45APA	185
	GS45APB	230
45 Auto. (+P)	GS45APC	185

+P: Ammunition with "+P" on the headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

For more information on ballistics, see page 138.

UNRIVALED CONFIDENCE. ULTIMATE STOPPING POWER. REMINGTON® DELIVERS.

HIGH TERMINAL PERFORMANCE (HTP)™

Now is no time for compromise. Combining premium primers, brass cases and propellants with a wide assortment of bullet designs, Remington HTP gives you the confidence and instant-stopping power you need for when it matters most. Available in all major defense calibers, in standard and many +P loadings. Always be prepared with Remington HTP.



REMINGTON TARGET

Practice makes perfect and nothing prepares you better than Remington Target. Consistency, accuracy and iron-clad reliability, made with high-quality components and available in all traditional revolver bullet styles. For the quality wheelgun owners demand, Remington Target delivers.

REMINGTON

The broadest line of pistol and revolver ammo available. Our line includes loadings for virtually every shooting scenario, with vast choices of calibers, bullet weights and styles, and combinations of all these. All assembled to exacting standards from the highest-quality components.

For complete caliber listings, visit Remington.com.



REMINGTON HTP™ PISTOL & REVOLVER			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
357 Mag.	RTP357M7	110	Semi-Jacketed Hollow Point
	RTP357M1	125	Semi-Jacketed Hollow Point
	RTP357M2	158	Semi-Jacketed Hollow Point
	RTP357M3	158	Soft Point
9mm Luger	RTP357M10	180	Semi-Jacketed Hollow Point
	RTP9MM1	115	Jacketed Hollow Point
380 Auto.	RTP9MM6	115	Jacketed Hollow Point +P
	RTP9MM8	147	Jacketed Hollow Point
	RTP380A1	88	Jacketed Hollow Point
38 Special	RTP38S16	110	Semi-Jacketed Hollow Point
	RTP38S10	110	Semi-Jacketed Hollow Point +P
	RTP38S21	125	Semi-Jacketed Hollow Point +P
	RTP38S12	158	Lead Hollow Point +P
40 S&W	RTP40SW1	155	Jacketed Hollow Point
	RTP40SW2	180	Jacketed Hollow Point
41 Magnum	RTP41MG1	210	Soft Point
44 Remington	RTP44MG2	240	Soft Point
	RTP44MG3	240	Semi-Jacketed Hollow Point
45 Auto.	RTP45AP2	185	Jacketed Hollow Point
	RTP45AP7	230	Jacketed Hollow Point
45 Colt	RTP45C	230	Jacketed Hollow Point

REMINGTON TARGET PISTOL & REVOLVER			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
32 S&W	RTG32SW	88	Lead Round Nose
32 S&W Long	RTG32SWL	98	Lead Round Nose
357 Mag.	RTG357M5	158	Lead Semi-Wadcutter
38 S&W	RTG38SW	146	Lead Round Nose
	RTG38S3	148	Lead Wadcutter
38 Special	RTG38S6	158	Lead Semi-Wadcutter
	RTG38S5	158	Lead Round Nose
38 Short Colt	RTG38SC	125	Lead Round Nose
44 S&W Special	RTG44SW	246	Lead
45 Colt	RTG45C1	225	Lead Semi-Wadcutter
	RTG45C	250	Lead Round Nose

+P: Ammunition with "+P" on the headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

For more information on ballistics, see page 138.

CELEBRATING 75 YEARS

OF THE DEADLIEST MUSHROOM IN THE WOODS.

Our commemorative packaging celebrates the legacy of innovation and performance of Core-Lokt.®



1939 (Original)



1965



1974



1998 (Current)

THE BEST-SELLING CENTERFIRE HUNTING AMMUNITION OF ALL TIME.




STILL BREAKING NEW GROUND, 75 YEARS LATER.

The one-shot kill never goes out of style. This simple truth has made Core-Lokt® the best-selling centerfire hunting ammunition of all time. From whitetails to antelope, elk to caribou, Core-Lokt has put more big game on the ground than any other cartridge.

This unprecedented achievement is a testament to superior design and constant innovation. Born in 1939 as the first controlled-expansion bullet, its tapered copper jacket is locked to the lead core, delivering consistent 2X expansion, deep penetration and high weight-retention on game. And as our technology has improved, so has Core-Lokt. Remington engineers have consistently advanced the original groundbreaking design – both in overall performance and available chamberings.

While hundreds of big-game loads have come and gone since 1939, only one remains at the forefront. And with a legacy 75 years strong and countless generations wide, Remington Core-Lokt will always be *The Deadliest Mushroom in the Woods*.



TESTED, PROVEN FOR TERMINAL DEVASTATION.

Creating expanded cavities in the thickest ballistic gels, Remington engineers have devised the ultimate performer for devastating wound channels.

AHEAD OF ITS TIME SINCE 1939. THE ORIGINAL CONTROLLED-EXPANSION BULLET.



1939



1961



1972



2014



- 1 CONSISTENT 2X EXPANSION**
For large terminal wound channels
- 2 DEEP PENETRATION**
And high weight retention
- 3 PROVEN LETHAL**
The original controlled-expansion bullet

1 SOFT POINT SHAPE

Provides broad frontal area for high-energy impact and rapid expansion

2 SPITZER SHAPE PROFILE


For improved velocity and flatter trajectory

3 BULLET CORES "LOKT" IN PLACE

To provide deep penetration

4 JACKETS DESIGNED FOR PROGRESSIVE, RELIABLE EXPANSION

To almost twice the original diameter



CORE-LOKT® SOFT POINT

CORE-LOKT® POINTED SOFT POINT

CORE-LOKT® POINTED SOFT POINT

CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
6mm Remington	R6MM4	100	Pointed Soft Point
243 Win	R243W3	100	Pointed Soft Point
25-06 Remington	R25062	100	Pointed Soft Point
25-06 Remington	R25063	120	Pointed Soft Point
6.5x55 Swedish	R65SWE1	140	Pointed Soft Point
6.5mm Remington Mag	R65MM2	120	Pointed Soft Point
260 Remington	R260R1	140	Pointed Soft Point
264 Win Mag	R264W2	140	Pointed Soft Point
270 Win	R270W2	130	Pointed Soft Point
270 WSM	R270WSM1	130	Pointed Soft Point
280 Remington	R280R3	140	Pointed Soft Point
280 Remington	R280R1	150	Pointed Soft Point
7mm-08 Remington	R7M081	140	Pointed Soft Point
7mm Remington Mag	R7MM4	140	Pointed Soft Point
7mm Remington Mag	R7MM2	150	Pointed Soft Point
7mm Remington Mag	R7MM3	175	Pointed Soft Point
7x64 Brenneke	R7x641	140	Pointed Soft Point
7x64 Brenneke	R7x642	175	Pointed Soft Point
7mm Mauser (7x57)	R7MSR1	140	Pointed Soft Point
7mm Remington SA Ultra Mag	PR7SM2	150	Pointed Soft Point
30-40 Krag	R30402	180	Pointed Soft Point
30-06 Springfield	R30062	150	Pointed Soft Point
30-06 Springfield	R3006B	165	Pointed Soft Point
30-06 Springfield	R30065	180	Pointed Soft Point
300 Savage	R30SV2	150	Pointed Soft Point
30 Remington AR	R30RAR1	125	Pointed Soft Point
300 Win Mag	R300W1	150	Pointed Soft Point
300 Win Mag	R300W2	180	Pointed Soft Point
300 WSM	R300WSM1	150	Pointed Soft Point
308 Win	R308W1	150	Pointed Soft Point
308 Win	R308W3	180	Pointed Soft Point

CORE-LOKT® POINTED SOFT POINT [CONT.]

CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
300 Wby Mag	R300WB1	180	Pointed Soft Point
300 Remington SA Ultra Mag	PR300SM2	165	Pointed Soft Point
300 Remington Ultra Mag	R300UM1-P1	150	Pointed Soft Point
338 Win Mag	R338W1	225	Pointed Soft Point
338 Win Mag	R338W2	250	Pointed Soft Point
338 Remington Ultra Mag	PR338UM2	250	Pointed Soft Point
35 Remington	R35R1	150	Pointed Soft Point
35 Whelen	R35WH1	200	Pointed Soft Point
9.3x62mm	R93x621	286	Pointed Soft Point

CORE-LOKT® SOFT POINT

CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
257 Roberts	R257	117	Soft Point
270 Win	R270W4	150	Soft Point
280 Remington	R280R2	165	Soft Point
30-30 Win	R30301	150	Soft Point
30-30 Win	R30302	170	Soft Point
30-06 Springfield	R30064	180	Soft Point
30-06 Springfield	R30067	220	Soft Point
308 Marlin® Express	R308ME1	150	Soft Point
308 Win	R308W2	180	Soft Point
303 British	R303B1	180	Soft Point
32 Win Special	R32WS2	170	Soft Point
8mm Mauser	R8MSR	170	Soft Point
35 Remington	R35R2	200	Soft Point
450 Bushmaster	R450B1	250	Soft Point

CORE-LOKT® HOLLOW POINT


CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
30-30 Win	R30303	170	Hollow Point

For more information on ballistics, see pages 135-137.

GAME-CHANGING VELOCITY MEETS GAME-LEVELING BULLET DESIGN.

Simulated bone

Penetrates through bone
and initiates wound channel




Bullet exits after inflicting
massive tissue damage

Full pass-through with
devastating trauma

FINE-TUNED FOR ON-GAME LETHALITY

Remington tested countless bullet designs at these higher velocities to find the ultimate vehicle of ballistic wrath.



HYPERSONIC® RIFLE BONDED			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
223 Remington	PRH223R4	62	Core-Lokt® Ultra Bonded®
243 Win	PRH243WC	100	Core-Lokt® Ultra Bonded®
270 Win	PRH270WB	140	Core-Lokt® Ultra Bonded®
7mm Rem Mag	PRH7MMRC	160	Core-Lokt® Ultra Bonded®
30-06 Springfield	PRH3006A	150	Core-Lokt® Ultra Bonded®
30-06 Springfield	PRH3006C	180	Core-Lokt® Ultra Bonded®
308 Win	PRH308WA	150	Core-Lokt® Ultra Bonded®
300 Win Mag	PRH300WC	180	Core-Lokt® Ultra Bonded®

For more information on ballistics, see pages 135-137.





OUR DEADLY FORMULA.

- 1 BONDED CORE DESIGN** carries boosted velocities and energies through heavy bone with absolute lethal command
- 2 PROPRIETARY PROPELLANT BLEND** delivers velocities up to 200 fps faster than standard loads

THE FLATTEST TRAJECTORIES.



SHOULDER BONES ARE MERE SPEED BUMPS.



50% thicker Core-Lokt® section for controlled-expansion at higher velocities

THE MOST LETHAL BIG-GAME AMMUNITION EVER DEvised.

With hyper-charged velocities up to 200 fps faster than standard loads, HyperSonic® Rifle Bonded delivers more than just laser-flat trajectories and higher downrange energies. It zips through hide, meat and bone with unrivaled devastation thanks to today's most advanced bonded bullet design, Core-Lokt® Ultra Bonded. Remington engineers started with a proprietary blend of propellants to achieve the boost in speed, then went to work to find the perfect lethal match, testing loads with every possible bullet design on ballistic gel, simulated bone, actual big-game carcasses and other mediums we can't reveal. When the smoke and the chunks cleared, the combination that dominated in terminal performance and accuracy is the one you see here. No other high-velocity load on the market can measure up, and you'll only get it from the R&D masterminds at Remington.

LEARN MORE AT THEROCK.REMINGTON.COM

OPERATION HAMMER DOWN.

1 HOLLOW POINT CAVITY
For reliable and predictable expansion

3 ACCU-GROOVE™
For decreased fouling and improved accuracy

2 SLEEK BULLET PROFILE
For laser-flat trajectory

4 PRECISION HEEL RADIUS
For extreme accuracy



Four “cutting petals” expand to double the bullet’s original diameter for long, wide wound channels.



WAGE WAR ON FERAL SWINE WITH DEEPER PENETRATION AND RAPID ON-HOG EXPANSION.




For whacking and stacking swine, nothing delivers a bigger pig-pulverizing punch than Hog Hammer.® It penetrates even the thickest-skinned pigs with a Barnes TSX® Bullet.® With all-copper construction for 28% deeper penetration than standard lead-core bullets, this is the toughest expanding bullet in the industry, offering near 100% weight-retention on-hog. And it expands rapidly to 2x the diameter to carve massive wound channels. Hog Hammer is loaded with a flash-suppressed propellant for fast followups during nighttime and low-light hunts, and it uses nickel-plated cases for consistent feeding in your hog rifle. Available in seven calibers, including 450 Bushmaster, it’s full-boar annihilation, as only Remington® can provide. Designed, tested and proven at The Rock.

LEARN MORE AT THE ROCK.REMINGTON.COM

Massive expansion initiated

Uniform wound channel with bullet exiting intact

Full pass-through with devastating trauma




ALL-COPPER BULLET CARVES THROUGH HOG.

For integrity and consistency, its one-piece, copper construction expands rapidly, without jacket-core separation.

HOG HAMMER®

CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
223 Remington	PHH223R4	62	Barnes TSX
300 BLK	PHH300AAAC1	110	Barnes TSX
30 Remington AR	PHH30AR1	125	Barnes TSX
30-30 Win	PHH30302	150	Barnes TSX
30-06 Springfield	PHH30061	168	Barnes TSX
308 Win	PHH308W2	168	Barnes TSX
450 Bushmaster	PHH450B1	275	Barnes TSX

For more information on ballistics, see pages 135-137.



SHOCK UP FRONT.
AWE IN THE BACK.

1 THICK TAPERED JACKET

Controls mushrooming for totally dependable on-game results

2 LEAD CORE


Is bonded to pure copper jacket

3 A-FRAME CROSSMEMBER

Stops expansion at optimum diameter of 2x caliber

4 PROTECTED REAR

Drives forward for deep penetration on tough game



PREMIER®
A-FRAME®

A TIPPED BULLET THAT
POWERS THROUGH.

1 PRECISION-SHAPED
POLYMER TIP

Initiates expansion

2 JACKET AND CORE
LOCKED TOGETHER


With proven Swift bonding technology

3 SLEEK PROFILE

For optimum ballistic coefficient

4 BOAT TAIL BASE DESIGN

For improved downrange performance



PREMIER®
SCIROCCO®

PREMIER® A-FRAME®



THE MOST RELIABLE
BONDED DUAL-CORE BULLET ON THE PLANET.

Premier® A-Frame® bullets by Swift™ provide totally reliable performance for the world's toughest big game. A-Frame will mushroom to a devastating 2x caliber diameter with nearly 95 percent weight retention. Suitable for all big or dangerous game – the best choice from Alaska to Africa and everywhere in between.

LEARN MORE AT THEROCK.REMINGTON.COM

PREMIER® SCIROCCO® BONDED




THE TOUGHEST POLYMER-TIPPED BULLET PERIOD.

The remarkable Premier® Scirocco® Bonded bullet by Swift™ maintains its status as the industry leader in bonded tipped bullets by delivering the highest ballistic coefficient of any bullet of its kind for the flattest trajectory and maximum retained energy. Combine that with unsurpassed accuracy and superior weight retention, Premier® Scirocco is unquestionably the most effective bonded, tipped bullet to sit atop a factory load. When the ultimate accuracy and performance is needed, turn to Scirocco.

LEARN MORE AT THEROCK.REMINGTON.COM

ONE SERIOUSLY LETHAL HUNTING TIP.



PREMIER® ACCUTIP™

1 TIP INITIATES EXPANSION

For maximum energy transfer

3 SLEEK PROFILE

For optimum ballistic coefficient

2 JACKET THICKNESS

Tuned for controlled expansion on medium-sized game

4 FLAT TRAJECTORY

And outstanding accuracy

PREMIER® ACCUTIP™



PRECISELY THE BIG-GAME BULLET OF YOUR DREAMS.

It's the most accurate polymer-tipped big-game bullet available today. Along with match-grade precision, AccuTip™ delivers an unprecedented combination of laser-flat trajectory and devastating terminal performance. AccuTip bullets expand quickly – producing an awesome level of transferred energy – to dispatch medium and big game with lightning authority. A progressively tapered jacket and harder lead core regulate weight retention and optimize penetration. Make the switch and, trust us, big game won't know what hit 'em!

PREMIER® A-FRAME®			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
270 Win	RS270WA	140	A-Frame PSP
7mm Remington Mag	RSTMMA	160	A-Frame PSP
7mm Remington Ultra Mag	PR7UM5	175	A-Frame PSP
30-06 Springfield	RS3006A	180	A-Frame PSP
300 Win Mag	RS300WMB	180	A-Frame PSP
300 Win Mag	RS300WA	200	A-Frame PSP
8mm Remington Mag	RS8MMRA	200	A-Frame PSP
300 Remington Ultra Mag	RS300UM2	200	A-Frame PSP
300 Remington Ultra Mag	RS300VM1	180	A-Frame PSP
338 Win Mag	RS338WA	225	A-Frame PSP
338 Remington Ultra Mag	PR338UM1	250	A-Frame PSP
375 H&H Mag	RS375MA	300	A-Frame PSP
375 Remington Ultra Mag	PR375UM3	300	A-Frame PSP
416 Remington Mag	RS416RA	400	A-Frame PSP

PREMIER® SCIROCCO® BONDED			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
243 Win	PRSC243WA	90	Scirocco Bonded
270 Win	PRSC270WA	130	Scirocco Bonded
7mm Remington Mag	PRSC7MMB	150	Scirocco Bonded
7mm Remington Ultra Mag	PRSC7UM1	150	Scirocco Bonded
30-06 Springfield	PRSC3006C	150	Scirocco Bonded
30-06 Springfield	PRSC3006B	180	Scirocco Bonded
300 Win Mag	PRSC300WB	180	Scirocco Bonded
300 WSM	PRSC300WSMB	180	Scirocco Bonded
308 Win	PRSC308WB	165	Scirocco Bonded
300 Remington Ultra Mag	PR300UM5	150	Scirocco Bonded
300 Remington Ultra Mag	PR300UM3	180	Scirocco Bonded
300 Remington Ultra Mag	PR300UM3-P2	180	Scirocco Bonded


PREMIER® ACCUTIP™			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
243 Win	PRA243WA	95	AccuTip
260 Remington	PRA260RA	120	AccuTip Boat Tail
270 Win	PRA270WA	130	AccuTip Boat Tail
280 Remington	PRA280RA	140	AccuTip Boat Tail
7mm-08 Remington	PRA7M08RB	140	AccuTip Boat Tail
7mm Remington Mag	PRA7MMRB	150	AccuTip Boat Tail
30 Remington AR	PRA30RAR1	125	AccuTip
300 WSM	PRA300WSMC	180	AccuTip Boat Tail
30-06 Springfield	PRA3006A	150	AccuTip Boat Tail
30-06 Springfield	PRA3006B	165	AccuTip Boat Tail
30-06 Springfield	PRA3006C	180	AccuTip Boat Tail
300 Win Mag	PRA300WC	180	AccuTip Boat Tail
300 Remington Ultra Mag	PRA300UM1-P1	150	AccuTip Boat Tail
308 Win	PRA308WB	165	AccuTip Boat Tail

For more information on ballistics, see pages 135-137. AccuTip-V: Varmint-Specific Cartridges.

DELIVERING PURE ACCURACY AND DEVASTATING TERMINAL RESULTS.



Massive tissue damage and instant terminal performance for varmints and predators.



- 1 BOAT-TAIL BASE**
Reduces drag
- 2 SLEEK BULLET PROFILE**
High ballistic coefficient
- 3 POLYMER TIP**
Less frontal air resistance

PREMIER® ACCUTIP-V™



PINPOINT DETONATION.

Expect dynamite results. In varmint calibers, AccuTip-V™ combines superb flight characteristics and match-grade accuracy with a design optimized for explosive on-game results. At impact, AccuTip's gold polymer tip is driven rearward, causing the thin jacket and soft lead core to violently fragment. First and foremost, though, it gets there precisely, shot after shot – it's the most accurate varmint bullet you can shoot.

PREMIER® DISINTEGRATOR® VARMINT



EXPLOSIVELY VOLATILE ON GAME.

Now you see him. Now you don't. Disintegrator® Varmint. Loaded with lead-free frangible bullets that meet the requirements of non-toxic hunting areas, this ammunition delivers radical, explosive expansion that shatters the capabilities of conventional jacketed bullets. Because they break into tiny fragments at impact, Disintegrator® Varmint bullets will not ricochet, giving you added peace of mind. Tight manufacturing tolerances and industry-leading components produce tiny groups on paper as well. In two popular calibers: 223 Remington and 22-250 Remington, both with 45 gr. JHP bullets.

MATCH-GRADE ACCURACY. ELEVATED.

PREMIER® MATCH

Ever hear the phrase, “You could drive tacks with ‘em?” Well, they’re probably talking about Remington® Premier® Match ammunition. Using only match-grade bullets, Premier Match ammunition employs special loading practices to ensure world-class performance and accuracy with every shot. Maybe some day there will be a stronger word than accurate to describe Premier Match. Until then, we’ll continue to prove it on paper.



5 SHOTS, .6", 100 YDS.
308 Win, 168-gr. Premier® Match

PREMIER® COPPER SOLID®



Experience the game-leveling advantage of the finest lead-free bullet design on the market today. Premier® Copper Solid® delivers extremely deep penetration with nearly 100 percent weight retention. Its sleek profile, polymer tip and boat-tail base give it outstanding flight characteristics. In fact, it’s one of the finest extended-range hunting bullets we’ve ever offered due to its extremely high ballistic coefficient. At impact, the polymer tip plows through a built-in expansion chamber and initiates a mushroom that’s consistently 1.8x bullet diameter – creating a large terminal wound channel from close range to the farthest reaches of your shooting ability.

PREMIER® ACCUTIP-V™			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (grs.)	BULLET TYPE
17 Remington Fireball	PRA17FB	20	AccuTip-V
17 Remington	PRA17RA	20	AccuTip-V
204 Ruger	PRA204A	32	AccuTip-V
204 Ruger	PRA204B	40	AccuTip-V Boat Tail
221 Remington Fireball	PRA221FB	50	AccuTip-V Boat Tail
22 Hornet	PRA22HNA	35	AccuTip-V
222 Remington	PRA222RB	50	AccuTip-V Boat Tail
223 Remington	PRA223RB	50	AccuTip-V Boat Tail
223 Remington	PRA223RC	55	AccuTip-V
22-250 Remington	PRA2250RB	50	AccuTip-V Boat Tail
243 Win	PRA243WB	75	AccuTip-V Boat Tail

PREMIER® DISINTEGRATOR® VARMINT			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
223 Remington	DV223RA	45	Jacketed Iron Core HP
22-250 Remington	DV22250RA	45	Jacketed Iron Core HP

PREMIER® MATCH			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
223 Remington	R223R6	62	Hollow Point Match
223 Remington	RM223R1	69	MatchKing® BTHP
223 Remington	RM223R3	77	MatchKing® BTHP
6.8mm Remington SPC	RM68R1	115	MatchKing® BTHP
308 Win	RM308W7	168	MatchKing® BTHP
308 Win	RM308W8	175	MatchKing® BTHP

PREMIER® COPPER SOLID®			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
243 Win	PCS243WB	80	Copper Solid Tipped
270 Win	PCS270WA	130	Copper Solid Tipped
7mm Remington Mag	PCS7MMA	140	Copper Solid Tipped
30-30 Win	PCS3030WA	150	Copper Solid Tipped
30-06 Springfield	PCS3006A	150	Copper Solid Tipped
30-06 Springfield	PCS3006B	165	Copper Solid Tipped
300 Win Mag	PCS300WA	150	Copper Solid Tipped
300 Win Mag	PCS300WB	165	Copper Solid Tipped
308 Win	PCS308WA	150	Copper Solid Tipped
300 Remington Ultra Mag	PCS300UMB	165	Copper Solid Tipped

For more information on ballistics, see pages 135-137.

PERFECTION IN DEVASTATION.

1 MORE ACCURATE

Near-perfect wall thickness results in better flight stability.

2 MORE RELIABLE

50% thicker Core-Lokt® section better controls expansion at high velocities.

3 MORE VERSATILE

A 20% heavier jacket provides more controlled expansion and penetration at all ranges.

4 MORE EFFECTIVE

Bonded jacket/core design with 2x diameter expansion and up to 95% weight retention for ultimate on-game performance.



5 SHOTS, .6", 100 YDS.

30-06 Springfield, 150-gr.
Premier® Core-Lokt® Ultra Bonded®

PREMIER® CORE-LOKT® ULTRA BONDED®

THE STANDARD OF ACCURACY IN BONDED HUNTING BULLETS.

Premier® Core-Lokt® Ultra Bonded® is a bullet in a class of its own. It is the first and only bullet to successfully maximize the best features of two great types of hunting bullet construction. It delivers the extreme accuracy and retained energy you would expect from a tipped bullet, in combination with the outstanding penetration and weight retention that only a bonded, non-tipped bullet could deliver. This unique design provides the hunter a Premier bullet that yields devastating on-game performance from 50 to 500 yards. Premier® Core-Lokt® Ultra Bonded® – the new standard in high-performance hunting bullets.




PREMIER® CORE-LOKT® ULTRA BONDED®			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
223 Remington	PRC223R4	62	Core-Lokt® Ultra Bonded®
243 Win	PRC243WC	100	Core-Lokt® Ultra Bonded®
25-06 Remington	PRC2506RA	115	Core-Lokt® Ultra Bonded®
260 Remington	PRC260RB	140	Core-Lokt® Ultra Bonded®
270 Win	PRC270WC	140	Core-Lokt® Ultra Bonded®
6.8mm Rem SPC	PRC68R4	115	Core-Lokt® Ultra Bonded®
7mm Rem. Mag	PRC7MMRA	140	Core-Lokt® Ultra Bonded®
7mm Rem. Mag	PRC7MMRC	160	Core-Lokt® Ultra Bonded®
7mm Rem. SA UM	PR7SM4	160	Core-Lokt® Ultra Bonded®
7mm Remington Ultra Mag	PR7UM1	140	Core-Lokt® Ultra Bonded®
7mm Remington Ultra Mag	PR7UM2-P2	160	Core-Lokt® Ultra Bonded®
30-06 Springfield	PRC3006A	150	Core-Lokt® Ultra Bonded®
30-06 Springfield	PRC3006C	180	Core-Lokt® Ultra Bonded®
300 Win Mag	PRC300WA	150	Core-Lokt® Ultra Bonded®
300 Win Mag	PRC300WC	180	Core-Lokt® Ultra Bonded®
308 Win	PRC308WA	150	Core-Lokt® Ultra Bonded®
308 Win	PRC308WC	180	Core-Lokt® Ultra Bonded®
300 Rem. SA UM	PR300SM4	180	Core-Lokt® Ultra Bonded®
300 Rem. Ultra Mag	PR300UM4	180	Core-Lokt® Ultra Bonded®
300 Rem. Ultra Mag	PR300UM3-P2	180	Core-Lokt® Ultra Bonded®
338 Win Mag	PRC338WA	225	Core-Lokt® Ultra Bonded®

For more information on ballistics, see pages 135-137.

LEARN MORE AT THEROCK.REMINGTON.COM

ONE GUN. ONE CARTRIDGE. THREE PERFORMANCE LEVELS.



POINT OF IMPACT

Across all Power Levels within 2", out to 200 yards.



POWER LEVEL® I

TERMINAL ENERGY - LONGE RANGE


30-06 Springfield performance
Whitetail-sized game out to long range



POWER LEVEL® II

MAGNUM ENERGY - EXTENDED RANGE

300 Win Mag / 300 WSM performance
Medium and large big game at extended ranges



POWER LEVEL® III

MAXIMUM ENERGY - EXTREME RANGE

300 Remington Ultra Mag performance
The biggest, toughest game at extreme ranges



REMINGTON® ULTRA MAG® POWER LEVEL® AMMUNITION

Giving hunters the greatest velocities, flattest trajectories and highest energy levels available. Remington Ultra Mag® For accuracy and lethality, each features large case capacities with non-belted case designs that hold more powder and align with unrivaled precision within the bore. Remington Ultra Mag is also available in Power Level® ammo loads, which maintain a 2" point of impact out to 200 yards. This kind of versatility is simply unmatched by any other cartridge, offering you little to no scope adjustment when changing power levels. We also proudly offer magnum performance in a lightweight, short-action firearm and ammo package with Remington Premier® Short-Action Ultra Mag. Packing a ballistic punch comparable to the most popular belted magnums – 300 Win Mag and 7mm Remington Mag – all in a fast-handling, short-action rifle. For hunters of the most discriminating standards, this is truly a superior, high-performance system.

REMINGTON® ULTRA MAG®					
INDEX/EDI NO.	CARTRIDGE	POWER LEVEL	PERFORMANCE EQUIVALENT	BULLET WT. (GRS.)	BULLET TYPE
PR7UM1	7mm Ultra Mag	III	7mm Ultra Mag	140	Core-Lokt® Ultra Bonded®
PRSC7UM1	7mm Ultra Mag	III	7mm Ultra Mag	150	Scirocco® Bonded
PR7UM5	7mm Ultra Mag	III	7mm Ultra Mag	175	A-Frame®
PR7UM2-P2	7mm Ultra Mag	II	7mm Remington Mag	160	Core-Lokt® Ultra Bonded®
R7UM1-P1	7mm Ultra Mag	I	270 Win	140	Core-Lokt®
PR300UM5	300 Ultra Mag	III	300 Ultra Mag	150	Scirocco® Bonded
PR300UM3	300 Ultra Mag	III	300 Ultra Mag	180	Scirocco® Bonded
PR300UM4	300 Ultra Mag	III	300 Ultra Mag	180	Core-Lokt® Ultra Bonded®
RS300UM2	300 Ultra Mag	III	300 Ultra Mag	200	A-Frame®
PR300UM2-P2	300 Ultra Mag	II	300 Win/300 WSM	180	Core-Lokt® Ultra Bonded®
PR300UM3-P2	300 Ultra Mag	II	300 Win/300 WSM	180	Scirocco Bonded
PRA300UM1-P1	300 Ultra Mag	I	30-06 Springfield	150	AccuTip™
R300UM1-P1	300 Ultra Mag	I	30-06 Springfield	150	Core-Lokt®
PR338UM1	338 Ultra Mag			250	A-Frame® PSP
PR338UM2	338 Ultra Mag			250	Core-Lokt® PSP
PR375UM2	375 Ultra Mag			150	Soft Point Hornady®
PR375UM3	375 Ultra Mag			150	A-Frame® PSP


PREMIER® SHORT-ACTION ULTRA MAG®			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
7mm Remington SA UM	PR7SM1	140	Core-Lokt® Ultra Bonded®
7mm Remington SA UM	PR7SM2	150	Core-Lokt® PSP
7mm Remington SA UM	PR7SM4	160	Core-Lokt® Ultra Bonded®
300 Remington SA UM	PR300SM1	150	Core-Lokt® Ultra Bonded®
300 Remington SA UM	PR300SM2	165	Core-Lokt® PSP
300 Remington SA UM	PR300SM4	180	Core-Lokt® Ultra Bonded®

For more information on ballistics, see pages 135-137.

WE BROUGHT THE MODERN SPORTING RIFLE TO THE GREAT AMERICAN TRADITION.



All of America's greatest hunting rifles evolved out of military designs, and we were the first to see the great potential of the AR platform in the field. Hence, the R-15 and R-25 were born. The first of their kind, and still the best. We also carry a complete selection of supremely accurate and hunting ammunition for every chambering of modern sporting rifle we offer.



300 AAC BLACKOUT



The ultimate 30-cal solution for the MSR platform. It matches the ballistic power of the 7.62x39mm AK, but at 300 meters has 16.7% more energy. Optimal for sound and flash-suppressed fire, all in a low-recoiling package. Featuring waterproofed primers, crimped and cannellured open-tip match bullets, and a low-drag design.

30 REMINGTON AR



With big game dropping ballistics like the vaunted 308 Win., it creates the ultimate synergy of our firearms and ammo expertise when paired with our lightweight R-15 platform. This blend of devastating power and speed is a major advancement in big-game hunting technology. Available in polymer-tipped Core-Lokt, AccuTip and UMC loadings.



223 REM



6.8 SPC



300 AAC
BLACKOUT



30 REM AR



308 WIN



450
BUSHMASTER

PREMIER® ACCUTIP™ 450 BUSHMASTER




The "Big Thumper" gets a big dose of aerodynamics and devastating expansion from your 450 Bushmaster and we load it with perhaps the most accurate 45-caliber bullet ever devised. Featuring our Power Port tip, this 260-grain AccuTip bonded projectile delivers exceptional flight characteristics for ultimate downrange precision and sustained energy. Its bonded construction, high-strength cartridge-brass jacket and spiral nose cuts combine to drive huge, uniform mushrooms through the toughest game with ease.

300 AAC BLACKOUT			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
300 AAC Blackout	PHH300AAC1	110	Barnes TSX™
300 AAC Blackout	RM300AAC6	125	MatchKing® OTM
300 AAC Blackout	PRA300AAC5	125	AccuTip™
300 AAC Blackout	R300AAC8	220	OTM
300 AAC Blackout	L300AAC4	220	CTFB
30 REMINGTON® AR			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
30 Remington AR	PRA30RAR1	125	AccuTip™
30 Remington AR	R30RAR1	125	Core-Lokt® PSP
30 Remington AR	L30RAR2	150	Core-Lokt® PSP
30 Remington AR	L30RAR1	123	MC UMC®
PREMIER® ACCUTIP 450 BUSHMASTER			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
450 Bushmaster	PRA450B1	260	AccuTip™

For more information on ballistics, see pages 135-137.



50% LESS RECOIL. DEADLY ON DEER.



NO SCOPE READJUSTMENT NECESSARY

Remington Managed-Recoil® point of impact is nearly identical to full velocity loads.

Point of impact comparison at 100 yards.


- 30-06 Springfield 125-grain Managed-Recoil®
- 30-06 Springfield 150-grain PSP Core-Lokt®

May not operate in all recoil- or gas-operated firearms.

FULLY EFFECTIVE ENERGY AND EXPANSION OUT TO 200 YARDS:




MANAGED-RECOIL® VS. STANDARD



50% LESS RECOIL. With half the recoil of standard velocity ammunition, Managed-Recoil® 270 Win, 308 Win and 30-06 actually deliver less recoil than a standard velocity 243 Win!

MANAGED-RECOIL® DOWNRANGE ENERGY



LETHAL PUNCH OUT TO 200 YARDS. Energy levels exceed 1100 ft.-lb. at 200 yards, except Managed-Recoil® 30-30 which delivers 919 ft.-lb. at 100 yards – fully effective on deer out to 125 yards.

MANAGED-RECOIL®

HALF THE RECOIL. TWICE THE CONFIDENCE.

Drop all the negative side effects of recoil – flinching, shoulder pain, added recovery time for a follow-up shot – and still drop deer like lightning at 200 yards. Remington Managed-Recoil® ammunition succeeds where other recoil-control ammunition fails by combining a lighter powder charge with a bullet that's specially designed for optimum terminal results at lower velocities. Put your shots where you want them and more meat in the freezer. Count on it.




MANAGED-RECOIL®			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
260 Remington	RL2601	140	Core-Lokt® PSP
7mm-08 Remington	RL7M081	140	Core-Lokt® PSP
270 Win.	RL270W2	115	Core-Lokt® PSP
30-30 Win.	RL30301	125	Core-Lokt® PSP
30-06 Springfield	RL30062	125	Core-Lokt® PSP
300 Win. Mag.	RL300W1	150	Core-Lokt® PSP
308 Win.	RL308W1	125	Core-Lokt® PSP
7mm Remington Mag.	RL7MM4	140	Core-Lokt® PSP
300 Remington Ultra Mag.	RL300UM1	150	Core-Lokt® PSP

For more information on ballistics, see pages 135-137.


MANAGED-RECOIL APPLICATIONS



YOUTH AND WOMEN. Simply a more comfortable way for young people and women to shoot. Start them with Managed-Recoil and you're more likely to ignite a lifelong passion.




PRACTICE MAKES PERFECT. Spend more time honing your skills without the ill effects of recoil. After your practice session, switch to full-power ammunition without scope adjustment.



RECOIL-SENSITIVE HUNTERS. For shooters who are unable or unwilling to tolerate the recoil of a standard cartridge, Managed-Recoil® cartridges are the perfect solution.

A BULLET FOR EVERY PASSION.



REMINGTON CENTERFIRE RIFLE

Providing the industry's widest selection of centerfire ammo is our unwavering dedication. Here's proof. Assembled with premium components honed to ultra-tight tolerances, our **Rifle Series** is available in a multitude of calibers and styles. **Bronze Point** offers superior long-range ballistics and rapid expansion for exceptional performance on medium-sized game. For small game and varmints, **Power-Lokt®** features a plated copper jacket for top accuracy and instant fragmentation on impact.



BRONZE POINT TIPPED			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
270 Win	R270W3	130	Bronze Point Tipped
30-06 Springfield	R30063	150	Bronze Point Tipped
30-06 Springfield	R30066	180	Bronze Point Tipped
POWER-LOKT® POINT TIPPED			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
222 Remington	R222R3	50	Power-Lokt Hollow Point
223 Remington	R223R3	55	Power-Lokt Hollow Point
243 Win	R243W2	80	Power-Lokt Hollow Point

REMINGTON® RIFLE			
CARTRIDGE	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
17 Remington	R17R2	25	Hollow Point
22 Hornet	R22HN1	45	Pointed Soft Point
22 Hornet	R22HN2	45	Hollow Point
220 Swift	R220S1	50	Pointed Soft Point
222 Remington	R222R1	50	Pointed Soft Point
223 Remington	R223R1	55	Pointed Soft Point
223 Remington	R223R3	55	Metal Case
22-250 Remington	R22501	55	Pointed Soft Point
243 Win	R243W1	80	Pointed Soft Point
25-20 Win	R25202	86	Soft Point
250 Savage	R250SV	100	Pointed Soft Point
6.8mm Remington SPC	R68R1	115	Open Tip Match (OTM)
6.8mm Remington SPC	R68R2	115	Metal Case
270 Win	R270W1	100	Pointed Soft Point
7mm-08 Remington	R7M082	120	Hollow Point
30 Carbine	R30CAR	110	Soft Point
30 Remington AR	R30RAR2	150	Pointed Soft Point
30-06 Springfield	R30069	55	Pointed Soft Point
30-06 Springfield	R30061	125	Pointed Soft Point
7.62x39mm	R762391	125	Pointed Soft Point
7mm Rem SA Ultra Mag	PR7SM3	160	Pointed Soft Point
32-20 Win	R32201	100	Lead
338 Lapua Mag	RM338LMR1	250	Scenar®
338 Marlin Express	R338ME1	250	Soft Point
35 Whelen	R35WH3	250	Pointed Soft Point
375 H&H Mag	R375M1	270	Soft Point
375 Remington Ultra Mag	PR375UM2	270	Soft Point
444 Marlin	R444M	240	Soft Point
450 Bushmaster	PRA450B1	260	AccuTip™
45-70 Government	R4570L	300	Semi-Jacketed Hollow Point
45-70 Government	R4570G	405	Soft Point

For more information on ballistics, see pages 135-137.



R | HYPERSONIC® STEEL

THE WORLD'S FASTEST HARDEST-HITTING STEEL.



● HIGH VELOCITY STEEL
(1450 fps, 1¼ oz.) @ 40 yds

● **HYPERSONIC STEEL®**
(1700 fps, 1¼ oz.) @ 40 yds




AT 1,700 FPS,
HYPERSONIC STEEL® GIVES YOU AN
8" LEAD ADVANTAGE AT 40 YARDS.

*Quicker kills. Fewer misses.
11% shorter leads.
More head & Neck hits.*



GET THE HYPERSONIC STEEL® ADVANTAGE.



HYPERSONIC STEEL

17 GA. HYPERSONIC STEEL

LEARN MORE AT THEROCK.REMINGTON.COM

PATENTED XELERATOR® WAD TECHNOLOGY

Our proprietary wad technology is the key to HyperSonic Steel's unprecedented velocity.

1 NEW HOTTER PRIMER

Ignites small powder charge in chamber, moving entire payload forward slightly to control pressure.

2 IGNITION CHAMBER

Produces higher velocities with safe pressures and full payloads.

3 XELERATOR® WAD STRESS CONCENTRATOR

Initiates petal splitting, which holds patterns tighter downrange.

4 PRIMARY POWDER CHARGE

Ignites, accelerating the payload to speeds up to 1700 FPS.



SHORTENS LEADS BY UP TO 11%.

Most ducks are missed from behind, but the unprecedented velocity of Remington HyperSonic Steel® compensates for this by reducing required lead by 8" at 40 yards (about a full body length) on a duck flying at average

speed. It puts more pellets in the head and neck for quicker kills and fewer misses – without changing the way you shoot. With unprecedented velocity and the highest downrange pattern energies ever achieved, HyperSonic Steel takes lethality to new heights, to a level of terminal performance where more birds drop with fewer shots at the farthest reaches of your abilities. And only Remington harnessed the wad technology to do it.

HYPERSONIC STEEL®						
INDEX/ EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE	SHOTSHELLS (per box)
HSS10C	10	3 1/2	1500	1 1/2	BBB	25
HSS10B	10	3 1/2	1500	1 1/2	BB	25
HSS102	10	3 1/2	1500	1 1/2	2	25
HSS12B	12	3	1700	1 1/8	BB	25
HSS122	12	3	1700	1 1/8	2	25
HSS124	12	3	1700	1 1/8	4	25
HSS12MB	12	3	1700	1 1/4	BB	25
HSS12M1	12	3	1700	1 1/4	1	25
HSS12M2	12	3	1700	1 1/4	2	25
HSS12M3	12	3	1700	1 1/4	3	25
HSS12M4	12	3	1700	1 1/4	4	25
HSS12M6	12	3	1700	1 1/4	6	25
HSS1235B	12	3 1/2	1700	1 3/8	BB	25
HSS12352	12	3 1/2	1700	1 3/8	2	25
HSS12354	12	3 1/2	1700	1 3/8	4	25
HSS20M2	20	3	1600	7/8	2	25
HSS20M3	20	3	1600	7/8	3	25
HSS20M4	20	3	1600	7/8	4	25



NITRO-STEEL®

THE MIGRATION'S STEEL WALL.

Short range or long, Remington Nitro-Steel® stops 'em dead with tight, consistent patterns and premium zinc-plated steel pellets, providing premium performance at a reasonable price. Available in a wide range of loads to suit any hunt – 10 to 20 gauge, maximum payloads and high velocities. Trust your hunt to a legend – Remington.



Zinc-plated loads prevent corrosion.

SPORTSMAN® HI-SPEED® STEEL LOADS

HIGH VELOCITY, HIGH VALUE.

- Economical, Hi-Speed® steel loads
- Waterfowl loads for every hunting situation
- Upland loads for use in non-toxic zones and for pre-season practice
- Shot size selection to match your game

NITRO-STEEL® HIGH VELOCITY MAGNUM LOADS

INDEX/EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
NS10M	10	3 1/2	1260	1 3/4	T, BB, 2
NS12HVS	12	2 3/4	1390	1 1/8	2, 4
NS12S	12	2 3/4	1275	1 1/4	BB, 2, 4
NS12M	12	3	1450	1 1/4	BBB, BB, 1, 2, 3, 4
NS12HM	12	3	1300	1 3/8	T, BB, 2, 4
NS1235	12	3 1/2	1300	1 3/16	BB, 2
NS16HV	16	2 3/4	1300	1 5/16	2, 4
NS20M	20	3	1330	1	2, 4

SPORTSMAN® HI-SPEED® STEEL LOADS

INDEX/EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
SSTHV10	10	3 1/2	1500	1 3/8	BB, 2
SST12	12	2 3/4	1365	1	6, 7
SST12S	12	2 3/4	1375	1 1/8	2, 4
SSTHV12H	12	3	1550	1 1/8	BB, 2, 4
SSTHV12HM	12	3	1400	1 1/4	BB, 1, 2, 3, 4
SST12HM	12	3	1300	1 3/8	BB, 2
SSTHV1235	12	3 1/2	1550	1 3/8	BB, 2
SST20	20	2 3/4	1425	3/4	7





LEAD MAGNUMS

PREMIER® HIGH VELOCITY MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS

The high-performance lead load for avid turkey hunters. 3" and 3 1/2" 12 gauge payload leaves the muzzle at 1300 fps. Delivers hard-hitting knockdown power. Loaded with our Power Piston one-piece wad and magnum-grade Copper-Lokt® lead shot for dense patterns and deep penetration.



PREMIER® MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS

Our original magnum turkey loads. The finest lead shotshell you can carry in the woods. Magnum-grade Copper-Lokt® shot is cushioned with special polymer buffering and further protected by our Power Piston one-piece wad for dense, even patterns. Delivers superb performance and knockdown power out of tightly constricted turkey chokes.

NITRO TURKEY®

NITRO TURKEY® EXTENDED RANGE BUFFERED MAGNUMS

- Nitro Mag® extra-hard lead shot
- Patterns over 80% with super full choke
- Patterns like copper-plated shot
- Value priced



PREMIER® HIGH VELOCITY MAGNUM COPPER-PLATED TURKEY LOADS - BUFFERED

INDEX/EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
PHV12M	12	3	1300	1 3/4	4, 5
PHV1235M	12	3 1/2	1300	2	4, 5

PREMIER® MAGNUM COPPER-PLATED LEAD TURKEY LOADS - BUFFERED

INDEX/EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
P10HM	10	3 1/2	1210	2 1/4	4
P12XHM	12	3	1175	2	4, 5, 6
P1235M	12	3 1/2	1150	2 1/4	4
P20XHM	20	3	1185	1 1/4	6

NITRO TURKEY® MAGNUM LOADS - BUFFERED

INDEX/EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
NT12H	12	3	1210	1 7/8	4, 5, 6
NT1235	12	3 1/2	1300	2	4, 5, 6
NT20M	20	3	1185	1 1/4	5



NITRO PHEASANT® LOADS

For pattern, energy and performance, nobody beats Nitro Pheasant.® It uses the Remington Copper-Lokt® copper-plated lead shot with high antimony content – the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. So when it comes to bringing down tough birds like pheasant, you need a load that delivers maximum pattern density and lethal energy – you need Nitro Pheasant.® Available in both high velocity and magnum loadings in both 12 and 20 gauge.



NITRO MAG® BUFFERED MAGNUM LOADS

Excellent for dropping birds. Heavy payloads of magnum-grade shot are packed with polymer buffering and enclosed in our patented Power Piston one-piece wad to provide dense, even patterns and uniform shot strings.



PHEASANT LOADS

For the broadest selection in game-specific upland lead shotshells, Remington Pheasant Loads are the perfect choice. Their high velocity and long-range performance are just right for any pheasant hunting situation. Standard high-base payloads include 12, 16, and 20 gauge.



EXPRESS® EXTRA LONG RANGE LOADS

Time-proven performance for all upland game. The choice of experienced small game hunters across the country, the Express® line offers the best balance of payload and performance. Available in a broad selection of loadings – 12 gauge to 410 bore – with shot sizes ranging from two all the way down to nine.



LEAD GAME LOADS

Budget-stretching shotshells for a wide variety of hunting. Available in 410 bore, 20, 16, and 12 gauge loadings.



HEAVY DOVE LOADS

The hunter's choice for doves and a wide variety of game-bird applications, available in 12 gauge with a shot size of 6.

NITRO PHEASANT® LOADS - COPPER-PLATED

INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
NP12	12	2 3/4	1400	1 1/4	4, 5, 6
NP12M	12	2 3/4	1300	1 3/8	4, 5, 6
NP12HM	12	3	1350	1 3/8	4, 5
NP20	20	2 3/4	1300	1	5, 6
NP20M	20	3	1185	1 1/4	5, 6

PHEASANT LOADS

INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
PL12	12	2 3/4	1330	1 1/4	4, 5, 6, 7 1/2
PL16	16	2 3/4	1295	1 1/8	6
PL20	20	2 3/4	1220	1	4, 5, 6, 7 1/2

NITRO MAG® LOADS - BUFFERED

INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
NM12S	12	2 3/4	1260	1 1/2	2, 4, 6
NM12	12	3	1280	1 3/8	4, 6
NM12H	12	3	1210	1 7/8	2, 4, 6
NM20S	20	2 3/4	1175	1 1/8	4, 6
NM20H	20	3	1185	1 1/4	4, 6

EXPRESS® EXTRA LONG RANGE LOADS

INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
SP12	12	2 3/4	1330	1 1/4	2, 4, 5, 6, 7 1/2, 9
SP16	16	2 3/4	1295	1 1/8	4, 6, 7 1/2
SP20	20	2 3/4	1220	1	4, 5, 6, 7 1/2, 9
SP28	28	2 3/4	1295	3/4	6, 7 1/2
SP410	410	2 1/2	1250	1/2	4, 6, 7 1/2
SP413	410	3	1135	11/16	4, 6, 7 1/2

LEAD GAME LOADS

INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
GL12	12	2 3/4	1290	1	6, 7 1/2, 8
GL16	16	2 3/4	1200	1	6, 7 1/2, 8
GL20	20	2 3/4	1225	7/8	6, 7 1/2, 8
GL410*	410	2 1/2	1200	1/2	6

HEAVY DOVE LOADS

INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
RHD12	12	2 3/4	1255	1 1/8	6

*20-round box

REMINGTON® PREMIER.® THE MOST DOMINANT FAMILY OF COMPETITORS IN SHOTGUN SPORTS HISTORY.



PREMIER® NITRO SPORTING CLAYS

Smoke targets and all competitors with the finest sporting clays load in the world today. The Premier® Nitro performance that has dominated trap and skeet competitions for years is now available in high-velocity, 1 oz. and 1 1/8 oz. loads specially formulated for the sporting clays enthusiast.



GUN CLUB® TARGET LOADS

An excellent choice for economical shooting, these high-quality shells are loaded with the same care as our top-of-the-line STS® loads and feature a Power Piston® wad. Many shooters are discovering that they can get acceptable reloading life while stretching their shooting dollar.

WENDELL CHERRY

- 9-Time Team USA Captain
- 4-Time All-American Team Captain
- 2012 National Sporting Clays Association – Hall of Fame Inductee



PREMIER® NITRO 27® HANDICAP TRAP LOADS

Designed for long-yardage trapshooting and long-range sporting clays, our custom powder blend, Power Piston wad and Premier® STS® primer mix have improved the Nitro 27® performance allowing more consistent velocities, 15 percent better pattern performance and softer recoil.

MORE WORLD TITLES.

Nitro 27® and Premier® STS® target loads have won more trophies at the Grand American World Trapshooting Championships than any other.

PREMIER® STS® TARGET

The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none, the most reliable, most reloadable shells you can shoot. Available in 12, 20 and 28 gauge and 410 bore.



HARLAN CAMPBELL, JR.

– 7-Time Men's Trap All-American Team Captain

– 2012 Amateur Trapshooting Association – Hall of Fame Inductee




PREMIER® STS® TARGET LOADS - EXTRA HARD STS® TARGET SHOT

INDEX/EDI NO.	GAUGE/BORE	LOAD TYPE	LENGTH (IN.)	POWDER DR. EQ.	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
STS121	12	Premier STS Target	2 3/4	2 3/4	1185	1	8
STS12L	12	Premier STS Light Target	2 3/4	2 3/4	1145	1 1/8	7 1/2, 8, 8 1/2, 9
STS12LH	12	Premier STS Light Handicap	2 3/4	3	1200	1 1/8	7 1/2, 8
STS12NH1	12	Premier Nitro 27 Handicap	2 3/4	HDCP	1290	1	7 1/2
STS12NH	12	Premier Nitro 27 Handicap	2 3/4	HDCP	1235	1 1/8	7 1/2, 8
STS12NSC	12	Premier STS Nitro Sporting Clays	2 3/4	Max	1300	1 1/8	7 1/2
STS12NSC1	12	Premier STS Nitro Sporting Clays	2 3/4	Max	1350	1	7 1/2
STS20SC	20	Premier STS Target	2 3/4	2 1/2	1200	7/8	8
STS20	20	Premier STS Target	2 3/4	2 1/2	1200	7/8	9
STS28SC	28	Premier STS Target	2 3/4	2	1200	3/4	8
STS28	28	Premier STS Target	2 3/4	2	1200	3/4	9
STS410NSC	410	Premier STS Nitro Sporting Clays	2 1/2	Max	1300	1/2	8
STS410	410	Premier STS Target	2 1/2	Max	1200	1/2	9

GUN CLUB® TARGET LOADS

INDEX/EDI NO.	GAUGE/BORE	LOAD TYPE	LENGTH (IN.)	POWDER DR. EQ.	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
GC121	12	Gun Club	2 3/4	2 3/4	1185	1	8
GC12L	12	Gun Club	2 3/4	2 3/4	1145	1 1/8	7 1/2, 8, 9
GC12	12	Gun Club	2 3/4	3	1200	1 1/8	7 1/2, 8
GC20	20	Gun Club	2 3/4	2 1/2	1200	7/8	7 1/2, 8, 9

MORE ACCURATE. MORE LETHAL. AND IT'S ALL ABOUT THE TIP.



**1,900 FPS
FLAT-OUT
CRUSHES
BIG GAME.**

1,900 FPS

+ 2.5"

+ 3.4"

3,086 FT. LBS.

2,344 FT. LBS.

1,771 FT. LBS.


1,351 FT. LBS.

Muzzle

50 yds.

100 yds.

150 yds.



1 POWER PORT TIP
For accuracy assurance

3 SOLID LEAD CORE
Bonded to the jacket for high weight retention

2 PATENTED SPIRAL NOSE
Cuts for controlled expansion

4 CARTRIDGE BRASS JACKET
For high strength

PREMIER® ACCUTIP™ BONDED SABOT SLUG

PUNCH HUGE HOLES WITH PINPOINT ACCURACY.

The AccuTip doesn't just look intimidating, it's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. Guided by our Power Port Tip, these bonded sabot slugs hit with a degree of accuracy and terminal performance unmatched by any other we've tested. It is a true masterpiece of aerodynamics that consistently transfers tremendous knockdown force to the farthest reaches of shotgun range. At 58-cal, our 12 gauge version is the largest tipped slug you'll find anywhere. In field testing, both the 12 and 20 gauge versions produced huge wound channels and crumpled every deer they touched with a single shot. Spiral nose cuts, bonded construction and a high-strength cartridge-brass jacket come together on game to create large, perfect mushrooms with over 95 percent weight retention from 5 to 200 yards. Available in 2 3/4" or 3" 12 gauge and 20 gauge versions.



PREMIER® ACCUTIP™ BONDED SABOT SLUGS												
INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC)			ENERGY (FT.-LBS.)			TRAJECTORY		
				MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
PRA12	12	2 3/4"	385-gr.	1850	1611	1401	2925	2218	1677	2.7"	3.6"	0.0**
PRA12M	12	3"	385-gr.	1900	1656	1439	3086	2344	1771	2.5"	3.4"	0.0**
PRA20	20	2 3/4"	260-gr.	1850	1610	1399	1976	1496	1130	2.7"	3.6"	0.0**
PRA20M	20	3"	260-gr.	1900	1655	1438	2084	1581	1193	2.5"	3.4"	0.0**

* 0.0 indicates yardage at which shotgun was sighted in.

FEATURES	12 GAUGE	20 GAUGE
Power Port Tip delivers dramatically superior ACCURACY	Yes	Yes
Spiral nose cuts and proprietary bonding technology CONTROL EXPANSION at all ranges	5-200 yards	5-150 yards
High WEIGHT RETENTION at all distances	98% @ 100 yards	98% @ 100 yards
Slug jacket made from HIGH-STRENGTH cartridge brass	Yes	Yes
Designed for use in FULLY RIFLED barrels only	Yes	Yes



PREMIER® CORE-LOKT® ULTRA BONDED® SABOT SLUG

HARD HITTING. FLAT SHOOTING. GAME OVER. Maximize the effective range of your slug gun and put more game on the ground. The Premier Core-Lokt® Ultra Bonded® is a sleek, ultra-fast, flat-shooting sabot slug that's virtually in a class of its own. With unparalleled accuracy, the 12-gauge load launches a 385-grain, .50-caliber jacketed, bonded bullet that retains near 100% weight retention and expands to 2x diameter at impact. We're also proud to offer the 260-grain 20-gauge version. Both loads exit the muzzle at an awesome 1,900 fps and are designed for use in rifled barrels only.



PREMIER® COPPER SOLID® SABOT SLUG

The unique, all-copper shotgun deer load designed specifically for use in fully rifled barrels. Outstanding on-game performance with 2x caliber expansion and virtually 100 percent weight retention. Consistently delivers 2 1/2", 5-shot groups at 100 yards.

DELIVER YOUR SLUGS WITH EXPERT PRECISION.

For max long-range accuracy with a slug gun, there's only one name up to the task – Remington.® Pair our advanced slug loads with any of our quality selection of rifled barrels and specialized slug shotguns. Together, they make for a deadly combination.



**MODEL 870™
CANTILEVER CAMO**
See page 67



**MODEL II-87™
CANTILEVER DEER**
See page 67



**MODEL II-87™ PREMIER
RIFLED SIGHTS**
See page 67



**MODEL II-87™ SPORTSMAN® FULLY RIFLED
CANTILEVER SYNTHETIC SHURSHOT® DEER**
See page 58



**MODEL 870™ SPS SHURSHOT®
FULLY RIFLED SUPER SLUG**
See page 58



MODEL 870™ EXPRESS® DEER
See page 59

PREMIER® CORE-LOKT® ULTRA BONDED® SABOT SLUGS												
INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC)			ENERGY (FT.-LBS.)			TRAJECTORY		
				MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
PR12CLU	12	2 3/4"	385-gr.	1900	1770	1648	3086	2682	2325	1.8"	2.4"	0.0*
PR20CLU	20	2 3/4"	260-gr.	1900	1750	1615	2084	1774	1506	2.0"	2.7"	0.0*
PREMIER® COPPER SOLID® SABOT SLUGS												
INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC)			ENERGY (FT.-LBS.)			TRAJECTORY		
				MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
PR12CS	12	2 3/4"	1 oz.	1450	1320	1208	2040	1689	1417	0.0*	-3.5"	–
PR12MCS	12	3"	1 oz.	1550	1408	1283	2331	1923	1597	0.0*	-2.9"	–
PR20CS	20	2 3/4"	5/8 oz.	1500	1360	1240	1444	1187	986	0.0*	-3.1"	–

* 0.0 indicates yardage at which shotgun was sighted in.



SLUGGER® HIGH VELOCITY RIFLED SLUGS

This higher velocity slug exits the barrel at 1800 fps, 13 percent faster than standard 1-oz. slugs. The 7/8-oz. Slugger® High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1 oz. slugs. Produced in most popular slug loadings – 2 3/4" and 3" 12 gauge and 2 3/4" 20 gauge. Designed for the avid deer hunter using smooth bore guns.



MANAGED-RECOIL® SLUGGER® RIFLED SLUGS

Devastating performance, but with 45% less felt recoil than full velocity Sluggers. Less recoil makes sighting-in more comfortable, while the accuracy and speed of second shots is greatly improved. And with effective energy out to 80 yards, it handles the majority of shotgun deer hunting ranges.

SLUGGER® RIFLED SLUGS

Our most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.





BUCKSHOT VALUE PACKS **NEW**

Available in a 25-round box or 100-round sleeve (4 individual boxes), it's simply the best value in buckshot for home defense, tactical shooting or predator hunting. High value pack is loaded with Remington Express™ "00" Buckshot, chosen time and again for its tight, consistent patterns. For more confidence per box, choose Remington.

SLUGGER® HIGH VELOCITY RIFLED SLUGS												
INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC)			ENERGY (FT.-LBS.)			TRAJECTORY		
				MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
SPHV12RS	12	2 3/4"	7/8 oz.	1800	1252	978	2751	1517	813	0.0*	-4.1"	-
SPHV12MRS	12	3"	7/8 oz.	1875	1302	998	2989	1442	847	0.0*	-3.7"	-
SPHV20RS	20	2 3/4"	1/2 oz.	1800	1321	1037	1575	848	523	0.0*	-3.6"	-

SLUGGER® RIFLED SLUGS												
INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC)			ENERGY (FT.-LBS.)			TRAJECTORY		
				MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
SP12RS	12	2 3/4"	1 oz.	1560	1175	977	2361	1340	926	0.0*	-4.8"	-
S12SRS	12	2 3/4"	1 oz.	1680	1285	1045	2738	1605	1059	0.0*	-3.8"	-
S12MRS	12	3"	1 oz.	1760	1345	1075	3005	1753	1121	0.0*	-3.4"	-
SP16RS	16	2 3/4"	5/8 oz.	1600	1175	965	1989	1072	724	0.0*	-4.8"	-
SP20RS	20	2 3/4"	5/8 oz.	1580	1240	1034	1513	931	648	0.0*	-4.2"	-
SP41RS	410	2 1/2"	1/2 oz.	1830	1335	1040	654	348	211	0.0*	-3.5"	-

MANAGED-RECOIL® SLUGGER® RIFLED SLUGS												
INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC)			ENERGY (FT.-LBS.)			TRAJECTORY		
				MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
RL12RS	12	2 3/4"	1 oz.	1200	988	873	1397	948	739	0.0*	-7.4"	-

EXPRESS® MAGNUM BUCKSHOT LOADS - BUFFERED					
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	BUCKSHOT SIZE	PELLET COUNT
12SB00	12	2 3/4"	1290	00	12
12HB000	12	3"	1225	000	10
12HB00	12	3"	1225	00	15
12HB4	12	3"	1225	4	41
1235B00†	12	3 1/2"	1125	00	18

EXPRESS® BUCKSHOT LOADS - BUFFERED					
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	BUCKSHOT SIZE	PELLET COUNT
12B000	12	2 3/4"	1325	000	8
12B00†	12	2 3/4"	1325	00	9
12B0	12	2 3/4"	1275	0	12
12B1	12	2 3/4"	1250	1	16
12B4	12	2 3/4"	1325	4	27
20B3	20	2 3/4"	1220	3	20

MANAGED-RECOIL® BUCKSHOT					
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	BUCKSHOT SIZE	PELLET COUNT
RL12BK00	12	2 3/4"	1200	00	8

BUCKSHOT VALUE PACKS					
INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	BUCKSHOT SIZE	PELLET COUNT
12B00A ¹	12	2 3/4"	1325	00	9
12B00B ²	12	2 3/4"	1325	00	9



EXPRESS® MAGNUM AND EXPRESS® BUCKSHOT

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

* 0.0 indicates yardage at which shotgun was sighted in. † Utilizes Remington® Power-Piston one-piece wad.
¹ 25-round box ² 100-round sleeve

REMINGTON UMC.® THE NAME AMERICA TRUSTS.

For nearly 140 years, the Union Metallic Cartridge Company name has been synonymous with innovative, high-quality ammunition. UMC® has become a fixture in the shooting ranges and hunting grounds of America by delivering the best in shot-to-shot consistency and the latest technology at a very attractive price. Simply put, no one delivers a better product more efficiently, and the results are proof – from point of purchase to point of impact.

UMC® HANDGUN CARTRIDGES


All UMC® ammunition is American-made in Lonoke, Arkansas, using first-quality, factory-fresh brass and clean-shooting Kleanbore® primers to provide the best value for practice, personal defense and hunting.



UMC® RIFLE CARTRIDGES

Made in the USA, value-priced and ideal for high-volume shooting, our UMC® centerfire rifle ammunition is loaded in seven popular calibers, including the 30-06 Springfield, 308 Win, 7.62x39mm, 30 Carbine and 303 British. The 45- and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are perfect for varmint hunters. Also available in 17 Remington FireBall® and 30 Remington AR.





UMC® LEADLESS HANDGUN CARTRIDGES

A must-have for shooters who frequent indoor ranges, economical UMC® LeadLess™ cartridges virtually eliminate lead exposure at the firing line. Specially designed bullet actually prevents the vaporization of lead from the bullet's base upon firing. Standard bullet weights duplicate the ballistics of conventional loads.

UMC® LEADLESS™ HANDGUN CARTRIDGES			
CARTRIDGE	INDEX/ EDI NO.	BULLET WT. (grs.)	BULLET TYPE
9mm Luger	LL9MM11	115	Flat Nose Enclosed Base
	LL9MM2	124	Flat Nose Enclosed Base
	LL9MM9	147	Flat Nose Enclosed Base
38 Special	LL38S17	125	Flat Nose Enclosed Base
380 Auto	LL380AP2	95	Flat Nose Enclosed Base
40 S & W	LL40SW5	180	Flat Nose Enclosed Base
45 Auto	LL45AP8	230	Flat Nose Enclosed Base

UMC® HANDGUN CARTRIDGES

CARTRIDGE	INDEX/ EDI NO.	BULLET WT. (grs.)	BULLET TYPE
9mm Luger	L9MM1	115	Jacketed Hollow Point
	L9MM2	124	Metal Case
	L9MM3	115	Metal Case
	L9MM9	147	Metal Case
10mm Auto	L10MM6	180	Metal Case
25 Auto (6.35mm)	L25AP	50	Metal Case
32 Auto	L32AP	71	Metal Case
357 Magnum	L357M12	125	Jacketed Soft Point
357 Sig.	L357S1	125	Metal Case
	L357S2	125	Jacketed Hollow Point
38 Super Auto (+P)	L38SUP	130	Metal Case
38 Special (+P)	L38S2	125	Jacketed Hollow Point
38 Special	L38S5	158	Lead Round Nose
	L38S11	130	Metal Case
380 Auto	L380AP	95	Metal Case
40 S & W	L40SW2	180	Jacketed Hollow Point
	L40SW3	180	Metal Case
	L40SW4	165	Metal Case
44 Remington Mag	L44MG7	180	Jacketed Soft Point
45 Auto	L45AP1	185	Metal Case
	L45AP4	230	Metal Case
	L45AP7	230	Jacketed Hollow Point
45 GAP	L45GAP4	230	Metal Case

UMC® RIFLE CARTRIDGES

CARTRIDGE	INDEX/ EDI NO.	BULLET WT. (grs.)	BULLET TYPE
17 Remington FireBall	L17FBV	25	Jacketed Hollow Point
223 Remington	L223R3	55	Metal Case
	L223R7	45	Jacketed Hollow Point
	L223R8	50	Jacketed Hollow Point
	L223R9	62	Closed Tip Flat Base
22-250 Remington	L22503	45	Jacketed Hollow Point
	L22504	50	Jacketed Hollow Point
6.8 Remington SPC	L68R1	115	Metal Case
7.62x39mm	L762391	123	Metal Case
30 Carbine	L30CR1	110	Metal Case
30 Remington AR	L30RAR1	123	Metal Case
308 Win.	L308W4	150	Metal Case
308 Win.	L308W4B	150	Metal Case
30-06 Springfield	L30062	150	Metal Case
303 British	L303B1	174	Metal Case

+P: Ammunition with "+P" on the headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer. For more information on ballistics, see pages 135-138.

FINE-TUNED RELIABILITY AND PRECISION FOR EVERY APPLICATION.



PEAK PERFORMANCE IN EVERY BOX.

We're proud to offer one of the broadest selections of high-performance rimfire ammunition available today, and even prouder of the fact we continue to set the standard for accuracy and dependability industry-wide. To achieve this, every round is produced with the same tight tolerances and high level of care we apply to our centerfire ammo. From tin cans to small game to serious competitive pursuits, count on Remington to keep your rimfire dead-center.



NEW

RIMFIRE VALUE PACKS

Whether you're trying to get better, or just getting started, then pick up our 525-round Value Pack or 1400-round Bucket O'Bullets. Each comes packed with our 36-grain, high velocity Remington Golden Bullet™ top-notch rimfire ammo with smooth, reliable function. A high value on high performance for those who love to shoot.



PREMIER® GOLD BOX

Loaded with AccuTip-V™ polymer-tipped bullets to deliver unrivaled shot-to-shot consistency, laser-flat trajectory and explosive expansion. One shot and you'll see upgrading your rimfire is as simple as choosing superior ammunition.

COMPETITION/TARGET

Remington teamed with Eley Ltd. — a company with a reputation for producing the world's most accurate and reliable rimfire ammunition — to create one of the most formidable alliances in the competitive rimfire scene. Choose from three grades of premier 22 long rifle ammunition crafted for the serious target shooter: Target Rifle, Club XTRA and the elite Match EPS.



22 RIFLE MAGNUM												
CARTRIDGE	INDEX/EDI NO.	WEIGHT (grs.)	BULLET STYLE	VELOCITY (ft./sec)			ENERGY (ft.-lbs.)			TRAJECTORY (in.)*		
				Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.
Remington 22 Magnum	R22M1	40	Jacketed Hollow Point	1910	1610	1350	324	230	162	0.9	0.0	-5.7
Remington 22 Magnum	R22M2	40	Pointed Soft Point	1910	1600	1340	324	227	159	1.0	0.0	-5.8
22 LR HYPER VELOCITY												
Yellow Jacket®	1722/1700 †	33	Truncated Cone Hollow Point	1500	1247	1075	165	114	85	-0.2	0.0	-4.1
Viper®	1922/1900 †	36	Truncated Cone Solid	1410	1198	1056	159	115	89	-0.1	0.0	-4.7
22 LR SHORT HIGH VELOCITY												
Remington Golden Bullet	1022/1000 †	29	Plated Lead Round Nose	1095	982	903	77	62	52	0.3	0.0	-7.4
22 LR HIGH VELOCITY												
Remington Golden Bullet	1522/1500 †	40	Plated Lead Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-5.6
Remington Golden Bullet	1622+/1600 ††	36	Plated Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
Thunderbolt®	TB-22A †††	40	Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-5.6
Cyclone®	CY-22HP †††	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
Game Load	GL-22HP	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
22 LR STANDARD VELOCITY												
Target	6122/6100 †††	40	Round Nose	1150	1048	976	117	98	85	0.2	0.0	-6.4
22 LR SUBSONIC												
Subsonic	SUB22HP/SUB22HP1†	38	Hollow Point	1050	965	901	93	79	69	0.3	0.0	-7.7
22 LR LOW NOISE												
CBee	CB-22L100 †	33	Hollow Point	740	687	638	40	35	30	-1.5	0.0	-16.9
PREMIER® GOLD BOX RIMFIRE [RIMFIRE MAGNUM]												
CALIBER	INDEX/EDI NO.	WEIGHT (grs.)	BULLET STYLE	VELOCITY (ft./sec)			ENERGY (ft.-lbs.)			TRAJECTORY (in.)*		
				Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.
Premier® 17HMR	PR17HM1	17	AccuTip-V™	2550	2212	1901	245	185	136	0.1	0.0	-2.6
Premier® 22 Win Mag	PR22M1	33	AccuTip-V™	2000	1730	1495	293	219	164	0.6	0.0	-4.5
COMPETITION / TARGET RIMFIRE [22 LR REMINGTON/ELEY]												
Match EPS	RE22EPS	40	Lead Flat Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1
Club Xtra	RE22CX	40	Lead Round Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1
Target Rifle	RE22T	40	Lead Round Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1

*Sight height 1.5" above axis of bore. †These 22s available in slide-open plastic packs of 100. ††Available in 525-round and 550-round bulk packs. †††Available in 500-round bulk pack.



CELEBRATING A CENTURY OF SUCCESS.

HONORING THE 100TH ANNIVERSARY
OF REM® OIL BY ADVANCING ITS
PROMISE – MAKING YOU BETTER.

Rem® Oil was introduced 100 years ago with the same principle that guides everything we do: improving your performance.

We're commemorating this legacy with tins and bottles designed in the spirit of the original 1914 editions.

Joining this classic is our innovative **Squeege-E™** gun care system.

For any caliber and every pursuit, Squeege-E provides a faster, better clean to keep your firearm performing to its full potential.

By constantly making our products better, we're making you more effective in the field. And everything you see here is proof of that pledge.



110	SQUEEG-E
112	REM OIL
114	REM OIL WIPES / VALUE PACKS
115	CLEANERS
116	CLEANING KITS
117	CHEMICALS
118	STORAGE / SECURITY
119	CUTLERY



SUPERIOR GUN CARE IN EVERY WAY.

THE PROVEN ADVANTAGE OF REMINGTON® SQUEEG-E™



REM® SQUEEG-E™


- With no patches, saves money and eliminates waste
- Quickly cleans lands and grooves in one pass
- Save up to 15 minutes per gun
- Easy to use with cable or rod
- Available for the following calibers and gauges:

.22 / .223 / 5.56mm #17123	.40 / 10 mm #17127
.243 / .25 #17125	.44 / .45 #17128
.270 / 7mm #17122	.50 Cal. / .410 Gauge #17129
.30 / 7.62mm #17124	12 / 16 Gauge #17120
.357 / .380 / .38 / 9mm #17126	20 / 28 Gauge #17121

Visit remington.com for a complete list of Squeeg-E™ Cleaning Systems.




LESS TIME CLEANING MEANS
MORE TIME FOR EVERYTHING ELSE.



STEP 1

To remove carbon and all other fouling, lubricate a bore brush with REM® All-In™ bore cleaner and pass it through the barrel.



STEP 2

Easily attach your caliber-specific Squeeg-E™ to your cable or rod and pull from chamber to muzzle. One pass is all it takes to remove all debris.




STEP 3


Squeeg-E cleans quickly and easily with just soap and water.

REMOVES ALL DEBRIS WITH JUST ONE PASS.

Pull your caliber-specific Squeeg-E™ through the barrel and see the difference. With just one pass, your barrel is completely free of debris and ready to perform to its full potential.



BEFORE



AFTER

SAVE TIME. SAVE MONEY.
REDUCE WASTE.

With just one pull, Squeeg-E™ saves you time. And with no patches, it eliminates waste and saves money, paying for itself year after year.



REM® SQUEEG-E™ UNIVERSAL GUN CLEANING SYSTEM WITH RANGE BAG

- Rem® Squeeg-E™ pull through barrel cleaners (10 sizes)
- Medium Rem®-Pad Mat (12"x28")
- 2 nylon and brass brushes, 10 multiple-caliber bronze bore brushes
- Rem® All-In-One bore cleaner (1/2 oz.), Rem® Oil (1 oz.)
- Green canvas range bag with shoulder strap
- Patented Fast Snap™ T-Handle™
- Rem® flex rod cables
- Yellow gun cloth

#17096



REM® SQUEEG-E™ SHOTGUN CLEANING SYSTEM

NEW

- Oversized 5" bronze bore brush
- 4-piece, 38" versatile brass cleaning rod set
- 4 oz. Rem® Oil Rem Action and Rem All-In™ bore cleaner
- Large Rem Pad
- Green canvas range bag carries six shotshell boxes

#17184



REM® SQUEEG-E™ UNIVERSAL ROD CLEANING SYSTEM

NEW

- 4-pc, 38" brass rod system threaded to universal 8/32
- Pistol grip handle with 3 attachment points
- 1 oz. bottle of Rem® Oil and .5 oz. Rem All-In™ Bore Cleaner
- Modular thermoform case

#17186



REM® SQUEEG-E™ UNIVERSAL FIELD CLEANING SYSTEM

NEW

- 23-piece kit includes two universal bore brushes, 12-gauge bore brush, 32" universal cable, 6" handgun cleaning rod and more
- Streamlined package designed with input from former NAVY Seals
- 1 oz. bottle of Rem® Oil and .5 oz. Rem All-In™ Bore Cleaner

#17185



REM® SQUEEG-E™ PISTOL CLEANING SYSTEM

NEW

- Kit includes Rem® Squeeg-E™ for every handgun caliber, matching bronze bore brushes, a 6" aluminum cleaning rod with handle and revolver brush adapter, and more
- 1 oz. Rem® Oil and .5 oz. Rem® All-In™ Bore Cleaner

#17183



REM® SQUEEG-E™ OPERATOR FIELD CLEANING SYSTEM

NEW

- 16-piece kit includes .17mm bronze gas tube brush, 32" universal cable, 6" handgun cleaning rod and more
- Streamlined package designed with input from former NAVY Seals
- 1 oz. bottle of Rem® Oil and .5 oz. Rem All-In™ Bore Cleaner

#17182





CELEBRATING A CENTURY OF GREAT AMERICAN GUN CARE.

Chosen by generations for its time-tested performance, Rem® Oil celebrates 100 years in 2014. We're commemorating this century of success with replications of the original bottle and tins from 1914. Proudly, we're paying tribute to an ongoing legacy of gun care excellence – made possible by countless hunters and shooters. Here's to 100 years. And counting.



100th ANNIVERSARY REM® OIL **NEW**

Designed to replicate the 1914 originals, while delivering the great gun care that's been trusted for a century. The 2.5 oz. embossed glass bottle features a windowed box with historical info. And the 4 oz. tin and 16 oz. pint can each have a traditional look on the front and back.

- 2.5-oz. glass bottle – #18000
- 4-oz. tin – #18001
- 16-oz. pint can – #18002





VCI
TECHNOLOGY



Standing
Faux Wood Box



Faux Wood Box



Wood Tote

100TH ANNIVERSARY REM® OIL GIFT PACKS **NEW**

A fine addition to any outdoor heritage enthusiast's collection. These three different sets each feature our 1914-replica Rem® Oil glass bottle and tins, housed inside a handsome case inspired by early 20th century woodwork.

- Standing Faux Wood Box – #18003
- Faux Wood Box – #18004
- Wooden Carry All – #18005

REM® OIL

Quick, easy way to keep your firearms performing to their full potential. REM® Oil cleans dirt and grim from exposed metal surfaces, while displacing non-visible moisture from metal pores. It also protects internal and external metal parts from rust and corrosion. And the exclusive teflon® formula creates a thin, long-lasting film that keeps actions working smoothly by reducing metal-to-metal wear. Available in:

- 10-oz. aerosol can – #24037
- 6-oz. spray pump (MoistureGuard®) – #18378
- 4-oz. aerosol can – #26610
- 2-oz. bottle with child-resistant cap – #18366
- 1-oz. squeeze bottle with child-resistant cap – #26617

REM® ALL IN™

NEW

High-performance bore cleaner that eliminates all carbon, plastic, lead and copper fouling. From handguns to rifles to shotguns, REM® All In™ provides a fast and easy way to keep your firearm clean and working to its highest potential.

#19117



FIELD COMBO PACK

NEW

All-new, all-in-one kit comes packed with all of the essentials to keep your firearm working effectively. Includes .5 oz. Rem® All-In™, 2 oz. Rem® Oil and 2 oz. Rem® Action Cleaner.

#17196



REM® OIL WIPES

Rem® Oil Wipes are an efficient way to protect your firearms and gear. Each wipe is treated with Rem Oil, for a quick and easy application of one of the world's most trusted cleaners and lubricants. The individually packaged Rem Oil Wipes are convenient for travel or in your field pack, while the sixty count canister is a perfect companion for everyone's workbench. Available in:

- 12 individually wrapped 6"x8" wipes – #18411
- 60-count pop-up canister – #18384
- Single packs in counter display – #18473



VOLUME VALUE PACK

Includes: Shotgun Cleaner (18 oz.) to blast away dirt, grease and grime with high pressure and Rem® Oil (10 oz.), to lubricate and protect after cleaning.

#18131



CLEAN ACTION VALUE PACK

Includes: Rem® Action Cleaner (10.5 oz.) to easily remove powder residue and dirt plus, Rem® Oil (10 oz.), to lubricate and protect after cleaning.

#18154



3-STEP VALUE PACK

Includes three aerosol cans: Brite Bore™ (6 oz.), Rem® Action Cleaner (10.5 oz.) and Rem® Oil (10 oz.) for complete firearm care and is a necessity for every hunter's and shooter's workbench.

#18156



3-STEP STARTER VALUE PACK

Includes: Brite Bore™, Rem® Action Cleaner and Rem® Oil in 2 oz. squeeze bottles with child safety lids. Great for complete firearm care that fits nicely into a travel pack.

#18161

REM® MOP

- 100% cotton
- Thick nap
- #8-32 standard threads
- Available for the following gauges and calibers:

10 gauge	#18463
12 / 16 gauge	#19035
20 gauge	#19034
28 / .410 gauge	#19033
.22 / .223 / 5.56mm	#19030
.30 / 7.62mm	#18456
.357 / .380 / .38 / 9mm	#19031
.40 / 10mm	#19032
.44 / .45	#18458
.50	#19228



REM® BRUSH

- #8-32 standard threads
- Bronze bristles resist corrosion
- Cleans without excessive abrasion
- Available for the following gauges and calibers:

10 gauge	#19926
12 / 16 gauge	#19028
20 gauge	#19026
28 / .410 gauge	#19025
.17 HMR / .204 / .17	#18407
.22 / .223 / 5.56mm	#19017
.243 / .25	#19018
.30 / 7.62mm	#19020
.357 / .380 / .38 / 9mm	#19014
.375	#18409
.270 / 7mm	#19019
.40 / 10mm	#19015
.44 / .45	#19023
.50	#19225



REM® FLEX ROD WITH T-HANDLE™

- Designed to ensure thorough bore cleaning in all your rifles, shotguns and handguns (22 caliber to 12 gauge)
- Patented T-handle™ for quick adaptability
- Available in: 12"..... #19955 32"..... #19957
26"..... #19956 39"..... #19958



CLEANING PATCHES AND REM® PATCH PULLER

- For all shotguns, black powder guns, rifles and rimfire rifles
- 100% cotton
- Enclosed in polybag for easy carrying in the field
- Presized for optimum cleaning
- Rem® Patch Puller
- #8-32 standard threads

▪ Patch Pullers available in:

10 gauge	#18477
12 / 16 gauge	#18480
20 gauge	#18478
28 / .410 gauge	#19008
.17 HMR / .204 / .17	#19007
.22 / .223 / 5.56mm	#18475
.30 / 7.62mm	#18476
.50	#19260

▪ Patches available in:

Rimfire: 7/8" x 7/8" (400 count)	– #19039
Centerfire: 2" x 2" (100 count)	– #19041
Shotgun: 2 3/4" x 2 3/4" (100 count)	– #19042
Black Powder: 2 1/2" x 2 1/2" (100 count)	– #19038



BORE LIGHT

- Ideal for inspecting used firearms, cleaning firearms and inspecting bore for obstructions
- Features a flexible neck for hard to see and reach places
- LED light emits an intense illuminating glow for detailed inspections
- Batteries included

#19495



MOISTUREGUARD REMCLOTH®

- Uses Volatile Corrosion Inhibitor Technology
- 10" x 10" non-abrasive cloth
- Instantly protects metal surfaces
- Safe on blued, and all metal finishes
- Reusable - includes zip seal pouch
- Washable and can be re-energized by retreating with Rem® Oil with MoistureGuard®

#19902



REM® PAD GUN CLEANING MATS

- Surface material won't scratch guns or tabletops
- Absorbent top material traps and holds up to eight times its weight in fluids
- Available in three sizes: 10" x 12" ... #17268
12" x 28" ... #18812
16" x 54" ... #18813





UNIVERSAL FAST SNAP 2.0

All you need to clean any firearm, from a 22 pistol or revolver to a 12-gauge shotgun.

- Contains 38 pieces plus 75 patches
- Version 2.0 upgrade includes Brite Bore™
- Flex Rod System with patented T-handle for quick adaptability
- Cleaner and lubricant included


#16364



ALL-A-ROUND 2.0 UNIVERSAL KIT

- Cleans all your shotguns, rifles and pistols (22 caliber to 12 gauge)
- Contains an assortment of brushes, 3-piece brass rod, patches, patch puller and waterproof/stain-resistant Rem® Pad
- Bore light
- Portable cleaning station with carry sack for easy transporting wherever you need it

#19546



BORE LIGHT INCLUDED



SPORTSMAN UNIVERSAL KIT

- 27-piece (true count) cleaning kit – includes 50 patches (22 caliber to 12 gauge)
- 3-piece aluminum rod accepts standard #8-32

#19054





REM® DRILUBE

- Formulated for superior lubricity without leaving any dust collecting residue behind and is perfect for protecting your firearm in sub-zero temperatures
- Teflon®-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes
- Keeps firearms functioning dependably to -40°F
- Available in:
 - 4-oz. aerosol can – #18396



SHOTGUN CLEANER

- Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes
- Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk
- Blasts away gummy caked-on grime from hard-to-reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses
- Available in:
 - 18-oz. aerosol can – #18472



REM® ACTION CLEANER

- Easily cleans dirt, powder residue and caked-on lubricants from disassembled actions and fire-control mechanisms
- Dries quickly and leaves no residue
- Available in:
 - 2 oz. squeeze bottle with child safe lid – #19924
 - 4 oz. aerosol can – #19925
 - 10.5 oz. aerosol can – #18395

BRITE BORE™ SOLVENT

- Dissolves carbon and powder fouling, removes copper, lead and plastic deposits
- Handy size for field range use
- Low odor – contains no CFCs
- Available in:
 - 6-oz. aerosol can – #18367
 - 2 oz. squeeze bottle with child safe lid – #18394



40-X™ BORE CLEANER

- Formerly Remington® Bore Cleaner
- 40-X name ties into the product's origins in Precision Benchrest Shooting
- Formulated for rifles to improve cleaning, accuracy and performance
- Fast and easy to use – no soaking or foul odors
- Contains polishing compounds to make your bore mirror-clean
- Available in:
 - 4 oz. squeeze bottle with child safe lid – #18397

GUN SOCKS

- Thick 100% polyester fabric protects against dirt and scratches
- Drawstring closure
- Treated with silicon to help protect from rust
- Two sizes available (12" and 52" long)



52" Gun Sock
#18494

12" Gun Sock
#17269



MOISTUREGUARD SUPER-SAFE PLUG

- Uses Volatile Corrosion Inhibitor Technology
- Protects all metals from rust and corrosion
- Place or hang in gun cabinet/safe
- Superior storage protection
- Leaves no scent residue
- 216 cubic feet of protection for up to one year

#19954



GUN LOCKS

- Fits most shotguns, rifles and handguns
- California-approved versions available



3 Pack Trigger Locks
#19439



Cable Lock
#18364



Single Trigger Lock
#18941

MODEL 365 DEHUMIDIFIER

- Protects up to 60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Protects 333 cubic feet

#19950



MODEL 500 DEHUMIDIFIER

- Works in a 500-cubic-foot area
- No battery or cord needed
- Works up to 10 years
- Non-toxic, child and pet safe
- Eco-friendly

#19946



REM® DRI® 35 DESICCANT

- Removes moisture to prevent rust corrosion and eliminates odors in gun safes and cabinets
- No electricity required
- Rechargeable for multiple uses

#19952






CUTLERY.

Whether you want a knife for your collection, to clean your next bird or buck, or simply to serve as a reliable tool, turn to the excellence found at Remington® cutlery. Many options, each worthy of the “R”.

**2014 BULLET® KNIFE
“THE FORRESTER JR.” NEW**

- R1173L Limited Edition Lockback
- Only 1,500 made
- 440 stainless steel blade
- Blade measurements – 2 3/4"
- Closed measurements – 3 5/8"
- Handle materials / points of interest
Amber Saw Cut Bone handle with Bullet Shield
- Liner of non-rusting brass
- Bolster of pinched nickel silver
- Traditional Remington UMC
- Made in the USA

#19147 (Damascus)
#19148



Ladder Damascus Blade
(Limited Offering)



**REMINGTON CUTLERY
COLLECTOR'S CLUB**

In 2009, Remington introduced the Remington Cutlery Collector's Club. With the introduction of the Club, we have experienced a renewed interest of knife collectors worldwide in expanding their Remington collections. To learn how you can join, visit us at remingtoncutlery.com



BIRD AND TROUT
 (6 3/4" Overall)
 (Clip Point)
 #19970

MODEL 870™ SERIES

- Handle material – American walnut wood made from authentic Model 870 Wingmaster stock
- Blade material – 440A modified stainless steel
- Signature “R” laser-etched into every handle
- Made in the USA



Leather sheath included for Bird and Trout.



KNIVES BORN TO BE ICONS.

American-made and forged from the finest family tree in the woods. Our Model 700™ and Model 870™ Series knives are hand crafted from the same American walnut wood as their legendary namesakes, with our signature laser-checked “R”.

MINI PEN
 (2 7/8" Closed)
 (Clip and Pen)
 #19972



TINI TRAPPER
 (3" Closed)
 (Clip Point and Spey)
 #19974




WATERFOWL
 (4 1/2" Closed)
 (Clip, Serrated, Choke Tube Tool and Pin Pinch)
 #19976



GENTLEMAN'S
 (3" Closed)
 (Drop Point)
 #19971




MINI TRAPPER
 (3 1/2" Closed)
 (Clip Point and Spey)
 #19973



UPLAND
 (3 7/8" Closed)
 (Clip, Choke Tube Tool and Bird Hook)
 #19975



MODEL 700™ SERIES

- Handle material – American walnut wood, made from authentic Model 700 stock
- Blade material – 440A modified stainless steel
- Signature “R” laser-etched into every handle
- Made in the USA 



Leather sheath included with all Big Game knives.



BIG GAME - CLIP POINT
(7 3/4" Overall)
#19980



BIG GAME - DROP POINT
(8 1/4" Overall)
#19981



BIG GAME - GUT HOOK
(7 1/2" Overall)
#19982



LARGE LOCKBACK
(5" Closed)
(Clip Point)
#19979



Leather sheath included.



MEDIUM LOCKBACK
(3 3/4" Closed)
(Clip Point)
#19978



TRAPPER
(4 1/8" Closed)
(Clip Point and Spey)
#19977



BOWIE
(11 1/2" Overall)
(Clip Point)
#19989

Leather sheath included.



**SPORTSMAN® SERIES F.A.S.T.®
FIXED**

- Blade material/options – 440 stainless steel with bead blast finish or black oxidized coating with a serrated/straight combo edge
- Blade Length – 5 3/4", 3.9mm thick
- Handle material – Anodized aluminum scales with rubberized coating riveted to a solid one-piece 3.9mm-thick tang with lanyard hole
- Handle options – Black, Mossy Oak® Obsession®, Mossy Oak® Blaze Orange or Realtree® Advantage® MAX-4 HD™
- Overall length – 10 1/2"
- Sheath – Heavy-duty black nylon sheath with belt loop



STAINLESS STEEL BLADE
MATTE BLACK HANDLE
#19785



STAINLESS STEEL BLADE
MOSSY OAK® OBSESSION® HANDLE
#19788



STAINLESS STEEL BLACK BLADE
MATTE BLACK HANDLE
#19784



STAINLESS STEEL BLACK BLADE
MOSSY OAK® OBSESSION® HANDLE
#19786




STAINLESS STEEL BLADE
MOSSY OAK® BLAZE ORANGE HANDLE
#19762



STAINLESS STEEL BLACK BLADE
MOSSY OAK® BLAZE ORANGE HANDLE
#19761

**SPORTSMAN® SERIES F.A.S.T.®
FOLDER**

- Fast Action opening with a Soft Touch handle
- Blade material/options – 440 stainless steel with bead blast finish or black oxidized coating with a serrated/straight combo edge
- Blade lengths – Large: 3 5/8" | Medium: 3 1/8" | Small: 2 1/2"
- Handle material – Anodized aluminum scales with rubberized coating; includes pocket clip and lanyard hole
- Handle options – Black, Mossy Oak® Obsession®, Mossy Oak® Blaze Orange, Mossy Oak® Pink Camo or Realtree® Advantage® MAX-4 HD™
- Closed measurement – Large: 5" | Medium: 4 1/8" | Small: 3 1/4"



STAINLESS STEEL BLADE
MOSSY OAK® BLAZE ORANGE HANDLE
Large #19768
Medium #19772



STAINLESS STEEL BLACK BLADE
MOSSY OAK® BLAZE ORANGE HANDLE
Large #19767
Medium #19771

STAINLESS STEEL BLADE
MATTE BLACK HANDLE
Large #18220
Medium #19072



STAINLESS STEEL BLADE
MOSSY OAK® OBSESSION® HANDLE
Large #18216
Medium #19070



STAINLESS STEEL BLACK BLADE
MATTE BLACK HANDLE
Large #18219
Medium #19073



STAINLESS STEEL BLACK BLADE
MOSSY OAK® OBSESSION® HANDLE
Large #18214
Medium #19068





WINGMASTER® MULTI-TOOL

- The ultimate waterfowl/upland multi-tool
- Scissor head with bone notch cut-out and lock
- 3" saw, 1 3/4" blade, Gut Hook
- Choke tube wrench (12 and 20 gauge)
- Ergonomic handles with rubber inserts for easy grip
- Heavy-duty nylon sheath with belt loop included

#18368



BIG GAME SKINNER SET

- Knife material – one-piece 440 stainless steel knives with mirror finish have a finger ring for easy carry and grip
- Gut hook – Easy to sharpen hook measures 7 1/4"
- Skinner – overall length: 7 3/8"
- Caping blade – overall length: 6 1/2"
- All three knives fit snugly in a heavy-duty black nylon sheath with belt loop

#18645



SHOTGUN SPECIFICATIONS

VERSA MAX® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL ²	DROP (COMB) ⁵	DROP (HEEL) ⁵	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
Versa Max® Black Synthetic ¹	12/28"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	81042	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	49 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	7 3/4	\$1,427
Versa Max® Black Synthetic ¹	12/26"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	81043	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	47 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	7 3/4	\$1,427
NEW Versa Max® Waterfowl Pro ¹ Mossy Oak® Shadow Grass Blades Camo	12/28"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	83205	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	49 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak® Shadow Grass Blades Camo	7 3/4	\$1,730
Versa Max® Waterfowl Mossy Oak® Duck Blind Camo ²	12/28"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	81048	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	49 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak® Duck Blind® Camo	7 3/4	\$1,630
Versa Max® Waterfowl Realtree® AP™ Camo ²	12/26"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	81054	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	47 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic, w/ Over-Molded Grips	Realtree® AP™ Camo	7 3/4	\$1,630
NEW Versa Max® WoodTech ¹	12/28"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	83202	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	49 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic, w/ Over-Molded Grips	WoodTech	7 3/4	\$1,630
NEW Versa Max® Competition Tactical ¹	12/22"	10 (2 3/4" shells) 12 w/extension	81029	Vent Rib	Adjustable	Anodized Aluminum w/Green Cerakote	43 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	8	\$1,699
Versa Max® Tactical ³	12/22"	8 (2 3/4" shells) 7 (3" shells)	81059	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	43 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	7 3/4	\$1,427

1 Supplied with Flush Mount ProBore® Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Supplied with Extended ProBore® Choke Tubes – Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator.
3 Supplied with Flush Mount ProBore® Improved Cylinder choke tube, and ProBore® Extended Tactical choke tube. 4 Supplied with Extended ProBore® Choke Tubes – Skeet, Improved Cylinder, Light Modified, Modified and Full. 5 Adjustable

VERSA MAX® LEFT HAND SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL ²	DROP (COMB) ²	DROP (HEEL) ²	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW Versa Max® Left-Hand Black Synthetic ¹	12/28"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	83500	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	47 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	7 3/4	\$1,427
NEW Versa Max® Left-Hand Waterfowl Mossy Oak® Duck Blind Camo ²	12/28"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	83506	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	49 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak® Duck Blind® Camo	7 3/4	\$1,630

1 Supplied with Flush Mount ProBore® Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Adjustable

VERSA MAX® SPORTSMAN® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
Versa Max® Sportsman® Black Synthetic ¹	12/28"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	81045	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	49 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic	Black Synthetic	7 3/4	\$1,045
Versa Max® Sportsman® Black Synthetic ¹	12/26"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	81046	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	47 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic	Black Synthetic	7 3/4	\$1,045
Versa Max® Sportsman® Mossy Oak® Duck Blind Camo ²	12/28"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	81049	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	49 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic	Mossy Oak® Duck Blind® Camo	7 3/4	\$1,199
Versa Max® Sportsman® Realtree® AP™ Camo ²	12/26"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	81027	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	47 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic	Realtree® AP™ Camo	7 3/4	\$1,199
Versa Max® Sportsman® Mossy Oak® Obsession Camo	12/22"	3 (2 3/4" or 3" shells) 2 (3 1/2" shells)	81028	Smooth Barrel Rifle Sights	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	43 15/16"	14 1/4"	1 1/2"	2 7/16"	Synthetic	Mossy Oak® Obsession® Camo	7 3/4	\$1,199

1 Supplied with Flush Mount Pro Bore® Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. 2 Supplied with Extended Pro Bore® Choke Tubes – Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator.

TACTICAL / HOME DEFENSE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 870™ Express® Tactical Pistol Grip	12/18 1/2"	6	81193	Tactical Rem® Choke	Single Bead	Matte Blue	30"	13 3/4"	1 1/2"	2"	Synthetic	Matte Black	7 1/4	\$497
NEW 870™ Express® Tactical Magpul® FDE	12/18 1/2"	6	81226	Rifle Sight Rem® Choke ¹	XS® Ghost Ring	Cerakote	38 1/2" 40 1/2" (choke)	13 3/4"	1 1/2"	2"	Synthetic	Flat Dark Earth	7 1/2	\$898
870™ Express® Tactical Magpul®	12/18 1/2"	6	81209	Rifle Sight Rem® Choke ¹	XS® Ghost Ring	Black Cerakote	38 1/2" 40 1/2" (choke)	13 3/4"	1 1/2"	2"	Synthetic	Matte Black	7 1/2	\$898
870™ Express® Tactical Camo (w/2 Shot Extension, XS Ghost Ring Sights)	12/18 1/2"	6	81204	Rifle Sight Rem® Choke ¹	XS® Ghost Ring	A-TACS™ Camo	38 1/2" 40 1/2" (choke)	13 3/4"	1 1/2"	2"	Synthetic	A-TACS® Camo	7 1/2	\$720
870™ Express® Tactical (w/XS Ghost Ring Sights)	12/18 1/2"	6	81198	Rem® Choke ¹	XS® Ghost Ring	Matte Blue	38 1/2" 40 1/2" (choke)	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2	\$601
870™ Express® Synthetic Tactical	12/18 1/2"	4	25549	Fixed Cylinder Choke	Single Bead	Matte Blue	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2	\$420
870™ Express® Synthetic Tactical (7-Round Capacity)	12/18 1/2"	6	25077	Fixed Cylinder Choke	Single Bead	Matte Blue	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2	\$443
870™ Express® Synthetic Tactical (7-Round Capacity)	20/18 1/2"	6	81100	Fixed Cylinder Choke	Single Bead	Matte Blue	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	6	\$459
870™ Tactical Blackhawk® Spec Ops II (w/2 Shot Extension)	12/18"	6	81404	Fixed Cylinder Choke	Single Bead	Matte Blue	Adj.	Adj.	1 1/2"	2 1/2"	Synthetic	Matte Black	7	\$638
870™ TAC-2 Folding Stock	12/18"	6	81402	Fixed Cylinder Choke	Single Bead	Matte Blue	Adj.	Adj.	—	—	Metal	Matte Black	6 7/8	\$750
1100™ TAC-2 SFIV Stock	12/18"	6	82800	Fixed Imp. Cylinder	Single Bead	Matte Blue	38 1/2"	13 3/4"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2	\$943
1100™ TAC-4	12/22"	8	82801	Rem® Choke	HiViz®	Matte Blue	42 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 3/4	\$1,015
870™ Express® Synthetic 18 1/2"	12/18 1/2"	4	25549	Fixed Cylinder Choke	Single Bead	Matte Blue	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/4	\$420
870™ Express® Synthetic 2-Shot w/Knox® SpecOps Stock	20/18 1/2"	6	81180	Fixed Cylinder Choke	Single Bead	Matte Blue	Adj.	Adj.	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2	\$555

1 Note: Supplied with Extended Rem® Choke Tactical Tube.

SHOTGUN SPECIFICATIONS

MODEL II-87™ SPORTSMAN® MAGNUM SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE ³	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
11-87™ Sportsman® Field Walnut w/Fleur-De-Lis Checkering	12/28" 20/26"	4	83700 83704	Vent Rib Rem® Choke Mod ⁴	Dual Bead	Matte Blue	48 ½" 46"	14"	1 ½"	2 ½"	American Walnut	Satin	8 ¼ 7 ¾	\$845
11-87™ Sportsman®	12/28" 12/26" 20/28" 20/26"	4	29879 29881 29825 29827	Vent Rib Rem® Choke Mod ⁴	Single Bead	Matte Blue	48" 46" 48" 46"	14"	1 ½"	2 ½"	Synthetic	Matte Black	8 ¼ 8 ¼ 7 ¼ 7 ½	\$804
11-87™ Sportsman® Camo	12/28" 20/26"	4	29895 29917	Vent Rib Rem® Choke Mod ⁴	Single Bead	Mossy Oak® New-Breakup®	48" 46"	14"	1 ½"	1 ⅞"	Synthetic	Mossy Oak® New-Breakup®	8 ¼ 7 ¼	\$915
11-87™ Sportsman® Synthetic Deer ¹	12/21" 20/21"	4	29858 29877	Fully Rifled	Cantilever Scope Mount	Matte Black, Non-Reflective	41"	14"	1 ½"	1 ⅞"	Synthetic	Matte Black	8 ½ 7 ½	\$929
11-87™ Sportsman® Compact Synthetic ²	20/21"	4	83626	Vent Rib Rem® Choke Mod ⁴	Single Bead	Matte Black, Non-Reflective	40 ¼"	Adj.	1 ½"	2 ½"	Synthetic	Matte Black	6 ½	\$804
11-87™ Sportsman® Compact Camo ²	20/21"	4	83630	Vent Rib Rem® Choke Mod ⁴	Single Bead	Mossy Oak® New-Breakup®	40 ¼"	Adj.	1 ½"	2 ½"	Synthetic	Mossy Oak® New-Breakup®	6 ½	\$915

1 Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 2 Includes new adjustable LOP kit for up to 1" of extra adjustment. 3 Model 11-87™ Sportsman shotguns have 3" chambers and will cycle 2 3/4" and 3" shotshells. 4 NOTE: All Model 11-87™ Sportsman shotguns with a Rem® Choke barrel come equipped with Modified Rem® Choke tubes.

MODEL 870™ EXPRESS® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870™ Express®	12/28" 12/26"	4	25568 25569	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Blue	48 ½" 46 ½"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½ 7 ¼	\$417
870™ Express® Magnum w/ShurShot®	12/21"	4	81114	Vent Rib Rem® Choke (Turkey Extra Full)	Single Bead	Mossy Oak® Obsession®	42 ½"	13 ¾"	1 ½"	2"	Synthetic	Mossy Oak® Obsession®	7 ⅞	\$536
870™ Express®	20/28" 20/26"	4	25583 25582	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Blue	48 ½" 46 ½"	14"	1 ½"	2 ½"	Laminate	Satin	6 ½ 6 ¼	\$417
870™ Express® Lam. Compact ⁴	20/21"	4	25561	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Blue	40 ½"	13"	1 ½"	2 ¼"	Laminate	Satin	6 ½	\$417
870™ Express® Synthetic	12/28" 12/26"	4	25587 25589	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Blue	48 ½" 46 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½ 7 ¼	\$417
870™ Express® Turkey Camo	12/21"	4	81115	Vent Rib Rem® Choke (Turkey Extra Full)	Single Bead w/HiViz®	Mossy Oak® New Break-Up®	41 ½"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® New Break-Up®	7 ¼	\$492
870™ Express® Compact ¹	20/21"	4	81148	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Blue	40 ½"	13" Adj.	1 ½"	2 ½"	Synthetic	Matte Black	6	\$417
870™ Express® Compact Camo ¹	20/21"	4	81166	Vent Rib Rem® Choke (Mod)	Single Bead	Realtree® Hardwoods HD™	40 ½"	13" Adj.	1 ½"	2 ½"	Synthetic	Realtree® Hardwoods HD™	6	\$468
870™ Express® Compact Jr. ¹	20/18 ¾"	4	81161	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Blue	37 ¼"	12" Adj.	1 ½"	2"	Synthetic	Matte Black	5 ¾	\$417
870™ Express® Compact Pink Blaze Camo ¹	20/21"	4	81150	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Blue	40 ½"	13" Adj.	1 ½"	2 ½"	Synthetic	Mossy Oak® Pink Blaze Camo	6	\$468
870™ Express® Synthetic Fully Rifled Deer	12/20"	4	25097	Fully Rifled	Rifle Sight	Matte Blue	40 ½"	14"	1 ½"	1 ⅞"	Monte Carlo Synthetic	Matte Black	7	\$463
870™ Express® Deer	12/20"	4	25565	Fixed Imp. Cyl. Choke	Rifle Sight	Matte Blue	40 ½"	14"	1 ½"	1 ⅞"	Monte Carlo Laminate	Satin	7 ¼	\$417
870™ Express® Fully Rifled Deer	12/20"	4	25575	Fully Rifled	Rifle Sight	Matte Blue	40 ½"	14"	1 ½"	1 ⅞"	Monte Carlo Laminate	Satin	7 ¼	\$463
870™ Express® Synthetic Fully Rifled Cantilever	12/23" 20/18 ½"	4	25090 25183	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Blue	43 ¼" 38 ¾"	14"	1 ½"	1 ⅞"	Monte Carlo Synthetic	Matte Black	8 7 ¼	\$545
870™ Express® Left Hand	12/28"	4	25577	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Blue	48 ½"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½	\$446

1 Includes new adjustable LOP kit for up to 1" of extra adjustment. 2 Supplied with sling swivel studs. 3 Model 870™ Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. 4 Wood laminate stock model does not include Length of Pull Kit.

MODEL 870™ EXPRESS® SUPER MAG® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870™ Express® Super Mag® Turkey/Waterfowl Camo	12 (3 ½")/26"	3 (3 ½") 4 (2 ¾" & 3")	81125	Vent Rib Rem® Choke ^{3,4}	HiViz®	Mossy Oak® Bottomland™	46"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Bottomland™	7 ¼	\$629
870™ Express® Super Mag® Waterfowl Camo ¹	12 (3 ½")/28"	3 (3 ½") 4 (2 ¾" & 3")	81111	Vent Rib Rem® Choke ³	HiViz®	Mossy Oak Duck Blind®	48"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak Duck Blind®	7 ½	\$629
870™ Express® Super Mag®	12 (3 ½")/28"	3 (3 ½") 4 (2 ¾" & 3")	25100	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½	\$469
870™ Express® Super Mag® Synthetic	12/28" 12/26"	3 (3 ½") 4 (2 ¾" & 3")	25103 25102	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	48" 46"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼ 7 ½	\$469
870™ Express® Super Mag® Extra Barrel Combo	12/26" 12/20"	3 (3 ½") 4 (2 ¾" & 3")	25114 -----	Vent Rib Rem® Choke (Mod) Fully Rifled (Deer) ⁵	Single Bead (Vent Rib) Rifle Sight (Deer)	Matte Black Non-Reflect	46" (VR) 40 ½" (Deer)	14"	1 ½"	2 ½"	Laminate	Satin	7 ¼	\$629

1 Supplied with sling swivel studs. 2 Model 870™ Express® Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. 3 Supplied with Rem® Choke "Over-Decays" choke tube. 4 Turkey Extra Full Rem® Choke tube. 5 Combo Deer barrel has 3" chamber.

SHOTGUN SPECIFICATIONS

MODEL 870™ EXPRESS® EXTRA BARREL COMBO SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870™ Express® Combo	12/26" (Vent Rib) 12/20" (Fully Rifled Deer)	4	25578	Vent Rib Rem® Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Blue	46 1/4" (Vent Rib) 40 1/2" (Deer BBL)	14"	1 1/2"	2 1/2"	Laminate	Satin	7 1/4	\$606
870™ Express® Combo	20/26" (Vent Rib) 20/20" (Fully Rifled Deer)	4	25597	Vent Rib Rem® Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Blue	46 1/2" (Vent Rib) 40 1/2" (Deer BBL)	14"	1 1/2"	2 1/2"	Laminate	Satin	6 1/2	\$609
870™ Express® Synthetic Compact Combo	20/21" (Vent Rib) 20/20" (Fully Rifled)	4	25659	Vent Rib Rem® Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Blue	40 1/2" (Vent Rib) 39 1/2" (Deer BBL)	13"	1 1/2"	2 1/4"	Synthetic	Matte Black	6	\$609
870™ Express® Black Synthetic Combo	12/23" (Fully Rifled) 12/28" (Vent Rib)	4	81280	Vent Rib Rem® Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Cantilever (Deer BBL)	Matte Blue	48 1/2" (Vent Rib) 43 1/2" (Deer BBL)	14"	1 1/2"	2 1/4"	Synthetic	Matte Black	6	\$667

1 Supplied with sling swivel studs. 2 Model 870™ Express® Super Magnum shotguns have 3 1/2" chambers and will cycle 2 3/4", 3" and 3 1/2" shotshells. 3 Supplied with Rem® Choke "Over-Decoys" choke tube. 4 Turkey Extra Full Rem® Choke tube. 5 Combo Deer barrel has 3" chamber.

MODEL 870™ WINGMASTER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BORE BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
Wingmaster®	12/28" 12/26"	4	26927 26929	Light Contour Vent Rib Rem® Choke ²	Twin Bead	High Polish Blued	48 1/2" 46 1/2"	14 1/4"	1 1/2"	2 1/2"	American Walnut	Hi-Gloss	7 6 3/4	\$830
Wingmaster®	20/28" 20/26"	4	26947 26949	Vent Rib Rem® Choke ²	Twin Bead	High Polish Blued	48 1/2" 46 1/2"	14"	1 1/2"	2 1/2"	American Walnut	Satin (28") Hi-Gloss (26")	6 1/4 6 1/8	\$830
Wingmaster®	28 (2 3/4") 25"	4	24983	Vent Rib Rem® Choke ²	Twin Bead	High Polish Blued	45 1/2"	14"	1 1/2"	2 1/2"	American Walnut	Satin	6	\$943
Wingmaster®	410 Bore (3") 25"	4	24991	Vent Rib Fixed Modified	Twin Bead	High Polish Blued	45 1/2"	14"	1 1/2"	2 1/2"	American Walnut	Satin	5 3/4	\$886

1 NOTE: All Model 870™ Wingmaster® and Model 870™ Wingmaster® Super Magnum™ shotguns with a Rem® Choke barrel come equipped with Improved Cylinder, Modified and Full Rem® Choke tubes. 2 Model 870™ Wingmaster® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 3/4" and 3" shotshells. 410 bore will cycle both 2 1/2" and 3" shotshells.

MODEL 887™ NITRO MAGNUM® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
887™ Nitro Magnum® SPS	12/26"	4 (2 3/4" or 3" shells) 3 (3 1/2" shells)	82501	Solid Rib Rem® Choke Mod	Hiviz®/ Interchangeable	ArmorLokt®	46"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/4	\$445
887™ Nitro Magnum® SPS	12/28"	4 (2 3/4" or 3" shells) 3 (3 1/2" shells)	82500	Solid Rib Rem® Choke Mod	Hiviz®/ Interchangeable	ArmorLokt®	48"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 3/8	\$445
887™ Nitro Waterfowl Camo	12/28"	4 (2 3/4" or 3" shells) 3 (3 1/2" shells)	82502	Solid Rib Rem® Choke WF	Hiviz®/ Interchangeable	Realtree® Max™ 4 ArmorLokt®	48"	14"	1 1/2"	2 1/2"	Synthetic	Realtree® Max™ 4	7 1/2	\$594
887™ Nitro Magnum® Tactical 2-Shot Ext. w/Picatinny Rail	12/18 1/2"	6 (2 3/4" shells)	82540	Tactical Choke	Hiviz®/ Interchangeable	ArmorLokt®	39"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	6 7/8	\$534

MODEL 870™ SPECIAL PURPOSE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870™ SPS Super Slug®	12 (3") 25 1/2"	4 (2 3/4" & 3")	82101	Fully Rifled Extra Heavy (Fluted)	Drilled & Tapped	Matte Blue	47"	13 3/4"	1 1/2"	2"	Synthetic	Mossy Oak® Treestand	7 7/8	\$829
870™ SPS Super Mag® Turkey/Predator w/Scope w/Overmolded Grips	12 (3 1/2") 20"	3 (3 1/2"), 4 (2 3/4" & 3")	81062	Clean Barrel Bead Sight Rem® Choke	TruGlo® Red Dot	Mossy Oak® Obsession®	40 1/2"	13 3/4"	1 1/2"	2"	Synthetic	Mossy Oak® Obsession®	7 1/8	\$710
870™ SPS Super Mag® Turkey w/ShurShot® Stock	12 (3 1/2") 23"	4 (2 3/4" & 3")	81061	Wingmaster HD® Extended Rem® Choke	TruGlo® Rifle Sights	Realtree® APG™	44 1/2"	13 3/4"	1 1/2"	2"	Synthetic	Realtree® APG™	7 1/2	\$681
870™ Marine Magnum™ ²	12 (3") 18"	6	25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/2	\$841

1 All 3" and 3 1/2" chambers also handle 2 3/4" shells. 2 Will not accept certain law enforcement accessories.

COMPETITION SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BORE BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870™ Wingmaster® Classic Trap	12/30"	4	24857	Lt. Contour Rib Rem® Choke ²	Twin Bead	High Polish Blue	50 1/2"	14 1/2"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1/4	\$1,098
1100™ Classic Trap	12/30"	4	25333	Lt. Contour Rib Rem® Choke ²	Twin Bead	High Polish Blue	50 1/2"	14 1/2"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1/4	\$1,308
1100™ Competition Synthetic	12/30"	4	82821	Vent Rib Pro Bore	Twin Bead	Nickel	50 1/2"	Not Adj.	Adj.	Adj.	Synthetic	C. Graphite	8 1/4	\$1,279
1100™ Sporting 12	12/28"	4	25315	Lt. Contour Rib Rem® Choke ³	Twin Bead	High Polish Blue	49"	14 3/16"	1 1/2"	2 1/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8	\$1,230
1100™ Sporting 20 (LT)	20/28"	4	25399	Lt. Contour Rib Rem® Choke ³	Twin Bead	High Polish Blue	49"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	7	\$1,230
1100™ Sporting 28	28/27"	4	29583	Vent Rib Rem® Choke ³	Twin Bead	High Polish Blue	47 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/2	\$1,289
1100™ Sporting 410	410 bore/27"	4	29549	Vent Rib Rem® Choke ¹	Twin Bead	High Polish Blue	47 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/4	\$1,289

1 Model 1100™ Sporting 410 shotguns have 3" chambers and will cycle 2 1/2" and 3" shotshells. 2 These guns are supplied with special Rem® Chokes, Mid Handicap (.034"), Singles (.027"), and Long Handicap (.041"). 3 NOTE: Model 1100™ Sporting Shotguns are equipped with four extended Briley Rem® Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) 4 Model 1100™ shotguns have 2 3/4" chambers, unless otherwise noted. 5 Model 1100™ Competition Synthetic shotgun is supplied with Pro Bore® chokes (Skeet, Improved Cylinder, Light Modified, Modified and Full). It has approximately 14 1/4" Length of Pull and is not adjustable.

AMERICAN CLASSICS / AVERAGE WEIGHTS

MODEL	GAUGE/BORE BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
1100™ American Classics	12/28"	4	83016	Vent Rib Rem® Choke	Twin Bead	High Gloss	48 1/2"	14"	1 1/2"	2 1/2"	B-Grade Walnut	Hi-Gloss	8	\$1,649
1100™ American Classics	20/26"	4	83018	Vent Rib Rem® Choke	Twin Bead	High Gloss	46 1/2"	14"	1 1/2"	2 1/2"	B-Grade Walnut	Hi-Gloss	7	\$1,649
1100™ American Classics	28/25"	4	83020	Vent Rib Rem® Choke	Twin Bead	High Gloss	45 1/2"	14"	1 1/2"	2 1/2"	B-Grade Walnut	Hi-Gloss	6 1/2	\$1,649
870™ American Classics	12/28"	4	82084	Vent Rib Rem® Choke	Twin Bead	High Gloss	48 1/2"	14"	1 1/2"	2 1/2"	B-Grade Walnut	Hi-Gloss	7	\$1,249
870™ American Classics	20/26"	4	82085	Vent Rib Rem® Choke	Twin Bead	High Gloss	46 1/2"	14"	1 1/2"	2 1/2"	B-Grade Walnut	Hi-Gloss	6 1/8	\$1,249
870™ American Classics	28/25"	4	82086	Vent Rib Rem® Choke	Twin Bead	High Gloss	45 1/2"	14"	1 1/2"	2 1/2"	B-Grade Walnut	Hi-Gloss	6	\$1,249

RIFLE SPECIFICATIONS

MODEL 783™

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 85832	243 Win	4	22"	10"	41 1/8"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$451
NEW 85850 (Compact)	243 Win	4	20"	10"	42 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$451
85834	270 Win	4	22"	10"	42 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$451
NEW 85839	300 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$451
NEW 85851 (Compact)	308 Win	4	20"	10"	38 5/8"	12 5/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/8	\$451
85837	308 Win	4	22"	10"	40 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$451
85836	30-06 SPRG	4	22"	10"	42 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$451
85838	7mm Remington Mag	3	24"	10"	44 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2	\$451

MODEL 783™ CAMO - MOSSY OAK® BREAK-UP™ INFINITY™

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 85860	270 Win	4	22"	10"	42 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak® Break-Up™ Infinity™	7 3/8	\$503
NEW 85861	30-06 SPRG	4	22"	10"	42 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak® Break-Up™ Infinity™	7 1/8	\$503
NEW 85862	308 Win	4	22"	10"	41 5/8"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak® Break-Up™ Infinity™	7 1/4	\$503
NEW 85863	7mm Remington Mag	3	24"	10"	44 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak® Break-Up™ Infinity™	7 3/8	\$503
NEW 85864	300 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak® Break-Up™ Infinity™	7 1/8	\$503

MODEL 700™ CHASSIS

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 84474	308 Win	5	24"	10"	46 1/4"	15 1/4" - 16 1/8"	Adj.	—	416 Stainless Steel	Black Cerakote	Polymer	Black	11 3/4	\$2,900
NEW 84475	300 Win Mag	5	24"	10"	48"	15 1/4" - 16 1/8"	Adj.	—	416 Stainless Steel	Black Cerakote	Polymer	Black	12 1/4	\$3,100
NEW 84477	338 Lapua	5	26"	10"	50"	15 1/4" - 16 1/8"	Adj.	—	416 Stainless Steel	Black Cerakote	Polymer	Black	12 1/2	\$3,500

MODEL 700™ XCR II

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84521	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Black TriNyte®	Synthetic w/ Overmolded Grips	Matte OD Green	7 3/8	\$1,015
84524	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Black TriNyte®	Synthetic w/ Overmolded Grips	Matte OD Green	7 3/8	\$1,044
84523	30-06 SPRG	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Black TriNyte®	Synthetic w/ Overmolded Grips	Matte OD Green	7 3/8	\$1,015
84525	300 WSM	3	24"	10"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Black TriNyte®	Synthetic w/ Overmolded Grips	Matte OD Green	7 3/8	\$1,095
84526	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Black TriNyte®	Synthetic w/ Overmolded Grips	Matte OD Green	7 3/8	\$1,045
84528	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Black TriNyte®	Synthetic w/ Overmolded Grips	Matte OD Green	7 3/8	\$1,045
84530	338 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Black TriNyte®	Synthetic w/ Overmolded Grips	Matte OD Green	7 3/8	\$1,045
84529	338 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Black TriNyte®	Synthetic w/ Overmolded Grips	Matte OD Green	7 3/8	\$1,045
84531	375 H&H	3	24"	12"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Black TriNyte®	Synthetic w/ Overmolded Grips	Matte OD Green	7 3/8	\$1,045

1 Equipped with Iron Sights.

MODEL 700™ BDL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
25787	243 Win	4	22"	10"	41 1/8"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 1/4	\$994
25791	270 Win	4	22"	10"	42 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 3/8	\$994
25803	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 1/2	\$1,024
25793	30-06 SPRG	4	22"	10"	42 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 3/8	\$994
26410	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 3/8	\$1,024

MODEL 700™ CDL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27009	25-06 Remington	4	24"	9 1/8"	44 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,029
27007	243 Win	4	24"	9 1/8"	43 5/8"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,029
27011	270 Win	4	24"	10"	44 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/2	\$1,029
27105 (LH)	270 Win	4	24"	10"	44 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/2	\$1,029
27015	7mm-08 Remington	4	24"	9 1/4"	43 5/8"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,029
27047	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,029
27109 (LH)	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,059
27017	30-06 SPRG	4	24"	10"	44 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/2	\$1,029
27107 (LH)	30-06 SPRG	4	24"	10"	44 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/2	\$1,029
27049	300 Win Mag	3	26"	10"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,059
27053	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,059
27111 (LH)	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,059

RIFLE SPECIFICATIONS

MODEL 700™ CDL DM

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84074	243 Win.	4	24"	9 1/8"	43 3/8"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,051
84075	7mm-08 Remington	4	24"	9 1/4"	43 3/8"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,051
84076	270 Win	4	24"	10"	44 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/2	\$1,051
84077	30-06 SPRG	4	24"	10"	44 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/2	\$1,051
84078	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,080
84079	300 Win Mag	3	26"	10"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	\$1,080

MODEL 700™ CDL SF

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 84023 (LTD) ¹	223 Remington	5	24"	12"	43 3/8"	13 1/2"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	7 3/8	\$1,226
84019	257 Weatherby Mag	3	26"	10"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	7 3/8	\$1,209
84014	270 Win	4	24"	10"	44 1/2"	13 1/2"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	7 1/2	\$1,180
84013	270 WSM	3	24"	10"	43 3/8"	13 1/2"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	7 3/8	\$1,272
84012	7mm-08 Remington	4	24"	9 1/4"	43 3/8"	13 1/2"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	7 3/8	\$1,180
84016	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	7 3/8	\$1,209
84015	30-06 SPRG	4	24"	10"	44 1/2"	13 1/2"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	7 1/2	\$1,180
84017	300 WSM	3	24"	10"	43 3/8"	13 1/2"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	American Walnut	Satin	7 3/8	\$1,272

¹ (LTD) 2014 Model 700 CDL SF Limited Edition

MODEL 700™ SPS WOOD TECH

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84193	270 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Wood Tech	7 3/8	\$809
84197	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Wood Tech	7 3/8	\$809
84195	30-06 SPRG	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Wood Tech	7 3/8	\$809
84199	300 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Wood Tech	7 3/8	\$809

MODEL 700™ SPS

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27351	223 Remington	5	24"	12"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$731
27475 (Compact)	243 Win	4	20"	9 1/8"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$731
84150 (Compact) (LH)	243 Win	4	20"	9 1/8"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$731
27355	243 Win	4	24"	9 1/8"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$731
NEW 84149	260 Remington	4	24"	8"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$724
27361	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731
84177 (LH)	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731
27331	270 WSM	3	24"	10"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731
27391 (Compact)	7mm-08 Remington	4	20"	9 1/4"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$731
84151 (Compact) (LH)	7mm-08 Remington	4	20"	9 1/4"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	\$731
27357	7mm-08 Remington	4	24"	9 1/4"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$731
27385	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731
84179 (LH)	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731
27363	30-06 SPRG	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731
84178 (LH)	30-06 SPRG	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731
27333	300 WSM	3	24"	10"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731
27387	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731
84180 (LH)	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731
27359	308 Win	4	24"	10"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$731
27389	300 Remington Ultra Mag	3	24"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	\$731

(LH) Left-hand model

MODEL 700™ SPS CAMO - MOSSY OAK® BREAK-UP™ INFINITY™

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84183	243 Win.	4	22"	9 1/8"	41 3/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak® Break-Up™ Infinity™	7 1/4	\$809
84184	7mm-08 Remington	4	22"	9 1/4"	41 3/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak® Break-Up™ Infinity™	7 3/8	\$809
84185	270 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak® Break-Up™ Infinity™	7 3/8	\$809
84186	30-06 SPRG	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak® Break-Up™ Infinity™	7 3/8	\$809
84187	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak® Break-Up™ Infinity™	7 3/8	\$809
84188	300 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak® Break-Up™ Infinity™	7 3/8	\$809
84189 (Compact)	223 Remington	5	20"	12"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak® Break-Up™ Infinity™	7	\$809
84190 (Compact)	243 Win	4	20"	9 1/8"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak® Break-Up™ Infinity™	7	\$809
84191 (Compact)	7mm-08 Remington	4	20"	9 1/4"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/ Overmold	Mossy Oak® Break-Up™ Infinity™	7	\$809

RIFLE SPECIFICATIONS

MODEL 700™ SPS STAINLESS

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27133	223 Remington	5	24"	12"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 1/4	\$838
27135	22-250 Remington	4	24"	14"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 1/4	\$838
27263	243 Win	4	24"	9 1/8"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 1/4	\$838
27251	25-06 Remington	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 3/8	\$838
27267	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 3/8	\$838
27253	270 WSM	3	24"	10"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 3/8	\$838
27265	7mm-08 Remington	4	24"	9 1/4"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 1/4	\$838
27271	7mm Remington Mag	3	26"	9 3/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 5/8	\$838
84300	7mm Remington Ultra Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 5/8	\$838
27269	30-06 SPRG	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 3/8	\$838
27255	300 WSM	3	24"	10"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 3/8	\$838
27273	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 5/8	\$838
27136	308 Win	4	24"	10"	43 3/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 1/4	\$838
27140	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Stainless	Synthetic w/Overmold Grip Panels	Matte Black	7 5/8	\$838

MODEL 700™ LONG RANGE

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 84162	25-06 Remington	4	26"	10"	47"	13"	1 3/8"	1 3/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$829
NEW 84163	7mm Remington Mag	3	26"	9 1/4"	47"	13"	1 3/8"	1 3/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$829
NEW 84164	300 Win Mag	3	26"	10"	47"	13"	1 3/8"	1 3/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$829
NEW 84165	300 Remington Ultra Mag	3	26"	10"	47"	13"	1 3/8"	1 3/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$829
NEW 84166	30-06 SPRG	4	26"	10"	47"	13"	1 3/8"	1 3/8"	Carbon Steel	Matte Blue	Bell & Carlson M40 Stock	Black w/Grey Web	9	\$829

MODEL 700™ SPS TACTICAL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84203 (A) ¹	308 Win	4	20"	10"	39 3/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Matte Blue	Hogue® Overmolded	Ghillie Green™	7 1/2	\$842
84206	223 Remington	5	20"	9"	39 3/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Matte Blue	Hogue® Overmolded	Matte Black	7 1/2	\$788
85549	223 Remington	5	16 1/2"	9"	36 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Matte Blue	Hogue® Overmolded	Matte Gray	7 1/2	\$842
84205	300 AAC Blackout	5	16 1/2"	7"	36 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Matte Blue	Hogue® Overmolded	Matte Gray	7 1/2	\$842
84207	308 Win	4	20"	12"	39 3/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Matte Blue	Hogue® Overmolded	Matte Black	7 1/2	\$788
85538	308 Win	4	16 1/2"	10"	36 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Matte Blue	Hogue® Overmolded	Matte Gray	7 1/2	\$842

1 (A) AAC®-SD™ with 5/8x24 Threaded Muzzle

MODEL 700™ TARGET TACTICAL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84456	308 Win	4	26"	11 1/4"	47 1/2"	13 3/8" - 15 3/8"	1 1/2"	1 1/2"	Carbon Steel	Matte Blue	Bell & Carlson Tactical Medalist™	OD Green	11 3/4	\$2,138

Adjustable Length of Pull and Comb

MODEL 700™ XCR COMPACT TACTICAL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84466	223 Remington	5	20"	9"	39 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless Steel	Black TriNyte®	H.S. Precision Aramid Fiber Reinf.	OD Green	7 1/2	\$1,525
84467	308 Win	4	20"	12"	39 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless Steel	Black TriNyte®	H.S. Precision Aramid Fiber Reinf.	OD Green	7 1/2	\$1,525

MODEL 700™ XCR TACTICAL LONG RANGE

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84460	223 Remington	5	26"	9"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless Steel	Black TriNyte®	Bell & Carlson Aramid Fiber Reinf.	OD Green	8 1/2	\$1,525
84461	308 Win	4	26"	12"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless Steel	Black TriNyte®	Bell & Carlson Aramid Fiber Reinf.	OD Green	8 1/2	\$1,525
84462	300 Win Mag	3	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless Steel	Black TriNyte®	Bell & Carlson Aramid Fiber Reinf.	OD Green	8 1/2	\$1,525
84463	338 Lapua Magnum	5	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless Steel	Black TriNyte®	Bell & Carlson Aramid Fiber Reinf.	OD Green	8 1/2	\$2,493

MODEL 700™ SPS VARMINT

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84214	204 Ruger	5	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	8 1/2	\$761
84216	22-250 Remington	4	26"	14"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	8 1/2	\$761
84226 (LH)	22-250 Remington	4	26"	14"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	8 1/2	\$761
84215	223 Remington	5	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	8 1/2	\$761
84227 (LH)	223 Remington	5	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	8 1/2	\$761
84217	243 Win	4	26"	9 1/8"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	8 1/2	\$761
84228 (LH)	243 Win	4	26"	9 1/8"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	8 1/2	\$761
84218	308 Win	4	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	8 1/2	\$761
84229 (LH)	308 Win	4	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold Grip Panels	Matte Black	8 1/2	\$761

(LH) Left-hand model

RIFLE SPECIFICATIONS

MODEL 700™ MOUNTAIN SS (STAINLESS STEEL)

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84272	25-06 Remington	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,135
84273	270 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,135
84274	280 Remington	4	22"	9 1/4"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,135
84276	7mm-08 Remington	4	22"	9 1/4"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,135
84275	30-06 SPRG	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,135
84277	308 Win	4	22"	10"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 1/2	\$1,135

MODEL 700™ VTR (VARMINT TARGET RIFLE)

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 84374	223 Remington	5	22"	9"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Hogue® Overmold Grip Panels	Flat Dark Earth	7 3/8	\$930
NEW 84376	22-250 Remington	4	22"	12"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Hogue® Overmold Grip Panels	Flat Dark Earth	7 3/8	\$930
NEW 84375	260 Remington	4	22"	8"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Hogue® Overmold Grip Panels	Flat Dark Earth	7 3/8	\$930
NEW 84377	308 Win	4	22"	10"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Hogue® Overmold Grip Panels	Flat Dark Earth	7 3/8	\$930

MODEL 700™ VTR SS (VARMINT TARGET RIFLE, STAINLESS STEEL)

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 84356	223 Remington	5	22"	9"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Blue	Synthetic w/Hogue® Overmold Grip Panels	Black	7 3/8	\$980
NEW 84358	308 Win	4	22"	10"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte Blue	Synthetic w/Hogue® Overmold Grip Panels	Black	7 3/8	\$980

MODEL 700™ VLS (VARMINT LAMINATED STOCK)

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27467	204 Ruger	5	26"	12"	45 3/4"	13 1/2"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	9 3/8	\$1,056
27491	223 Remington	5	26"	12"	45 3/4"	13 1/2"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	9 3/8	\$1,056
27489	22-250 Remington	4	26"	14"	45 3/4"	13 1/2"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	9 3/8	\$1,056
27495	243 Win	4	26"	9 1/8"	45 3/4"	13 1/2"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	9 3/8	\$1,056
27499	308 Win	4	26"	12"	45 3/4"	13 1/2"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminate	Satin	9 3/8	\$1,056

MODEL 700™ SENDERO® SF II

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27311	7mm Remington Mag	3	26"	9 1/4"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2	\$1,465
27313	300 Win Mag	3	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2	\$1,465
27318	300 Remington Ultra Mag	3	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless Steel	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 1/2	\$1,465

MODEL 700™ VARMINT SF

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84342	22-250 Remington	5	26"	14"	45 3/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue® Overmold Grip Panels	Matte	8 1/2	\$991
84343	223 Remington	5	26"	12"	45 3/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue® Overmold Grip Panels	Matte	8 1/2	\$991
84344	220 Swift	4	26"	14"	45 3/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue® Overmold Grip Panels	Matte	8 1/2	\$991
84345	308 Win	4	26"	14"	45 3/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Polished Stainless	Synthetic w/Hogue® Overmold Grip Panels	Matte	8 1/2	\$991

MODEL SEVEN™ CDL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
26417	243 Win	4	20"	9 1/8"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin Blue	American Walnut	Satin	6 1/2	\$1,039
26419	260 Remington	4	20"	8"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin Blue	American Walnut	Satin	6 1/2	\$1,039
23421	7mm-08 Remington	4	20"	9 1/4"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin Blue	American Walnut	Satin	6 1/2	\$1,039
26423	308 Win	4	20"	10"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin Blue	American Walnut	Satin	6 1/2	\$1,039

MODEL SEVEN™ PREDATOR

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85952	223 Remington	5	22"	12"	41 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7	\$895
85953	22-250 Remington	4	22"	14"	41 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7	\$895
85954	243 Win	4	22"	9 1/8"	41 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7	\$895

RIFLE SPECIFICATIONS

MODEL SEVEN™ SYNTHETIC BOLT-ACTION

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85910	223 Remington	5	20"	12"	39 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	6 ½	\$731
85911	243 Win	4	20"	9 ½"	39 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	6 ½	\$731
85912	260 Remington	4	20"	8"	39 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	6 ½	\$731
85913	7mm-08 Remington	4	20"	9 ¼"	39 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	6 ½	\$731
85914	308 Win	4	20"	10"	39 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	6 ½	\$731
85915 (Compact)	243 Win	4	18 ½"	9 ½"	36 ¼"	12 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	6 ⅝	\$731
85916 (Compact)	7mm-08 Remington	4	18 ½"	9 ¼"	36 ¼"	12 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	6 ⅝	\$731

MODEL 770™ BOLT-ACTION

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85630	243 Win	4	22"	9 ½"	41 ⅝"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	\$383
85637 (Compact)	243 Win	4	20"	9 ½"	39 ⅝"	12 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ¼	\$383
85632	270 Win	4	22"	10"	42 ½"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	\$383
85631	7mm-08 Remington	4	22"	9 ¼"	41 ⅝"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	\$383
85635	7mm Remington Mag	3	24"	9 ¼"	44 ½"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ⅝	\$383
85633	30-06 SPRG	4	22"	10"	42 ½"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	\$383
85636	300 Win Mag	3	24"	10"	44 ½"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ⅝	\$383
85634	308 Win	4	22"	10"	41 ⅝"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	\$383

1 Average weight includes scope

MODEL 770™ STAINLESS BOLT-ACTION

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85655	270 Win	4	22"	10"	42 ½"	13 ⅜"	1 ½"	1 ⅜"	416 Stainless Steel	Matte Blue	Synthetic	Realtree® AP™	8 ½	\$467
85657	7mm Remington Mag	3	24"	9 ¼"	44 ½"	13 ⅜"	1 ½"	1 ⅜"	416 Stainless Steel	Matte Blue	Synthetic	Realtree® AP™	8 ½	\$467
85656	30-06 SPRG	4	22"	10"	42 ½"	13 ⅜"	1 ½"	1 ⅜"	416 Stainless Steel	Matte Blue	Synthetic	Realtree® AP™	8 ½	\$467
85658	300 Win Mag	3	24"	10"	44 ½"	13 ⅜"	1 ½"	1 ⅜"	416 Stainless Steel	Matte Blue	Synthetic	Realtree® AP™	8 ½	\$467

1 Average weight includes scope

MODEL 7600™ PUMP-ACTION

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
7600™	24653	243 Win	4	22"	9 ½"	42 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½	\$918
7600™	24655	270 Win	4	22"	10"	42 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½	\$918
7600™	24667	270 Win	4	22"	10"	42 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	High Gloss	7 ½	\$918
7600™ Carbine	24661	30-06 SPRG	4	18 ½"	10"	39 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ¼	\$918
7600™	24657	30-06 SPRG	4	22"	10"	42 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½	\$918
7600™	24671	30-06 SPRG	4	22"	10"	42 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	High Gloss	7 ½	\$918
7600™	24659	308 Win	4	22"	10"	42 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½	\$918
7600™ Synthetic	25143	243 Win	4	22"	9 ½"	42 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	\$771
7600™ Synthetic	25145	270 Win	4	22"	10"	42 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	\$771
7600™ Synthetic	25149	30-06 SPRG	4	22"	10"	42 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	\$771
7600™ Synthetic	25151	308 Win	4	22"	10"	42 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	\$771
7600™ Synthetic Carbine	25153	30-06 SPRG	4	18 ½"	10"	39 ⅝"	13 ½"	1 ⅜"	2 ¼"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ¼	\$771

Equipped with iron sights.

MODEL R-15 VTR PREDATOR WITH MAGPUL® MOE STOCK & FORE-END MODULAR REPEATING

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
R-15 VTR Predator Carbine Magpul® Collapsible Stock	60018	223 Remington	5	16 ½"	9"	40 ¼"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Brush™	7 ¾	\$1,327
R-15 VTR Predator Carbine Magpul® Collapsible Stock	60019	223 Remington	5	18"	9"	36 ¼"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Brush™	6 ¾	\$1,327
R-15 VTR Predator Carbine Magpul® Fixed Stock	60010	223 Remington	5	18"	9"	36 ¼"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Brush™	6 ¾	\$1,327
R-15 VTR Predator Carbine Magpul® Fixed Stock	60011	223 Remington	5	22"	9"	36 ¼"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Brush™	6 ¾	\$1,327

MODEL R-15 MODULAR REPEATING

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
R-15 VTR Predator	60001	223 Remington	5	22"	9"	40 ¼"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 ¾	\$1,327
R-15 VTR SS Varmint	60007	223 Remington	5	24"	9"	42 ¼"	13 ⅜"	1 ½"	1 ⅜"	416 Stainless	Matte	Synthetic	Advantage® MAX-1 HD™	7 ¾	\$1,529
R-15 - FS (Fixed Stock)	60102	450 Bushmaster	4	18"	10"	36 ¼"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Break-Up™	7 ¾	\$1,631

MODEL R-25 MODULAR REPEATING

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
R-25	60030	243 Win	4	20"	10"	38 ¼"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 ¾	\$1,697
R-25	60031	7mm-08 Remington	4	20"	9 ¼"	38 ¼"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 ¾	\$1,697
R-25	60032	308 Win	4	20"	10"	38 ¼"	13 ⅜"	1 ½"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 ¾	\$1,697

RIFLE SPECIFICATIONS

MODEL 750™ WOODMASTER®

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
750™ Woodmaster®	27055	243 Win	22"	9 1/8"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2	\$1,024
750™ Woodmaster®	27059	270 Win	22"	10"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2	\$1,024
750™ Woodmaster®	27061	30-06 SPRG	22"	10"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2	\$1,024
750™ Woodmaster®	27057	308 Win	22"	10"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2	\$1,024
750™ Woodmaster® Carbine	27077	30-06 SPRG	18 1/2"	10"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4	\$1,024
750™ Woodmaster® Carbine	27075	308 Win	18 1/2"	10"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4	\$1,024

MODEL 750™ AUTOLOADING CENTERFIRE

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
750™ Synthetic	85682	243 Win	22"	9 1/8"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2	\$902
750™ Synthetic	85686	30-06 SPRG	22"	10"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2	\$902
750™ Synthetic Carbine	85687	30-06 SPRG	18 1/2"	10"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$902
750™ Synthetic	85683	308 Win	22"	10"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2	\$902
750™ Synthetic Carbine	85684	308 Win	18 1/2"	10"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	\$902

MODEL 597™

MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
597™ TVP	80852	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Stainless Steel	Matte Blue	Shady Camo Laminate	Satin	5 1/2	\$607
597™ FLX	80864	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Next Digital FLX	5 1/2	\$306
597™ Blaze Camo	80853	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak® Blaze	5 1/2	\$306
597™ Pink Camo	80854	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Mossy Oak® Pink	5 1/2	\$306
597™	26550	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte Blue	Gray Synthetic	Matte	5 1/2	\$213
597™ Scope Combo	26513	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte Blue	Gray Synthetic	Matte	5 3/4	\$257
597™ Heavy Barrel	80877	Auto (22 LR)	10	16 1/2"	36 1/2"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Matte OD Green	5 3/4	\$254
597™ Heavy Barrel A-TACS™ Camo	80912	Auto (22 LR)	10	16 1/2"	36 1/2"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	A-TACS™ Digital Camo	5 3/4	\$356
597™ Magnum	26560	Auto (22 WMR)	8	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Matte Black	5 1/2	\$541
597™ HB LS Magnum	26581	Auto (22 WMR)	8	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte Blue	Brown Laminate	Satin	6	\$645
597™ AAC®-SD™	80910	Auto 22 LR	10	16 1/2"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Matte Black	5 1/2	\$257

MODEL 552™/572™

MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
552™ BDL Deluxe Speedmaster®	25594	Auto (22, S, L, LR)	15 ¹	21"	40"	13 5/8"	1 3/8"	2 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5 3/4	\$707
572™ BDL Deluxe Fieldmaster®	25624	Pump (22, S, L, LR)	15 ¹	21"	40"	13 5/8"	1 3/8"	2 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5 3/4	\$723

¹ Capacity is 15 on 22 Long Rifle, 17 on 22 Long, and 20 on 22 Short.

HANDGUN SPECIFICATIONS

MODEL R51

MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H 1 TURN IN	OVERALL LENGTH	OVERALL HEIGHT	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
NEW R51	96430	9MM+P	7-round	3.4"	10"	6 5/8"	4 5/8"	Stainless	Polymer Insert	Aluminum	Stainless	22	\$420
NEW R51 Crimson Trace	96432	9MM+P	7-round	3.4"	10"	6 5/8"	4 5/8"	Stainless	Polymer Insert	Aluminum	Stainless	24	\$609

MODEL 1911 R1™

MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H 1 TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
1911 R1™	96323	45 ACP	7-round	5"	16"	8 1/2"	5 1/2"	3 1/2 - 5	Stainless Steel	Walnut	Carbon Steel	Carbon Steel	38 1/2	\$729
NEW 1911 R1™ Commander	96336	45 ACP	7-round	4 1/4"	16"	7 1/2"	5 1/2"	3 1/2 - 5	Stainless Steel	Walnut	Carbon Steel	Carbon Steel	38 1/2	\$729
1911 R1™ Stainless	96324	45 ACP	7-round	5"	16"	8 1/2"	5 1/2"	3 1/2 - 5	Stainless Steel	Walnut	Stainless Steel	Stainless Steel	38 1/2	\$789
1911 R1™ Enhanced	96328	45 ACP	8-round	5"	16"	8 1/2"	5 1/2"	3 1/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	40	\$940
1911 R1™ Enhanced	96364	9MM	9-round	5"	16"	8 1/2"	5 1/2"	3 1/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	40	\$940
NEW 1911 R1™ Enhanced Crimson Trace	96366	45 ACP	8-round	5"	16"	8 1/2"	5 1/2"	3 1/2 - 5	Stainless Steel	Crimson Trace	Carbon Steel	Carbon Steel	40	\$940
1911 R1™ Enhanced Stainless	96329	45 ACP	8-round	5"	16"	8 1/2"	5 1/2"	3 1/2 - 5	Stainless Steel	Enhanced Laminate	Stainless Steel	Stainless Steel	40	\$1,140
1911 R1™ Enhanced Threaded	96339	45 ACP	8-round	5 3/4"	16"	9 1/4"	5 3/4"	3 1/2 - 5	Stainless Steel	Enhanced Laminate	Carbon Steel	Carbon Steel	40	\$1,140
1911 R1™ Carry	96332	45 ACP	7-round & 8-round	5"	16"	8 1/2"	5 1/2"	3 1/2 - 5	Stainless Steel	Cocobolo	Carbon Steel	Carbon Steel	38 1/2	\$1,299
NEW 1911 R1™ Carry Commander Crimson Trace	96356	45 ACP	7-round & 8-round	4 1/4"	16"	7 1/2"	5 1/2"	3 1/2 - 5	Stainless Steel	Crimson Trace	Carbon Steel	Carbon Steel	40	\$1,499
1911 R1™ Carry Commander	96335	45 ACP	7-round & 8-round	4 1/4"	16"	7 1/2"	5 1/2"	3 1/2 - 5	Stainless Steel	Cocobolo	Carbon Steel	Carbon Steel	40	\$1,299

RIFLE CHAMBERING

MODEL 700™ BOLT CALIBER LISTINGS

CALIBERS	MAG. CAPACITY	BARREL LENGTH	TWIST - R-H 1 TURN IN	BDL	CDL	COL DM	COL SF	TARGET TACTICAL	SPS	SPS CAMO	SPS STAINLESS	LONG RANGE	SPS TACTICAL	SPS VARMINT	MOUNTAIN SS	VARMINT SF	VLS	SENDERO SF II	VTR	XCR II	XCR TACTICAL	XCR TACTICAL LONG RANGE	TACTICAL CHASSIS
204 Ruger	5	26"	12"	—	—	—	—	—	—	—	—	—	—	84214	—	—	27467	—	—	—	—	—	—
220 Swift	4	26"	14"	—	—	—	—	—	—	—	—	—	—	—	84344	—	—	—	—	—	—	—	—
223 Remington	5	16 1/2"	9"	—	—	—	—	—	—	—	—	—	85549	—	—	—	—	—	—	—	—	—	—
	5	20"	9"	—	—	—	—	—	—	84189(C)	—	—	84206	—	—	—	—	—	—	—	84466(C)	—	—
	5	22"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	22"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	24"	9"	—	—	—	84203(LT)	—	—	—	—	—	—	—	—	—	—	—	—	84374	—	—	—
	5	24"	12"	—	—	—	—	—	27351	—	27133	—	—	—	—	—	—	—	—	—	—	—	84460
	5	26"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	26"	12"	—	—	—	—	—	—	—	—	—	—	—	84215	—	84343	27491	—	—	—	—	—	—
5	26"	12"	—	—	—	—	—	—	—	—	—	—	—	84227(L)	—	—	—	—	—	—	—	—	—
22-250 Remington	4	24"	14"	—	—	—	—	—	—	—	27135	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	14"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	14"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	22"	14"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
243 Win	4	20"	9 1/8"	—	—	—	—	—	27475(C)	84190(C)	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	20"	9 1/8"	—	—	—	—	—	84150(CL)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	9 1/8"	25787	—	—	—	—	—	84183	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	9 1/8"	—	27007	84074	—	—	27355	—	27263	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	9 1/8"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	9 1/8"	—	—	—	—	—	—	—	—	—	—	—	84217	—	—	27495	—	—	—	—	—
25-06 Remington	4	22"	9 1/8"	—	—	—	—	—	—	—	—	—	—	—	84272	—	—	—	—	—	—	—	
	4	24"	10"	—	27009	—	—	—	—	—	27251	—	—	—	—	—	—	—	—	—	—	—	
	4	26"	10"	—	—	—	—	—	—	—	—	84162	—	—	—	—	—	—	—	—	—	—	
257 Weatherby Mag	3	26"	10"	—	—	—	84019	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
260 Remington	4	22"	8"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84375	—	—	—
	4	24"	8"	—	—	—	—	—	—	84149	—	—	—	—	—	—	—	—	—	—	—	—	
270 Win	4	22"	10"	25791	—	—	—	—	84193(WT)	84185	—	—	—	—	84273	—	—	—	—	—	—	—	—
	4	24"	10"	—	27011	—	84014	—	27361	—	27267	—	—	—	—	—	—	—	—	—	84521	—	—
	4	24"	10"	—	27105(L)	—	—	—	84177(L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	—	84076	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
270 WSM	3	24"	10"	—	—	84013	—	27331	—	27253	—	—	—	—	—	—	—	—	—	—	—	—	
280 Remington	4	22"	10"	—	—	—	—	—	—	—	—	—	—	—	84274	—	—	—	—	—	—	—	
7mm-08 Remington	4	20"	9 1/4"	—	—	—	—	—	27391(C)	84191(C)	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	20"	9 1/4"	—	—	—	—	—	84151(CL)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	9 1/4"	—	—	—	—	—	—	84184	—	—	—	—	84276	—	—	—	—	—	—	—	—
	4	24"	9 1/4"	—	27015	84075	84012	—	27357	—	27265	—	—	—	—	—	—	—	—	—	—	—	—
7mm Remington Mag	3	24"	9 1/4"	25803	—	—	—	—	84197(WT)	84187	—	—	—	—	—	—	—	—	—	—	84524	—	—
	3	26"	9 1/4"	—	27047	—	84016	—	27385	—	27271	—	—	—	—	—	—	27311	—	—	—	—	—
	3	26"	9 1/4"	—	27109(L)	84078	—	—	84179(L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	26"	9 1/4"	—	—	—	—	—	—	—	—	84163	—	—	—	—	—	—	—	—	—	—	—
7mm Remington Ultra Mag	3	26"	9 1/2"	—	27051	—	—	—	—	84300	—	—	—	—	—	—	—	—	—	—	—	—	
300 AAC Blackout	5	16 1/2"	7"	—	—	—	—	—	—	—	—	—	84205	—	—	—	—	—	—	—	—	—	
30-06 Springfield	4	22"	10"	25793	—	—	—	—	84195(WT)	84186	—	—	—	—	84275	—	—	—	—	—	—	—	—
	4	24"	10"	—	27017	84077	84015	—	27363	—	27269	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	27107(L)	—	—	—	84178(L)	—	—	—	—	—	—	—	—	—	—	—	84523	—	—
	4	26"	10"	—	—	—	—	—	—	—	—	84166	—	—	—	—	—	—	—	—	—	—	—
300 Win Mag	3	24"	10"	—	—	—	—	—	84199(WT)	84188	—	—	—	—	—	—	—	—	—	—	84526	—	—
	3	26"	10"	—	27049	84079	—	—	27387	—	27273	84164	—	—	—	—	—	27313	—	—	—	84462	—
	3	26"	10"	—	—	—	—	—	84180(L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84475
300 WMR	4	26"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
300 WSM	3	24"	10"	—	—	84017	—	27333	—	27255	—	—	—	—	—	—	—	—	—	84525	—	—	
308 Win	4	16 1/2"	10"	—	—	—	—	—	—	—	—	—	85538	—	—	—	—	—	—	—	—	—	—
	4	20"	10"	—	—	—	—	—	—	—	—	—	84203	—	—	—	—	—	—	—	—	—	—
	4	22"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	—	—	—	—	27359	—	27136	—	—	—	—	—	—	—	—	—	84377	—	—
	4	20"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	11 1/4"	—	—	—	—	84456	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	26"	12"	—	—	—	—	—	—	—	—	—	—	—	84218	—	84345	27499	—	—	—	84461	—	
5	24"	10"	—	—	—	—	—	—	—	—	—	—	—	84229(L)	—	—	—	—	—	—	—	84474	
300 Remington Ultra Mag	3	26"	10"	26410	27053	—	—	—	27389	—	27140	84165	—	—	—	—	—	27318	—	—	84528	—	—</

INTERCHANGEABILITY CHART.

CARTRIDGES WITHIN GROUPS SHOWN ARE INTERCHANGEABLE. Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

CENTERFIRE				
25-20 Remington	30-30 Win	32 Colt Police Positive	38-44 Special +P (SEE NOTE B & D)	44 S&W Special (SEE NOTE F)
25-20 W.C.F.	30-30 Win Accelerator (SEE NOTE A)	32 W.C.F. (SEE NOTE A)	38 Special (SEE NOTE B & D)	44 Marlin
25-20 Win	30-30 Marlin	2 Win (SEE NOTE A)	38 Special Flat Point (SEE NOTE B & D)	44 Win
25-20 Win High Speed	30-30 Win High Speed	32-20 Win. High Speed (SEE NOTE A)	38 Short Colt in 38 Long Colt but not conversely. Both can be used in 38 Special.	44 Remington
25-20 Marlin	30 W.C.F.	32-20 Colt L.M.R. (SEE NOTE G)	38 Marlin (SEE NOTE A)	44-40 Win
25 W.C.F.	32 Colt Automatic	32-20 W.C.F. (SEE NOTE G)	38 Win (SEE NOTE A)	44 W.C.F.
6mm Remington	32 Auto. Colt Pistol (ACP)	32-20 Win (SEE NOTE G)	38 Win (SEE NOTE A)	45-70 Government
244 Remington	32 (7.65mm) Automatic	32-20 Marlin (SEE NOTE G)	38 Remington (SEE NOTE A)	45-70 Marlin
25 Automatic	7.65mm Automatic Pistol	38 S&W	38-40 Win (SEE NOTE A)	45-70 Win
5 Auto. Colt Pistol (ACP)	7.65mm Browning (not interchangeable with 7.65mm Luger)	38 Colt New Police	38 W.C.F. (SEE NOTE A)	45-70-405
25 (6.35mm) Automatic	32 Short Colt in 32 Long Colt but not conversely (SEE NOTE C)	380 Webley	38 Automatic in 38 Super +P – but not conversely	RIMFIRE
6.35mm Browning	32 S&W in 32 S&W Long but not conversely	38 Colt Special (SEE NOTE B & D)	380 Automatic	22 W.R.F.
7mm Express, Remington	32 S&W Long	38 S&W Special (SEE NOTE B & D)	9mm Browning Short (Corto Kurz)	22 Remington Special
280 Remington	32 Colt New Police	8 S&W Special Mid-Range (SEE NOTE B & D)	9mm Luger (SEE NOTE E)	22 Win. Model 1890 in a 22 Win. Mag. Rimfire – but not conversely
30-30 Sav.		38 Special Targetmaster® (SEE NOTE B & D)	9mm Parabellum (SEE NOTE E)	
		38 Special +P (SEE NOTE B & D)		

NOTE A: High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them. **NOTE B:** Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer. **NOTE C:** Not for use in revolvers chambered for 32 S&W or 32 S&W Long. **NOTE D:** All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely. **NOTE E:** 9mm sub machine gun cartridges should not be used in handguns. **NOTE F:** 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely. **NOTE G:** Not to be used in Win. M-66 and M-73.

STOCKS

RIFLES				
MODEL	ORDER NO.	TYPE	COLOR	MATERIALS
Model 783™	19508	Long Action/Long Action Magnum	Mossy Oak® Break-Up™ Infinity	Synthetic
Model 783™	19507	Short Action	Mossy Oak® Break-Up™ Infinity	Synthetic
Model 700™ ADL	18581	Long Action	Black	Synthetic
Model 700™ ADL	19455	Short Action	Realtree® Hardwood® APG™ Camo	Synthetic
Model 700™ ADL	19454	Long Action	Realtree® Hardwood® APG™ Camo	Synthetic
Model 700™ (with hinged floorplate)	18584	Long Action	Black with Checkering	Synthetic
Model 700™ (with hinged floorplate)	18586	Long Action Magnum	Black with Checkering	Synthetic
Model 700™ (with hinged floorplate)	19456	Long Action	Realtree® Hardwood® APG™ Camo Black with Checkering	Synthetic
Model 700™ (with hinged floorplate)	19457	Long Action Magnum	Realtree® Hardwood® APG™ Camo Black with Checkering	Synthetic
Model 700™ (with hinged floorplate)	19500	Short Action	Black with Hogue® Overmolded Grip	Synthetic
Model 700™ (with hinged floorplate)	19501	Long Action	Black with Hogue® Overmolded Grip	Synthetic
Model 700™ (with hinged floorplate)	19502	Long Action Magnum	Black with Hogue® Overmolded Grip	Synthetic
Model 700™ (with hinged floorplate)	19503	Short Action	Realtree® Hardwood® HD™ Camo Black with Hogue® Overmolded Grip	Synthetic
Model 700™ (with hinged floorplate)	19504	Long Action	Realtree® Hardwood® HD™ Camo Black with Hogue® Overmolded Grip	Synthetic
Model 700™ (with hinged floorplate)	19505	Long Action Magnum	Realtree® Hardwood® HD™ Camo Black with Hogue® Overmolded Grip	Synthetic
Model Seven™	18597	Short Action	Black	Synthetic
Model Seven™	19466	Short Action	Realtree® Hardwood® APG™ Camo	Synthetic
Model 7400™	19491	Monte Carlo Stock & Fore-end	Black	Synthetic
Model 7600™	19492	Monte Carlo Stock & Fore-end	Black	Synthetic
SHOTGUN				
MODEL	ORDER NO.	TYPE	COLOR	MATERIALS
NEW Model 870™	17859	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Green Mountain Satin	Laminate Wood
NEW Model 870™	17858	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Brown High Gloss	Laminate Wood
Model 870™	18614	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Black	Synthetic
Model 870™	19487	12 Gauge Monte Carlo Stock & Fore-end Set with SuperCell™ Recoil Pad	Black	Synthetic
Model 870™	18613	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Mossy Oak® Break-Up™ Camo	Synthetic
Model 870™	19525	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Mossy Oak® Obsession™ Camo	Synthetic
Model 870™	18612	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Realtree® Hardwood® APG™ Camo	Synthetic
Model 870™	19458	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Advantage® Wetlands™	Synthetic
Model 870™ Compact	18611	12 Gauge 1" Short LOP Stock & Fore-end Set with SuperCell™ Recoil Pad	Black	Synthetic
Model 870™ ShurShot®	19544	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Black	Synthetic
Model 870™ ShurShot®	19545	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Mossy Oak® Obsession™ Camo	Synthetic
Model 870™ Super Mag	19526	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Mossy Oak® Obsession™ Camo	Synthetic
NEW Model 870™ Compact	17856	20 ga Compact Stock & Fore-end Set with SuperCell™ Recoil Pad (13" LOP)	Royal Jacaranda High Gloss	Laminate Wood
NEW Model 870™ Compact	17854	20 ga Compact Stock & Fore-end Set with SuperCell™ Recoil Pad (13" LOP)	Green Mountain Satin	Laminate Wood
NEW Model 870™ Compact Jr.	17853	20 ga Compact Jr. Stock & Fore-end Set with SuperCell™ Recoil Pad (12" LOP)	Desert Satin	Laminate Wood
Model 870™	19488	20 Ga Monte Carlo Stock & Fore-end Set with SuperCell™ Recoil Pad	Black	Synthetic
Model 870™ Compact	19527	20 ga Compact Stock & Fore-end Set with SuperCell™ Recoil Pad (13" LOP)	Black	Synthetic
Model 870™ Compact	19530	20 ga Compact Stock & Fore-end Set with SuperCell™ Recoil Pad (13" LOP)	Realtree® Hardwood™ HD Camo	Synthetic
Model 870™ Compact	19529	20 ga Compact Stock & Fore-end Set with SuperCell™ Recoil Pad (13" LOP)	Mossy Oak® Pink Camo	Synthetic
Model 870™ Compact Jr.	19528	20 ga Compact Jr. Stock & Fore-end Set with SuperCell™ Recoil Pad (12" LOP)	Black	Synthetic
Model 870™ ShurShot®	19533	20 ga ShurShot™ Stock & Fore-end Set with SuperCell™ Recoil Pad	Black	Synthetic
Model 1100™ / 11-87™	18610	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Black	Synthetic
Model 1100™ / 11-87™	19485	12 Gauge Monte Carlo Stock & Fore-end Set with SuperCell™ Recoil Pad	Black	Synthetic
Model 1100™ / 11-87™	18609	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Mossy Oak® Break-Up™ Camo	Synthetic
Model 1100™ / 11-87™	18608	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Realtree® Hardwood® APG™ Camo	Synthetic
Model 1100™ / 11-87™	19459	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Advantage® Wetlands™	Synthetic
Model 1100™ / 11-87™ ShurShot®	19548	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Black	Synthetic
Model 1100™ / 11-87™ ShurShot®	19550	12 Gauge Stock & Fore-end Set with SuperCell™ Recoil Pad	Realtree® Hardwood® APG™ Camo	Synthetic
Model 1100™ / 11-87™	19549	20 ga Sportsman™ Stock & Fore-end Set with SuperCell™ Recoil Pad	Black	Synthetic
Model 1100™ / 11-87™	19553	20 ga Sportsman™ Stock & Fore-end Set with SuperCell™ Recoil Pad	Mossy Oak® Break-Up™ New	Synthetic
Model 1100™ / 11-87™ Compact	19551	20 ga Sportsman™ Compact Stock & Fore-end Set with SuperCell™ Recoil Pad (13" LOP)	Black	Synthetic
Model 1100™ / 11-87™ Compact	19552	20 ga Sportsman™ Compact Stock & Fore-end Set with SuperCell™ Recoil Pad (13" LOP)	Mossy Oak® Break-Up™ New	Synthetic

CENTERFIRE RIFLE BALLISTICS

17 REMINGTON FIREBALL® - 7MM-08 REMINGTON																															
CARTRIDGE	INDEX/EDI NO.	WT (GR)	BULLET STYLE	PRIMER	VELOCITY (FT/PS)					ENERGY (FT-LB)					SHORT-RANGE* TRAJECTORY*					LONG-RANGE* TRAJECTORY*					BALLISTIC COEFFICIENT						
					MUZZLE	100	200	300	400	500	MUZZLE	100	200	300	400	500	50	100	150	200	250	300	100	150		200	250	300	400	500	
17 Remington FireBall®	PRA17FB	20	AccuTip™	7 ½	4000	3380	2840	2360	1930	1555	710	507	358	247	165	107	-0.3	0.2	0.0	-1.1	-3.3	-6.8	1.6	2.0	1.5	0.0	-2.8	-13.5	-33.8	0.185	
	L17FB	25	UMC® Jacketed Hollow Point	7 ½	3850	3280	2780	2330	1925	1569	823	597	429	301	206	137	0.0	0.9	0.9	zero	-2.0	-5.4	1.7	2.1	1.6	zero	-3.0	-14.1	-34.7	0.193	
17 Remington	PRA17RA	20	AccuTip™	7 ½	4250	3594	3028	2529	2081	1684	802	574	407	284	192	126	-0.4	0.1	0.9	zero	-0.9	-2.8	-5.9	1.3	1.7	1.3	zero	-2.5	-11.8	-29.2	0.185
	R17R2	25	Hollow Point	7 ½	4040	3428	2895	2420	1993	1617	906	652	465	325	221	145	-0.1	0.8	0.8	zero	-1.9	-5.0	1.5	1.9	1.5	zero	-2.7	-12.9	-32.0	0.187	
204 Ruger	PRA204A	32	AccuTip™	7 ½	4225	3632	3114	2652	2234	1856	1268	937	689	500	355	245	-0.4	0.1	zero	-0.9	-2.7	-5.5	0.6	0.7	zero	-1.5	-4.1	-13.1	-28.9	0.210	
	PRA204B	40	AccuTip™ Boat Tail	7 ½	3900	3451	3046	2677	2336	2021	1351	1058	824	636	485	363	-0.3	0.2	zero	-1.0	-2.9	-5.8	0.7	0.7	zero	-1.6	-4.3	-13.2	-28.1	0.275	
22 Hornet	PRA22HB	35	AccuTip™	6 ½	3100	2271	1591	1127	924	806	747	401	197	99	66	51	-1.5	zero	-1.6	-5.0	-13.0	-25.5	-1.5	zero	-3.5	-10.4	-22.3	-68.4	-155.3	0.109	
	R22HN1	45	Pointed Soft Point	6 ½	2690	2042	1502	1128	948	840	723	417	225	127	90	70	0.0	zero	-2.1	-7.1	-16.0	-30.0	1.4	zero	-4.3	-12.4	-25.8	-74.2	-162.0	0.130	
220 Swift	R22HN2	45	Hollow Point	6 ½	2690	2042	1502	1128	948	840	723	417	225	127	90	70	0.0	zero	-2.1	-7.1	-16.0	-30.0	1.4	zero	-4.3	-12.4	-25.8	-74.2	-162.0	0.130	
	R220S1	50	Pointed Soft Point	9 ½	3780	3158	2617	2135	1710	1357	1586	1107	760	506	325	204	0.0	0.3	zero	-1.4	-4.0	-8.2	0.4	1.0	zero	-2.3	-6.2	-20.1	-46.1	0.175	
221 Remington Fireball	PRA221FB	50	AccuTip™ Boat Tail	7 ½	2995	2605	2247	1918	1622	1368	996	753	560	408	292	208	0.2	0.7	zero	-2.2	-6.1	-12.1	1.8	1.7	zero	-3.4	-8.8	-27.1	-58.8	0.238	
222 Remington	R222R1	50	Pointed Soft Point	7 ½	3140	2602	2123	1700	1350	1107	1094	752	500	321	202	136	0.1	0.7	zero	-2.3	-6.5	-13.1	1.9	1.7	zero	-3.6	-9.7	-31.7	-72.8	0.175	
	R222R3	50	Power-Lok® Hollow Point	7 ½	3140	2635	2182	1777	1432	1172	1094	751	529	351	228	152	0.1	0.7	zero	-2.2	-6.2	-12.5	1.8	1.6	zero	-3.5	-9.2	-29.6	-67.1	0.188	
223 Remington	PRA222RB	50	AccuTip™ Boat Tail	7 ½	3140	2744	2380	2045	1740	1471	1094	836	629	464	336	240	0.1	0.6	zero	-1.9	-5.4	-10.7	1.6	1.5	zero	-3.0	-7.8	-23.9	-51.7	0.242	
	DV223RA	45	Jacketed Iron-Tin Core HP	7 ½	3550	2911	2355	1865	1451	1150	1259	847	554	347	210	132	-0.1	0.5	zero	-1.7	-5.0	-10.3	2.5	3.0	2.3	zero	-4.3	-21.1	-54.7	0.161	
223 Remington	L223R3	55	UMC® Metal Case	7 ½	3240	2759	2326	1933	1587	1301	1282	929	660	456	307	207	0.0	0.6	zero	-1.9	-5.5	-11.0	1.6	1.5	zero	-3.1	-8.1	-25.5	-57.0	0.202	
	L223R7	45	UMC® Jacketed	7 ½	3550	2953	2430	1964	1559	1241	1259	871	590	385	243	154	-0.1	0.4	zero	-1.7	-4.8	-9.7	2.4	2.9	2.2	zero	-4.0	-19.3	-49.3	0.173	
223 Remington	L223R8	50	UMC® Jacketed	7 ½	3425	2899	2430	2007	1633	1324	1302	933	655	447	296	195	-0.1	0.5	zero	-1.7	-4.9	-9.9	1.3	1.3	zero	-2.8	-7.3	-23.4	-52.7	0.192	
	PRA223RB	50	AccuTip™ Boat Tail	7 ½	3410	2989	2605	2252	1928	1635	1291	992	753	563	413	297	-0.1	0.4	zero	-1.5	-4.4	-8.7	2.2	2.6	2.0	zero	-3.4	-15.7	-37.5	0.242	
223 Remington	PRA223RC	55	AccuTip™	7 ½	3240	2854	2500	2172	1871	1598	1282	992	763	576	427	312	0.2	0.6	zero	-1.8	-5.1	-9.9	1.5	1.4	zero	-2.8	-7.1	-27.7	-46.3	0.255	
	R223R1	55	Pointed Soft Point	7 ½	3240	2747	2304	1905	1554	1270	1282	921	648	443	295	197	0.0	0.6	zero	-2.0	-5.6	-11.2	1.6	1.5	zero	-3.1	-8.2	-26.2	-58.6	0.197	
223 Remington	R223R2	55	Power-Lok® Hollow Point	7 ½	3240	2773	2352	1969	1627	1341	1282	939	675	473	323	220	0.0	0.6	zero	-1.9	-5.4	-10.7	1.5	1.4	zero	-3.0	-7.9	-24.8	-55.1	0.209	
	R223R3	55	Metal Case	7 ½	3240	2759	2326	1933	1587	1301	1282	929	660	456	307	207	0.0	0.6	zero	-1.9	-5.5	-11.0	1.6	1.5	zero	-3.1	-8.1	-25.5	-57.0	0.202	
223 Remington	PRC223R4	62	Core-Lok® Ultra Bonded®	7 ½	3100	2695	2324	1983	1676	1409	1323	1000	743	541	386	273	0.1	0.6	zero	-2.0	-5.7	-11.2	1.7	1.5	zero	-3.1	-8.2	-25.2	-54.8	0.234	
	PRH223R4	62	Hypersonic® Centerfire	7 ½	3262	2,841	2,458	2,105	1,784	1,501	1,465	1,111	831	610	438	310	0.4	0.7	zero	-2.0	-5.4	-10.5	1.7	1.5	zero	-2.9	-7.5	-23.0	-49.4	0.234	
223 Remington	PHH223R4	62	Barnes TSX®	7 ½	3100	2766	2456	2167	1898	1651	1323	1053	830	646	496	375	0.1	0.6	zero	-1.9	-5.2	-10.1	1.5	1.4	zero	-2.8	-7.3	-22.1	-46.6	0.287	
	R223R6	62	Hollow Point Match	7 ½	3025	2572	2162	1792	1471	1217	1260	911	643	442	298	204	0.2	0.7	zero	-2.3	-6.5	-12.9	1.9	1.7	zero	-3.6	-9.4	-29.9	-66.4	0.205	
223 Remington	L223R9	62	Closed-Tip Flat Base	7 ½	3100	2734	2396	2083	1795	1537	1323	1029	790	597	444	325	0.1	0.6	zero	-1.9	-5.4	-10.6	1.6	1.5	zero	-3.0	-7.7	-23.5	-50.1	0.261	
	RM223R1	69	MatchKing® BTHP	7 ½	3000	2720	2457	2209	1975	1758	1379	1133	925	747	598	473	0.1	0.6	zero	-1.9	-5.3	-10.3	1.6	1.5	zero	-2.9	-7.4	-21.9	-45.4	0.336	
22-250 Remington	RM223R3	77	MatchKing® BTHP	7 ½	2788	2539	2303	2001	1871	1675	1329	1102	907	740	598	480	0.3	0.8	zero	-2.3	-6.2	-12.0	2.0	1.7	zero	-3.4	-8.5	-25.1	-51.7	0.362	
	L22503	45	UMC® Jacketed Hollow Point	9 ½	4000	3340	2770	2266	1819	1440	1598	1114	767	513	331	207	-0.3	0.2	zero	-1.2	-3.5	-7.2	1.6	2.1	1.6	zero	-3.0	-14.5	-36.7	0.173	
22-250 Remington	L22504	50	UMC® Jacketed Hollow Point	9 ½	3820	3245	2739	2286	1878	1523	1620	1169	833	580	392	258	0.1	0.9	0.9	zero	-2.1	-5.6	1.8	2.2	1.7	zero	-3.1	-14.6	-36.1	0.192	
	DV2250RA	45	Jacketed Iron-Tin Core HP	9 ½	4000	3293	2690	2159	1696	1320	1598	1084	723	466	287	174	0.0	0.9	0.9	zero	-2.1	-5.8	1.7	2.2	1.7	zero	-3.2	-15.7	-40.6	0.161	
22-250 Remington	PRA2250RB	50	AccuTip™ Boat Tail	9 ½	3800	3339	2925	2546	2198	1878	1603	1238	949	720	536	392	0.0	0.8	0.9	0.0	-1.9	-4.9	1.6	2.0	1.5	zero	-2.7	-12.2	-29.1	0.242	
	R22501	55	Pointed Soft Point	9 ½	3680	3137	2656	2222	1832	1493	1654	1201	861	603	410	272	0.0	0.3	zero	-1.4	-4.0	-8.1	1.9	2.4	1.8	zero	-3.3	-15.5	-38.3	0.197	
6mm Remington	RG6MM4	100	Core-Lok® Pointed Soft Point	9 ½	3100	2829	2573	2332	2104	1889	2133	1777	1470	1207	983	792	0.0	0.6	zero	-1.8	-4.8	-9.3	1.4	1.3	zero	-2.6	-6.7	-19.8	-40.8	0.356	
243 Win	PRA243WB	75	AccuTip™ Boat Tail	9 ½	3375	3065	2775	2504	2248	2008	1897	1564	1282	1044	842	671	0.0	0.4	zero	-1.4	-4.0	-7.8	2.0	2.4	1.8	zero	-3.0	-13.3	-30.6	0.330	
	R243W1	80	Pointed Soft Point	9 ½	3350	2955	2593	2259	1951	1670	1993	1551	1194	906	676	495	0.0	0.5	zero	-1.6	-4.5	-8.8	2.2	2.7	2.0	zero	-3.5	-15.8	-37.3	0.255	
243 Win	R243W2	80	Power-Lok® Hollow Point	9 ½	3350	2955	2593	2259	1951	1670	1993	1551	1194	906	676	495	0.0	0.5	zero	-1.6	-4.5	-8.8	2.2	2.7	2.0	zero	-3.5	-15.8	-37.3	0.255	
	PCS243WB	80	Copper Solid® Tipped	9 ½	3350	3011	2696	2403	2128	1872	1993	1610	1291	1025	804	622	-0.1	0.4	zero	-1.5	-4.2	-8.2	2.1	2.5	1.9	zero	-3.2	-14.3	-33.1	0.299	
243 Win	PRSC243WA	90	Swift Scirocco® Bonded</																												

CENTERFIRE RIFLE BALLISTICS

270 WSM - 300 WIN MAG																														
CARTRIDGE	INDEX/EDI NO.	WT (GR)	BULLET STYLE	PRIMER NO.	VELOCITY (FT/PS)					ENERGY (FT-LB)					SHORT-RANGE* TRAJECTORY*					LONG-RANGE* TRAJECTORY*					BALLISTIC COEFFICIENT					
					MUZZLE	100	200	300	400	500	MUZZLE	100	200	300	400	500	50	100	150	200	250	300	100	150		200	250	300	400	500
270 WSM	R270WSM1	130	Core-Lokt® Soft Point	9 ½ M	3285	2986	2707	2444	2196	1963	3114	2573	2114	1724	1392	1112	-0.1	0.4	zero	-1.5	-4.2	-8.2	2.1	2.5	1.9	zero	-3.2	-14.1	-32.2	0.336
280 Remington ⁴	PRA280RA	140	AccuTip™	9 ½ M	3000	2804	2617	2437	2265	2099	2797	2444	2129	1846	1594	1369	0.1	0.6	zero	-1.8	-4.8	-9.2	2.5	2.9	2.1	zero	-3.4	-14.8	-33.0	0.486
	R280R3	140	Core-Lokt® Pointed Soft Point	9 ½ M	3000	2758	2528	2309	2102	1905	2797	2363	1986	1657	1373	1128	0.1	0.6	zero	-1.9	-5.1	-9.8	1.5	1.4	zero	-2.8	-7.0	-20.5	-42.0	0.390
	R280R1	150	Core-Lokt® Pointed Soft Point	9 ½ M	2890	2624	2373	2135	1912	1705	2781	2293	1875	1518	1217	968	0.2	0.7	zero	-2.1	-5.8	-11.2	1.8	1.6	zero	-3.1	-8.0	-23.6	-48.8	0.346
	R280R2	165	Core-Lokt® Soft Point	9 ½ M	2820	2510	2220	1950	1701	1479	2913	2308	1805	1393	1060	801	0.0	zero	-1.3	-4.1	-8.6	-15.2	2.0	1.8	zero	-3.6	-9.1	-27.4	-57.8	0.290
7mm-08 Remington	R7M082	120	Hollow Point	9 ½ M	3000	2725	2467	2223	1992	1778	2398	1979	1621	1316	1058	842	0.1	0.6	zero	-1.9	-5.3	-10.2	1.6	1.4	zero	-2.9	-7.3	-21.7	-44.9	0.343
	R7M081	140	Core-Lokt® Pointed Soft Point	9 ½ M	2860	2625	2402	2189	1988	1798	2542	2142	1793	1490	1228	1005	0.2	0.7	zero	-2.1	-5.7	-11.0	1.8	1.6	zero	-3.1	-7.8	-22.9	-46.8	0.390
	PRA7M08RB	140	AccuTip™ Boat Tail	9 ½ M	2860	2670	2489	2314	2146	1986	2542	2216	1925	1664	1432	1225	0.2	0.7	zero	-2.0	-5.4	-10.3	1.7	1.5	zero	-2.9	-7.3	-21.1	-42.5	0.486
	RL7M081	140	Core-Lokt® Pointed Soft Point	9 ½ M	2360	2150	1951	1763	1590	1433	1731	1436	1183	966	786	638	0.1	zero	-2.0	-6.0	-12.4	-21.3	1.5	zero	-3.6	-9.5	-17.9	-43.4	-82.7	0.390
7mm Rem Magnum	PRC7MMRA	140	Core-Lokt® Ultra Bonded®	9 ½ M	3175	2934	2707	2490	2283	2086	3133	2676	2277	1927	1620	1353	0.1	0.5	zero	-1.6	-4.3	-8.4	2.6	2.8	2.0	zero	-3.3	-14.3	-31.9	0.409
	R7MM4	140	Core-Lokt® Pointed Soft Point	9 ½ M	3175	2923	2684	2458	2243	2039	3133	2655	2240	1878	1564	1292	0.0	0.5	zero	-1.6	-4.4	-8.5	2.2	2.6	1.9	zero	-3.2	-14.2	-32.0	0.390
	RL7MM4	140	Core-Lokt® Pointed Soft Point	9 ½ M	2710	2482	2265	2059	1865	1683	2283	1915	1595	1318	1081	880	-0.1	zero	-1.3	-4.2	-8.7	-15.1	0.9	zero	-2.4	-6.5	-12.5	-30.8	-59.2	0.388
	PC7MMA	140	Copper Solid® Tipped	9 ½ M	3175	2964	2762	2570	2385	2208	3133	2730	2372	2053	1768	1516	-0.1	0.5	zero	-1.5	-4.2	-8.1	2.1	2.5	1.8	zero	-3.1	-13.2	-29.5	0.468
	PRSC7MMB	150	Swift Scirocco® Bonded	9 ½ M	3110	2927	2751	2582	2419	2262	3221	2852	2520	2220	1948	1704	0.0	0.5	zero	-1.6	-4.3	-8.2	2.6	2.8	2.0	zero	-3.2	-13.6	-30.0	0.533
	PRA7MMRA	140	AccuTip™ Boat Tail	9 ½ M	3175	2971	2777	2591	2412	2241	3133	2744	2397	2086	1808	1560	-0.1	0.5	zero	-1.5	-4.2	-8.0	2.1	2.5	1.8	zero	-3.0	-13.0	-29.0	0.486
	PRA7MMRB	150	AccuTip™ Boat Tail	9 ½ M	3110	2926	2749	2579	2415	2258	3221	2850	2516	2215	1943	1697	0.0	0.5	zero	-1.6	-4.3	-8.2	2.6	2.8	2.0	zero	-3.2	-13.6	-30.0	0.530
	R7MM2	150	Core-Lokt® Pointed Soft Point	9 ½ M	3110	2830	2568	2320	2085	1866	3221	2667	2196	1792	1448	1160	0.0	0.6	zero	-1.7	-4.8	-9.3	1.4	1.3	zero	-2.6	-6.7	-19.9	-41.1	0.346
	RS7MMA	160	Swift A-Frame® PSP	9 ½ M	2900	2659	2430	2212	2006	1812	2987	2511	2097	1739	1430	1166	0.2	0.7	zero	-2.0	-5.5	-10.7	1.7	1.5	zero	-3.0	-7.6	-22.4	-45.8	0.382
	PRH7MMRC	160	Hypersonic® Centerfire	9 ½ M	3,002	2,773	2,556	2,349	2,152	1,964	3,201	2,732	2,321	1,961	1,645	1,371	0.5	0.8	zero	-2.0	-5.4	-10.2	1.8	1.5	zero	-2.8	-7.1	-20.6	-41.6	0.415
	PRC7MMRC	160	Core-Lokt® Ultra Bonded®	9 ½ M	2950	2724	2510	2305	2109	1924	3091	2636	2237	1887	1581	1315	0.1	0.6	zero	-1.9	-5.2	-10.0	1.6	1.4	zero	-2.8	-7.1	-20.8	-42.4	0.415
	R7MM3	175	Core-Lokt® Pointed Soft Point	9 ½ M	2860	2645	2440	2244	2057	1879	3178	2718	2313	1956	1644	1372	0.2	0.7	zero	-2.1	-5.6	-10.7	1.7	1.5	zero	-3.0	-7.6	-22.1	-44.8	0.427
7mm Mauser (7x57)	R7MSR1	140	Core-Lokt® Pointed Soft Point	9 ½ M	2660	2435	2221	2018	1827	1648	2199	1843	1533	1266	1037	844	0.0	zero	-1.4	-4.4	-9.1	-15.8	2.2	1.9	zero	-3.6	-9.2	-27.4	-55.3	0.390
7 x 64 Brenneke	R7X641	140	Core-Lokt® Pointed Soft Point	9 ½ M	2950	2710	2483	2266	2061	1867	2705	2283	1916	1597	1320	1083	0.1	0.7	zero	-1.9	-5.3	-10.2	1.6	1.5	zero	-2.9	-7.3	-21.3	-43.6	0.390
	R7X642	175	Core-Lokt® Pointed Soft Point	9 ½ M	2600	2397	2203	2018	1842	1678	2626	2232	1885	1582	1319	1093	0.4	1.0	zero	-2.6	-7.0	-13.4	2.3	2.0	zero	-3.8	-9.5	-27.5	-55.8	0.427
7mm Remington SA Ultra Mag®	PR7SM2	150	Core-Lokt® Pointed Soft Point	9 ½ M	3110	2831	2568	2321	2087	1867	3221	2669	2197	1793	1450	1161	0.0	0.6	zero	-1.7	-4.8	-9.3	2.5	2.9	2.1	zero	-3.6	-15.7	-35.9	0.346
	PR7SM4	160	Core-Lokt® Ultra Bonded®	9 ½ M	2960	2733	2518	2313	2117	1931	3112	2654	2252	1900	1592	1323	0.1	0.6	zero	-1.9	-5.2	-9.9	2.7	3.1	2.2	zero	-3.7	-16.2	-36.5	0.414
7mm Rem Ultra Mag®	PR7UM1	140	Core-Lokt® Ultra Bonded®	9 ½ M	3425	3170	2929	2701	2485	2278	3646	3123	2667	2268	1919	1613	-0.2	0.3	zero	-1.3	-3.6	-7.0	1.8	2.2	1.6	zero	-2.7	-11.7	-26.4	0.409
	PRSC7UM1	150	Swift Scirocco® Bonded	9 ½ M	3325	3132	2948	2771	2602	2438	3682	3267	2894	2558	2254	1979	-0.1	0.4	zero	-1.3	-3.6	-7.0	1.8	2.2	1.6	zero	-2.6	-11.4	-25.3	0.533
	PR7UM5	175	Swift A-Frame® PSP	9 ½ M	3025	2831	2645	2467	2296	2212	3555	3114	2718	2364	2047	1764	0.0	0.6	zero	-1.7	-4.7	-9.0	2.4	2.8	2.0	zero	-3.4	-14.5	-32.2	0.493
	PR7UM2-P2	160	Core-Lokt® Ultra Bonded®	9 ½ M	2950	2724	2508	2303	2108	1922	3091	2635	2235	1884	1578	1312	0.1	0.6	zero	-1.9	-5.2	-10.0	1.6	1.4	zero	-2.8	-7.1	-20.8	-42.4	0.414
POWER LEVEL III	R7UM1-P1	140	Core-Lokt® Pointed Soft Point	9 ½ M	3000	2768	2549	2339	2139	1950	2797	2382	2019	1700	1422	1181	0.1	0.6	zero	-1.8	-5.0	-9.6	2.6	3.0	2.2	zero	-3.6	-15.8	-35.6	0.409
30 Carbine	L30CR1	110	UMC® Metal Case	6 ½ M	1990	1567	1236	1035	923	842	967	600	373	262	208	173	0.6	zero	-4.2	-12.9	-27.2	-48.6	2.8	zero	-7.3	-20.4	-40.3	-105.6	-211.8	0.166
	R30CAR	110	Soft Point	6 ½ M	1990	1567	1236	1035	923	842	967	600	373	262	208	173	0.6	zero	-4.2	-12.9	-27.2	-48.6	2.8	zero	-7.3	-20.4	-40.3	-105.6	-211.8	0.166
300 AAC Blackout	L300AAC2	115	Closed-Tip Flat Base	7 ½ M	2285	2001	1740	1505	1306	1150	1332	1021	772	578	435	337	1.0	1.6	zero	-4.1	-11.0	-21.3	3.6	3.1	zero	-5.9	-15.2	-45.8	-96.9	0.285
	PRA300AAC5	125	AccuTip™ Boat Tail	7 ½ M	2215	1954	1713	1496	1309	1162	1360	1059	814	621	475	374	1.1	1.7	zero	-4.3	-11.5	-22.2	3.8	3.2	zero	-6.2	-15.8	-47.1	-98.9	0.300
	RM300AAC6	125	MatchKing® Flat Base	7 ½ M	2215	1973	1748	1543	1363	1213	1360	1079	847	660	515	408	1.1	1.7	zero	-4.2	-11.2	-21.4	3.7	3.1	zero	-6.0	-15.2	-45.0	-93.7	0.330
	PHH300AAC1	130	Barnes TSX®	7 ½ M	2075	1835	1610	1412	1245	1118	1249	972	749	575	447	360	0.4	zero	-3.0	-8.9	-18.3	-31.2	2.0	zero	-5.0	-13.3	-25.4	-63.5	-124.2	0.308
	R300AAC8	220	MatchKing® BTHP	7 ½ M	1015	985	958	933	910	890	503	473	448	425	404	387	3.6	zero	-12.6	-34.3	-65.6	-106.5	zero	-12.6	-34.3	-65.6	-106.5	-218.7	-372.9	0.700
L300AAC4	220	Open-Tip Flat Base	7 ½ M	1015	984	957	932	910	890	503	473	447	424	404	387	3.6	zero	-12.6	-34.3	-65.6	-106.7	zero	-12.6	-34.4	-65.6	-106.7	-219.0	-373.3	0.680	
30 Remington AR	PRA30RAR1	125	AccuTip™ Boat Tail	7 ½ M	2800	2531	2278	2039	1816	1610	2176	1778	1440	1153	915	71														

CENTERFIRE RIFLE BALLISTICS

300 WIN MAG - 450 BUSHMASTER																															
CARTRIDGE	INDEX/EDI NO.	WT (GR)	BULLET STYLE	PRIMER	VELOCITY (FT/PS)					ENERGY (FT-LB)					SHORT-RANGE TRAJECTORY'					LONG-RANGE TRAJECTORY'					BALLISTIC COEFFICIENT						
					MUZZLE	100	200	300	400	500	MUZZLE	100	200	300	400	500	50	100	150	200	250	300	100	150		200	250	300	400	500	
300 Win Mag (Cont.)	PRSC300WB	180	Swift Scirocco® Bonded	9 ½ M	2960	2274	2595	2424	2259	2100	3501	3075	2692	2348	2039	1762	0.1	0.6	zero	-1.8	-4.9	-9.4	1.5	1.4	zero	-2.6	-6.7	-19.3	-38.7	0.507	
	PRC300WC	180	Core-Lokt® Ultra Bonded®	9 ½ M	2960	2774	2505	2294	2093	1903	3501	2971	2508	2103	1751	1448	0.1	0.6	zero	-1.9	-5.2	-10.0	2.7	3.1	2.2	zero	-3.8	-16.4	-37.0	0.402	
	PRH300WC	180	Hypersonic® Centerfire	9 ½ M	3,122	2,880	2,651	2,433	2,226	2,028	3,896	3,315	2,809	2,366	1,979	1,644	0.4	0.7	zero	-1.9	-5.0	-9.4	2.7	3.0	2.1	zero	-3.5	-14.9	-33.4	0.402	
	PRA300WC	180	AccuTip™ Boat Tail	9 ½ M	2960	2764	2577	2397	2224	2058	3501	3053	2653	2292	1976	1693	0.1	0.6	zero	-1.8	-4.9	-9.5	1.5	1.4	zero	-2.7	-6.8	-19.6	-39.5	0.481	
	R300W2	180	Core-Lokt® Pointed Soft Point	9 ½ M	2960	2715	2482	2262	2052	1856	3501	2945	2463	2044	1683	1375	0.1	0.6	zero	-1.9	-5.3	-10.2	1.7	1.5	zero	-2.9	-7.4	-21.3	-43.7	0.383	
	RS300WMB	180	Swift A-Frame® Pointed Soft Point	9 ½ M	2960	2712	2476	2253	2042	1842	3501	2938	2451	2029	1666	1356	0.1	0.6	zero	-1.9	-5.3	-10.2	1.6	1.5	zero	-2.9	-7.3	-21.5	-44.0	0.377	
	RS300WA	200	Swift A-Frame® Pointed Soft Point	9 ½ M	2825	2595	2377	2169	1971	1786	3544	2990	2508	2088	1726	1416	0.2	0.8	zero	-2.2	-5.9	-11.2	1.8	1.6	zero	-3.2	-8.0	-23.4	-47.8	0.395	
300 WSM	R300WSM1	150	Core-Lokt® Pointed Soft Point	9 ½ M	3320	2977	2660	2364	2087	1830	3671	2952	2356	1861	1451	1116	-0.1	0.4	zero	-1.5	-4.3	-8.5	1.2	1.2	zero	-2.4	-6.2	-18.6	-39.0	0.294	
	PRSC300WSMB	180	Swift Scirocco® Bonded	9 ½ M	2980	2793	2614	2442	2276	2116	3549	3118	2730	2382	2070	1790	0.1	0.6	zero	-1.8	-4.8	-9.2	2.5	2.9	2.1	zero	-3.4	-14.8	-32.9	0.507	
308 Marlin Express	R308ME1	150	Soft Point	9 ½	2725	2275	1871	1519	1239	1057	2743	1724	1166	768	511	372	0.0	zero	-1.6	-5.3	-11.5	-20.7	2.7	2.3	zero	-4.8	-12.7	-40.8	-91.5	0.193	
308 Win	RL308W1	125	Core-Lokt® Pointed Soft Point	9 ½	2660	2335	2034	1757	1509	1300	1964	1513	1148	856	632	469	-0.1	zero	-1.5	-4.9	-10.4	-18.3	1.0	zero	-2.9	-7.8	-15.2	-38.9	-78.0	0.267	
	L308W4	150	UMC® Metal Case	9 ½	2820	2533	2263	2009	1774	1560	2648	2137	1705	1344	1048	810	0.0	zero	-1.2	-3.9	-8.4	-14.7	2.0	1.7	zero	-3.4	-8.8	-26.2	-54.8	0.314	
	PRC308WA	150	Core-Lokt® Ultra Bonded®	9 ½	2820	2546	2288	2046	1819	1611	2648	2159	1744	1394	1102	864	0.2	zero	-1.2	-3.9	-8.2	-14.4	1.9	1.7	zero	-3.4	-8.6	-25.5	-53.0	0.331	
	PRH308WA	150	Hypersonic® Centerfire	9 ½	2,924	2,645	2,382	2,134	1,901	1,686	2,848	2,329	1,889	1,516	1,204	947	0.1	zero	-1.4	-4.1	-8.4	-14.3	2.0	1.7	zero	-3.2	-8.2	-24.1	-49.6	0.331	
	R308W1	150	Core-Lokt® Pointed Soft Point	9 ½	2820	2533	2263	2009	1774	1560	2648	2137	1705	1344	1048	810	0.0	zero	-1.2	-3.9	-8.4	-14.7	2.0	1.7	zero	-3.4	-8.8	-26.2	-54.8	0.314	
	PCS308WA	150	Copper Solid® Tipped	9 ½	2820	2593	2376	2171	1975	1791	2648	2238	1881	1569	1299	1068	0.2	0.8	zero	-2.2	-5.9	-11.3	-20.7	1.8	1.6	zero	-3.2	-8.0	-23.4	-47.8	0.400
	PRA308WB	165	AccuTip™ Boat Tail	9 ½	2700	2501	2311	2129	1956	1792	2670	2292	1957	1661	1401	1176	-0.1	zero	-1.3	-4.1	-8.5	-14.7	2.0	1.8	zero	-3.4	-8.6	-24.8	-50.1	0.447	
	PRSC308WB	165	Swift Scirocco® Bonded	9 ½	2700	2513	2333	2161	1996	1839	2670	2313	1994	1711	1459	1239	0.0	zero	-1.3	-4.0	-8.4	-14.4	2.0	1.7	zero	-3.3	-8.4	-24.3	-48.9	0.475	
	PHH308W2	168	Barnes® TSX	9 ½	2750	2528	2317	2116	1925	1746	2821	2384	2003	1670	1383	1137	0.3	0.8	zero	-2.3	-6.2	-11.9	-20.7	2.0	1.7	zero	-3.3	-8.5	-24.7	-50.4	0.404
	RM308W7	168	MatchKing® BTHP	9 ½	2680	2493	2314	2143	1979	1823	2678	2318	1998	1713	1460	1239	0.0	zero	-1.3	-4.1	-8.5	-14.7	2.1	1.8	zero	-3.4	-8.6	-24.7	-49.9	0.475	
	RM308W8	175	MatchKing® BTHP	9 ½	2610	2433	2264	2102	1946	1798	2644	2300	1992	1716	1472	1256	0.4	0.9	zero	-2.5	-6.7	-12.8	-22.2	1.9	1.9	zero	-3.6	-9.0	-25.9	-51.9	0.496
	PRC308WC	180	Core-Lokt® Ultra Bonded®	9 ½	2620	2404	2198	2002	1818	1644	2743	2309	1930	1601	1320	1080	0.0	zero	-1.4	-4.5	-9.4	-16.3	2.3	2.0	zero	-3.8	-9.5	-27.7	-56.4	0.402	
	R308W2	180	Core-Lokt® Pointed Soft Point	9 ½	2620	2274	1955	1666	1414	1212	2743	2066	1527	1109	799	587	0.0	zero	-1.7	-5.3	-11.2	-19.7	2.6	2.3	zero	-4.6	-11.8	-36.3	-78.2	0.248	
R308W3	180	Core-Lokt® Pointed Soft Point	9 ½	2620	2393	2178	1974	1782	1604	2743	2288	1896	1557	1269	1028	0.0	zero	-1.5	-4.6	-9.5	-16.5	2.3	2.0	zero	-3.8	-9.7	-28.3	-57.8	0.383		
300 Weatherby Mag.	R300WB1	180	Core-Lokt® Pointed Soft Point	9 ½ M	3120	2866	2627	2399	2184	1979	3890	3283	2757	2301	1905	1565	0.0	0.5	zero	-1.7	-4.6	-9.0	2.4	2.8	2.0	zero	-3.4	-14.9	-33.7	0.383	
	R303B1	180	Core-Lokt® Soft Point	9 ½	2475	2209	1960	1729	1520	1338	2366	1885	1484	1155	893	692	0.1	zero	-1.9	-5.9	-12.2	-21.4	2.8	2.4	zero	-4.7	-11.9	-35.6	-74.3	0.315	
303 British	L303B1	174	UMC® Metal Case	9 ½	2475	2209	1960	1729	1520	1338	2366	1885	1484	1155	893	692	0.1	zero	-1.9	-5.9	-12.2	-21.4	2.8	2.4	zero	-4.7	-11.9	-35.6	-74.3	0.315	
	R303B1	180	Core-Lokt® Soft Point	9 ½	2475	2209	1960	1729	1520	1337	2418	1803	1319	950	687	517	0.1	zero	-2.0	-6.3	-13.2	-23.1	1.3	zero	-3.6	-9.8	-19.1	-49.4	-99.9	0.247	
7.62 x 39mm	L762391	123	UMC® Metal Case	9 ½	2365	2060	1780	1529	1315	1150	1527	1159	865	638	472	361	0.1	zero	-2.2	-6.8	-14.1	-24.5	1.5	zero	-3.8	-10.4	-20.2	-51.5	-103.0	0.266	
	R762391	125	Pointed Soft Point	9 ½	2365	2062	1783	1533	1320	1154	1552	1180	882	652	483	370	0.1	zero	-2.2	-6.7	-14.0	-24.5	1.5	zero	-3.8	-10.4	-20.1	-51.3	-102.5	0.267	
300 Remington SA Ultra Mag®	PR300SM2	165	Core-Lokt® Pointed Soft Point	9 ½ M	3075	2792	2527	2276	2040	1819	3464	2856	2339	1898	1525	1213	0.1	0.6	zero	-1.8	-5.0	-9.7	1.5	1.4	zero	-2.7	-7.0	-20.7	-42.1	0.339	
	PR300SM4	180	Core-Lokt® Ultra Bonded®	9 ½ M	2960	2727	2506	2295	2094	1904	3501	2972	2509	2105	1753	1449	0.1	0.6	zero	-1.9	-5.2	-10.0	1.6	1.4	zero	-2.8	-7.1	-20.9	-42.6	0.403	
300 Remington Ultra Mag®	PR300UM5	150	Swift Scirocco® Bonded	9 ½ M	3450	3208	2980	2762	2556	2358	3964	3427	2956	2541	2175	1852	0.0	0.3	zero	-1.2	-3.4	-6.7	1.7	2.1	1.5	zero	-2.6	-11.2	-25.3	0.435	
	PR300UM3	180	Swift Scirocco® Bonded	9 ½ M	3250	3048	2856	2672	2495	2325	4221	3714	3260	2853	2487	2160	0.0	0.4	zero	-1.4	-3.9	-7.5	2.0	2.3	1.7	zero	-2.8	-12.3	-27.3	0.500	
	PCS300UMB	165	Copper Solid® Tipped	9 ½ M	3200	2978	2767	2565	2392	2188	3751	3248	2804	2401	2061	1753	0.0	zero	-1.0	-3.0	-6.1	-10.5	1.5	1.3	zero	-2.4	-6.1	-17.4	-35.0	0.447	
	PR300UM4	180	Core-Lokt® Ultra Bonded®	9 ½ M	3250	2988	2742	2508	2287	2076	4221	3568	3003	2513	2088	1721	0.0	0.4	zero	-1.5	-4.2	-8.1	2.1	2.5	1.8	zero	-3.1	-13.6	-30.7	0.382	
	RS300UM1	180	Swift A-Frame® Pointed Soft Point	9 ½ M	3250	2985	2745	2499	2274	2061	4221	3560	2989	2495	2067	1698	-0.1	0.4	zero	-1.5	-4.2	-8.1	2.1	2.5	1.8	zero	-3.1	-13.6	-30.9	0.377	
	RS300UM2	200	Swift A-Frame® Pointed Soft Point	9 ½ M	3035	2794	2565	2347	2140	1944	4090	3465	2921	2446	2034	1678	0.1	0.6	zero	-1.8	-4.9	-9.5	2.6	2.9	2.1	zero	-3.6	-15.6	-35.3	0.395	
	POWER LEVEL II	PR300UM2-P2	180	Core-Lokt® Ultra Bonded®	9 ½ M	2980	2742	2515	2300	2096	1902	3549	3004	2528	2114	1755	1445	0.1	0.6	zero	-1.9	-5.1	-9.9	1.6	1.4	zero	-2.8	-7.1	-20.7	-42.4	0.395
	PR300UM3-P2	180	Swift Scirocco® Bonded	9 ½ M	2980	2793	2614	2442	2276	2116																					

CENTERFIRE PISTOL AND REVOLVER BALLISTICS

25 AUTO - 45 GAP														
CARTRIDGE	INDEX/ EDI NO.	WT (GR)	BULLET STYLE	PRIMER NO.	VELOCITY (FT/PS)			ENERGY (FT-LB)			MID-RANGE TRAJECTORY (IN)		BARREL LENGTH	
					25	50	MUZZLE	25	50	25	50			
25 (6.35mm) Auto	L25AP	50	Metal Case	1 ½	760	707	659	64	56	48	2.0	8.7	2"	
32 S&W	RTG32SW	88	Lead Round Nose	1 ½	680	662	644	90	86	81	0.6	2.5	3"	
32 S&W Long	RTG32SWL	98	Lead Round Nose	1 ½	705	687	669	108	103	97	0.6	2.3	4"	
32 (7.65mm) Auto.	L32AP	71	Metal Case	1 ½	905	879	854	129	122	115	0.4	1.4	4"	
357 Mag.**	RTP357M7	110	Semi-Jacketed Hollow Point	5 ½	1295	1182	1093	410	341	292	0.2	0.8	4"	
	RTP357M1	125	Semi-Jacketed Hollow Point	5 ½	1450	1338	1240	583	497	427	0.1	0.6	4"	
	L357M12	125	Jacketed Soft Point	5 ½	1450	1338	1240	583	497	427	0.1	0.6	4"	
	GS357MA	125	Brass Jacketed Hollow Point	5 ½	1220	1152	1095	413	368	333	0.2	0.8	4"	
	RTP357M2	158	Semi-Jacketed Hollow Point	5 ½	1235	1164	1104	535	475	428	0.2	0.8	4"	
	RTP357M3	158	Soft Point	5 ½	1235	1164	1104	535	475	428	0.2	0.8	4"	
	RTG357M5	158	Semi-Wadcutter	5 ½	1235	1164	1104	535	475	428	0.2	0.8	4"	
	RTP357M10	180	Semi-Jacketed Hollow Point	5 ½	1145	1095	1052	524	479	443	0.2	0.9	8 ½"	
	357 Sig.	L357S1	125	Metal Case	5 ½	1350	1238	1146	506	425	365	0.2	0.7	4"
		L357S2	125	Jacketed Hollow Point	5 ½	1350	1245	1157	506	430	372	0.2	0.7	4"
9mm Luger	RTP9MM1	115	Jacketed Hollow Point	1 ½	1145	1092	1048	335	304	280	0.2	0.9	4"	
	RTP9MM6	115	Jacketed Hollow Point +P ‡	1 ½	1250	1175	1113	399	353	316	0.2	0.8	4"	
	L9MM1	115	Jacketed Hollow Point	1 ½	1145	1092	1048	335	304	280	0.2	0.9	4"	
	L9MM3	115	Metal Case	1 ½	1145	1092	1048	335	304	280	0.2	0.9	4"	
	LL9MM11	115	Flat Nose Enclosed Base	1 ½	1145	1092	1048	335	304	280	0.2	0.9	4"	
	LL9MM2	124	Flat Nose Enclosed Base	1 ½	1110	1069	1031	339	314	292	0.2	0.9	4"	
	GS9MMB	124	Brass Jacketed Hollow Point	1 ½	1125	1074	1031	348	317	293	0.2	0.9	4"	
	GS9MMD	124	Brass Jacketed Hollow Point +P ‡	1 ½	1180	1131	1089	383	352	326	0.2	0.8	4"	
	HD9MMBN	124	Brass Jacketed Hollow Point	1 ½	1125	1074	1031	348	317	293	0.2	0.9	4"	
	L9MM2	124	Metal Case	1 ½	1110	1069	1031	339	314	292	0.2	0.9	4"	
	RTP9MM8	147	Jacketed Hollow Point (Subsonic)	1 ½	990	965	941	320	304	289	0.3	1.1	4"	
	GS9MMC	147	Brass Jacketed Hollow Point	1 ½	990	965	941	320	304	289	0.3	1.1	4"	
	L9MM9	147	Metal Case	1 ½	990	965	941	320	304	289	0.3	1.1	4"	
	LL9MM9	147	Flat Nose Enclosed Base	1 ½	990	965	941	320	304	289	0.3	1.1	4"	
	380 Auto.	RTP380A1	88	Jacketed Hollow Point	1 ½	990	954	923	191	178	166	0.3	1.2	4"
L380AP		95	Metal Case	1 ½	955	904	860	192	172	156	0.3	1.3	4"	
LL380AP2		95	Flat Nose Enclosed Base	1 ½	955	904	860	192	172	156	0.3	1.3	4"	
GS380B		102	Brass Jacketed Hollow Point	1 ½	940	920	901	200	192	184	0.3	1.3	4"	
HD380BN		102	Brass Jacketed Hollow Point	1 ½	940	920	901	200	192	184	0.3	1.3	4"	
38 Super Auto	L38SUP	130	Metal Case	1 ½	1215	1152	1099	426	383	348	0.2	0.8	4"	
38 S&W	RTG38SW	146	Lead Round Nose	1 ½	685	668	652	152	145	138	0.6	2.5	4"	
38 Special**	RTP38S10	110	Semi-Jacketed Hollow Point +P ‡	1 ½	995	958	926	242	224	210	0.3	1.2	4"	
	RTP38S16	110	Semi-Jacketed Hollow Point	1 ½	950	919	890	220	206	194	0.3	1.3	4"	
	RTP38S2	125	Semi-Jacketed Hollow Point +P ‡	1 ½	945	921	898	248	235	224	0.3	1.3	4"	
	GS38SB	125	Brass Jacketed Hollow Point +P ‡	1 ½	975	950	927	264	250	238	0.3	1.3	4"	
	HD38SBN	125	Brass Jacketed Hollow Point +P ‡	1 ½	975	950	927	264	250	238	0.3	1.3	4"	
	LL38S17	125	Flat Nose Enclosed Base	1 ½	850	836	822	201	184	188	0.3	1.4	4"	
	L38S2	125	Jacketed Hollow Point +P ‡	1 ½	945	921	898	248	235	224	0.3	1.3	4"	
	L38S11	130	Metal Case	1 ½	800	787	775	185	179	173	0.3	1.7	4"	
	RTG38S3	148	Targetmaster® Lead WC Match	1 ½	710	671	634	166	148	132	0.6	2.4	4"	
	RTG38S5	158	Lead Round Nose	1 ½	755	739	723	200	191	183	0.5	2.1	4"	
	RTG38S6	158	Semi-Wadcutter	1 ½	755	739	723	200	191	183	0.5	2.1	4"	
	RTP38S12	158	Lead Hollow Point +P ‡	1 ½	890	872	855	278	267	256	0.3	1.4	4"	
	L38S5	158	Lead Round Nose	1 ½	755	739	723	200	191	183	0.5	2.1	4"	
	38 Short Colt**	RTG38SC	125	Lead Round Nose	1 ½	730	708	686	148	139	131	0.5	2.1	6"
	40 S&W	RTP40SW1	155	Jacketed Hollow Point	5 ½	1205	1146	1095	500	452	413	0.2	0.8	4"
GS40SWA		165	Brass Jacketed Hollow Point	5 ½	1150	1089	1040	484	435	396	0.2	0.9	4"	
HD40SWBN		180	Brass Jacketed Hollow Point	5 ½	1015	986	960	412	388	368	0.3	1.1	4"	
RTP40SW2		180	Jacketed Hollow Point	5 ½	1015	986	960	412	388	368	0.3	1.1	4"	
GS40SWB		180	Brass Jacketed Hollow Point	5 ½	1015	986	960	412	388	368	0.3	1.1	4"	
L40SW2		180	Jacketed Hollow Point	5 ½	1015	986	960	412	388	368	0.3	1.1	4"	
L40SW3		180	Metal Case	5 ½	990	964	940	392	371	353	0.3	1.1	4"	
LL40SW5		180	Flat Nose Enclosed Base	5 ½	990	964	940	392	371	353	0.3	1.1	4"	
10mm Auto.	L10MM6	180	Metal Case	2 ½	1150	1103	1063	528	486	451	0.2	0.9	4"	
41 Rem. Mag.**	RTP41MG1	210	Soft Point	2 ½	1300	1226	1162	788	701	629	0.2	0.7	4"	
44 Rem. Mag.**	L44MG7	180	Jacketed Soft Point	2 ½	1610	1482	1366	1036	878	745	0.1	0.5	4"	
	RTP44MG2	240	Soft Point	2 ½	1180	1126	1081	742	676	623	0.2	0.9	4"	
	RTP44MG3	240	Semi-Jacketed Hollow Point	2 ½	1180	1126	1081	742	676	623	0.2	0.9	4"	
44 S&W Special**	RTG44SW	246	Lead Round Nose	2 ½	755	740	725	311	299	287	0.4	2.2	6"	
45 Colt**	RTG45C1	225	Semi-Wadcutter	2 ½	830	804	780	344	323	304	0.4	1.6	5"	
	HD45C410	230	Brass Jacketed Hollow Point	2 ½	850	830	811	369	352	335	0.4	1.6	5"	
	RTG45C	250	Lead Round Nose	2 ½	750	733	717	312	298	285	0.5	2.0	5"	
45 Auto.	RTP45AP2	185	Jacketed Hollow Point	2 ½	1000	968	939	411	385	362	0.3	1.1	5"	
	GS45APA	185	Brass Jacketed Hollow Point	2 ½	1015	981	951	423	395	371	0.3	1.1	5"	
	GS45APC	185	Brass Jacketed Hollow Point +P ‡	2 ½	1140	1086	1041	534	484	445	0.2	0.9	5"	
	L45AP1	185	Metal Case	2 ½	1015	981	951	423	395	371	0.3	1.1	5"	
	RTP45AP7	230	Jacketed Hollow Point (Subsonic)	2 ½	835	817	800	356	341	326	0.4	1.6	5"	
	GS45APB	230	Brass Jacketed Hollow Point	2 ½	875	853	833	391	372	354	0.4	1.5	5"	
	HD45APBN	230	Brass Jacketed Hollow Point	2 ½	875	853	833	391	372	354	0.4	1.5	5"	
	L45AP4	230	Metal Case	2 ½	835	817	800	356	341	326	0.4	1.6	5"	
	L45AP7	230	Jacketed Hollow Point	2 ½	835	817	800	356	341	326	0.4	1.6	5"	
	LL45AP8	230	Flat Nose Enclosed Base	2 ½	835	817	800	356	341	326	0.4	1.6	5"	
45 GAP	L45GAP4	230	Metal Case	2 ½	880	860	841	395	378	361	0.4	1.5	5"	


‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. *Test Barrel Length ** Vented Barrel Ballistics

 REMINGTON® HTP (Page 75)	 GOLDEN SABER® (Page 74)	 UMC® (Page 105)
 REMINGTON® TARGET (Page 75)	 ULTIMATE DEFENSE (Page 72)	 UMC® LEADLESS (Page 105)



**FOR CONSUMER INFORMATION,
ARMS SERVICE, PARTS & REPAIRS
AND CUSTOM SHOP:**

Call (800) 243-9700 or visit www.remington.com

 [remington.com/facebook](https://www.facebook.com/remington.com/facebook)

300, ADL, Accelerator, AWR, BDL, Bandit, Brite Bore, Bronze Point, BuckHammer, Bullet, Bullet Design, CBEE 22, CDL, Classic, Conquest, Copper-Lokt, Copper Solid, Core-Lokt, Custom Carry, Cyclone, D-Series, Deer Hunter, Desert Recon, Disintegrator, DriLube, Driving Band, Drop-Dead Better, Duplex, Echo, Elite Hunter, Elite Skinner, Elsag, E.R. Remington & Sons, Escape, ETA, EtronX, Excursion, Express, Express-Steel, EZ, F.A.S.T., Fast Action Soft Touch, Fieldmaster, Figure 8, Fireball, Flexitab, FLX, G3, Gamemaster, Genesis, Green Color, Golden, Golden Saber, Grizzly, Gun Club, Hi-Speed, Ideal, Insignia Edition, Kleanbore, Lead-Lokt, LV SF, M24, M24A2, M24A3, MAX Gobbler, M-Series, Managed-Recoil, Marine Magnum, MCS Picatinny, Model Five, Model Seven, Model 105 CTI, Model 11-87, Model 11-87P, Model 32, Model 332, Model 365, Model 40-X, Model 40-XB, Model 40-XBRR, Model 40-XC, Model 40-XR, Model 40-XRBR, Model 40-XS, Model 412, Model 504, Model 504-T, Model 552, Model 572, Model 597, Model 673, Model 700, Model 700P, Model 700P USR, Model 710, Model 750, Model 770, Model 798, Model 799, Model 830, Model 870, Model 870 MCS, Model 870P, Model 870P MAX, Model 887, Model 1100, Model 7400, Model 7600, Model 7600P, Model 7615, Model 7615P, Model SP-10, MoistureGuard, Nitro 27, Nitro CLP, Nitro Mag, Nitro Turkey, Nitro-Steel, Parker, Peters, Pheasant, Power-Lokt, Power Piston, Predator, Premier, ProBore, Quick Look, R, R-15, R-25, R-P, Rangemaster, Ready, Realwood, Rem, Rem Dri 35, Rem DriLube, RemCloth, RemGrip, Rem-Line, Rem-Lite, Rem-Tech, Remington, Remington Fieldmaster, Remington Law Enforcement, Remington Leadless, Remington Racing, Remington Shooting School and Remington Shooting School logo, Remington Targetmaster, Remington Ultra, Rescue, Rustless, S.A.S.S., Sendero, Shoot Like A Girl ... If You Can!, ShurShot, Slugger, SP, SPS, SP-T, SPS-T, Speedmaster, Sportsman, STS, Subsonic, SuperCell, Super Magnum, Super Slug, SWIFT-LOKT, TAC 8, Tango, Targetmaster, The Deadliest Mushroom in the Woods, Thunderbolt, TorchCam, TriNyte, TVP, Ultra Bonded, Ultra Mag, UMC, Unibody, Viper, VLS, Vortex and Vortex logo, VS, VSF, VS SF, VTR, Weathermaster, Wetproof, Wingmaster, Wingmaster HD, Woodsmaster, XCR Extreme, XHR, XM3, X-Mark Pro, XR-100, Yellow Jacket and Zulu are trademarks of RA Brands, L.L.C., Madison, NC 27025. Palusol is a trademark of BASF. Boy Scouts of America is a registered trademark of Boy Scouts of America. Briley is a trademark of Briley Manufacturing. Bushnell and Sharpshooter are trademarks of Bushnell. TORX is a trademark of Camcar LLC. Delrin, Kevlar, Teflon and Tyvek are trademarks of DuPont. Match King is a trademark of Sierra Bullet Co., LLC. Swift, A-Frame and Scirocco are trademarks of Swift Bullet Co. Break-Up, Brush, Duck Blind, Mossy Oak, New Break-Up, Treestand, and Obsession are trademarks of Haas Outdoors, Inc. V-Max is a trademark of Hornady Manufacturing Company. Hogue is a trademark of Hogue, Inc. Advantage, Advantage Max-4, Advantage Timber, AP, APG, HD and Realtree are trademarks of Jordan Outdoor Enterprises, Ltd. SpecOps is a trademark of Knox Industries, LLC., HiViz is a trademark of North Pass, Ltd. Kraton is a trademark of Shell. Sako is a trademark of Sako, Ltd., Shilen is a trademark of Shilen, Inc., Speedfeed is a trademark of Armory Accessories, Inc. LimbSaver is a trademark of Steven Sims, Inc. Digital Tiger is a trademark of Tiger Stripe Products. TRUGLO is a trademark of Truglo, Inc. Skyline, Excel and Fall Flight are trademarks of Skyline Cover, LLC. Weaver is a trademark of Weaver Outdoor Optics. Williams and Fire Sights are trademarks of Williams Gun Sight Co. A-TACS is a trademark of Digital Concealment Systems. Judge is a trademark of Taurus International. Pardus is a trademark of DPMS Panther Arms. The Bone Collector is a trademark of Michael Waddell, LLC. XS is a trademark of XS Sight Systems, Inc.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, LLC, 870 Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.

Remington[®]

FOR CONSUMER INFORMATION, ARMS SERVICE, PARTS & REPAIRS AND CUSTOM SHOP:

Call (800) 243-9700 or visit www.remington.com

©2014 Remington Arms Company, LLC., Madison, NC 27025 Facebook is a registered trademark of Facebook, Inc.

 [remington.com/facebook](https://www.facebook.com/remington.com/facebook)

Printed in U.S.A.
RM23850