

Remington®

2013 PRODUCT CATALOG

THE STORY OF REMINGTON IS THE STORY OF AMERICA

SINCE 1816




In 1816, Eliphalet Remington needed a rifle. Out of necessity and a few iron scraps, he forged his own and an icon was born. Since then, Remington has come to define a nation – along the way, seeing many milestones. The Model 870,™ the Model 700™ and Core-Lokt® ammunition, to name a few.

The history of Remington is of course closely tied to our military personnel and lawmen. Since the middle of the 19th century, whenever American forces stepped onto the field of battle, our weapons were there with them – a truth that continues to this day.

We are a Company of innovation. Led by a team of the most powerful minds in the industry and operating under the most advanced R&D network in the world. New this year, the Model 783,™ a bolt-action that puts tack-driving accuracy within the reach of most consumers, and HyperSonic™ Centerfire ammunition, a pinnacle achievement in bonded bullet technology.

This is Remington 2013. Welcome.

George Kollitides
Chief Executive Officer



THE LEGACY BEGINS.

1816. At only 23 years old, Eliphalet Remington builds his first rifle barrel in his blacksmithing shop. By the 1820s, Remington's rifles were sold throughout New England.

181 YEARS, STILL GOING STRONG.

1832. Remington moves to its new home in Ilion, NY, near the recently constructed Erie Canal. Proudly, this site is part of the property where we produce our firearms to this day.



OUR FIRST AMMO.

1912. The Union Metallic Cartridge Company merges with Remington, forming Remington UMC. Through UMC, our ammo-making heritage traces back to 1867.



SEVEN DECADES OF LEADERSHIP.

1939. Core-Lokt® technology is introduced. With their controlled expansion and weight retention, Core-Lokt® cartridges remain a groundbreaking innovation.







AMERICA'S FAVORITE.

1950. The Model 870™ Wingmaster® represented a major advancement in pump-action design. It has since become the best selling shotgun of all time, reaching 10 million units in 2009.





A LEGEND IS BORN.

1962. The legendary Model 700™ is introduced. The most popular and accurate bolt-action rifle in history, it has sold more than 5 million units in its sterling 50-year history.





UNLEASHING THE UNSTOPPABLE.

2010. Remington unleashes the Versa Max® autoloading shotgun. A breakthrough in autoloader reliability, it has been crowned *American Rifleman's* Shotgun of the Year and a *Field and Stream* "Best of the Best."



BREAKING BIRDS AND BENCHMARKS.

2010. Hypersonic Steel® is unveiled, taking the industry by storm. Hitting speeds of 1,700 fps, it is simply the fastest steel shot the industry has ever seen.



THE DEADLIEST BIG GAME AMMO EVER.

2013. Able to outperform all competitors from any range, HyperSonic Centerfire continues our 101-year streak of taking ammo technology to ever-greater heights.



WELL WORTH THE WAIT.

2013. Built from the ground up with our most accuracy-enhancing features, the Model 783™ is our first new rifle platform in over a decade.

CONTENTS

4	PRODUCTS BY INTEREST
26	RIFLES
56	CUSTOM SHOP
58	HANDGUNS
62	SHOTGUNS
78	COMPACT FIREARMS
80	AMMUNITION
120	GUN CLEANING
128	SECURITY
130	MOUNTS & CHOKE TUBES
132	BARRELS
134	STOCKS
136	GUN PARTS
137	MAGAZINES
138	MODEL 1911 PARTS & ACCESSORIES
139	CUTLERY
146	CAMO
148	SPECIFICATIONS
158	BALLISTICS

SuperCell™ RECOIL PAD

NEW

MODEL 783™

Accuracy to a whole new level on an entirely new bolt-action platform designed from the ground up by the engineering team. It's a tack-driving confluence of our legendary bolt-action heritage and today's most advanced precision-enhancing features. ***See page 28.***



MODEL 700™ SPS CAMO

Legendary Model 700 accuracy and dependability at an outstanding value. Features a rugged, camo synthetic stock and matte black finish. (Scope, base and rings not included). ***See page 35.***



MODEL SEVEN™ SYNTHETIC

Handles like lightning, and hits like a freight train. Made famous for its compact, short-action design and deer-dropping accuracy. (Scope, base and rings not included). ***See page 40.***



MODEL 7600™

Combines sleek pointability and quick handling with followup speed only rivaled by semi-autos – with a design inspired by the Model 870 for ultimate reliability. ***See page 42.***



WE ALL LIVE FOR THOSE THREE LITTLE WORDS. "NEXT DEER SEASON."

REMINGTON FIREARMS AND AMMUNITION OFFER AN EVEN GREATER ADVANTAGE IN 2013. We've been side by side with America's deer hunters since the very beginning, and we're proud to once again raise the performance standard. Taking the woods by storm of accuracy and advanced technology is our new Model 783. And new HyperSonic® Centerfire ammunition leads the way out of the barrel with more speed, flatter trajectories and the best in bonded-bullet performance. As always, no one offers more proven ways to capitalize on that one shot you wait all year for, and we're honored to be such an integral part of this great tradition.



HYPERSONIC CENTERFIRE

NEW

Lethal force unrivaled. Delivering up to a 200fps velocity advantage over standard loads and topped with our Core-Lokt Ultra Bonded bullet. *See page 82.*



CORE-LOKT®

The world's most trusted big-game ammunition. *See page 94.*

MANAGED-RECOIL®

Half the recoil. Twice the confidence. Perfect for recoil sensitive shooters. *See page 96.*





MODEL 783 INTEGRAL SCOPE MOUNTS

Fits all Model 783 rifles, with Z-2 alloy construction that's 50% stronger than aluminum. *See page 130.*



MODEL 700™ SKINNER FIXED KNIFE

Featuring an ultra-sharp stainless steel blade, plus walnut handles made from actual Model 700 stock material. *See page 141.*

MODEL 700™ XCR II

Featuring our matte black TriNyte® Corrosion Control System over stainless steel, it's the most durable hunting rifle ever built. With rubber overmolding for a sure grip and more. ***See page 30.***



MODEL 700™ CDL

Legendary Model 700 accuracy with the timeless looks of rich bluing in satin or high-polished finishes and a handsome American walnut stock. ***See page 32.***



MODEL 700™ MOUNTAIN SS

Weighing a mere 6 ½ lbs, now in stainless steel with a sleek 22" Mountain Contour barrel and new Bell & Carlson aramid-fiber-reinforced stock. ***See page 33.***



MODEL 700™ SENDERO® SF II

Engineered for long-range supremacy with an H.S. Precision stock, 26" fluted stainless barrel and a host of accuracy-enhancing features. ***See page 36.***



MORE BIG-GAME PURSUITS END WITH REMINGTON FOR A REASON.

NO ONE OFFERS A MORE LETHAL BLEND OF ADVANCED TECHNOLOGY AND TIME-HONORED DESIGN. Big-game hunting has been in our blood for nearly 200 years, and it shows each season with the industry's most innovative solutions for filling your tag. Our Model 700 XCR II continues to dominate the most extreme conditions. And as always, we equip every hunter with the most diverse and well-adapted family of rifles out there. Engineered for impact, our HyperSonic® Centerfire ammunition will be flattening trajectories and flattening game nationwide, alongside a supporting cast of the most deadly centerfire offerings in the industry. Once again for 2013, choosing Remington is the closest thing to a sure thing in hunting.



PREMIER® ACCUTIP

Loaded with the most accurate polymer-tipped, big-game bullet available today, with devastating terminal performance built-in. *See page 87.*

PREMIER® SCIROCCO™ BONDED

The toughest polymer-tipped bullet on the market, it also has the highest ballistic coefficient for flatter trajectories and maximum retained energy. *See page 86.*



PREMIER® A-FRAME

Packed with the most reliable dual-core bullet on the planet for surety on the biggest, toughest game. *See page 85.*





MINI FAST SNAP RIFLE CLEANING KIT

Quick, compact solution to keep your rifle performing in peak condition. Available in two kits. *See page 127.*



NEW

PREMIER® SERIES KNIVES

From field-dressing to skinning, the ultimate companion. *See page 142.*



VERSA MAX® WATERFOWL MOSSY OAK® DUCK BLIND™ CAMO

Now destroying all previous benchmarks for autoloader reliability, with countless dead birds in its wake. Cycles 12-gauge loads – from light 2 ¾" to the heaviest 3 ½" mags with flawless consistency. ***See page 62.***

NEW

SuperCell RECOIL PAD
MOSSY OAK DUCK BLIND

VERSA MAX® SPORTSMAN® WATERFOWL

Take the flyways by force with the flawless cycling of our VersaPort gas system. Faster followups, lighter recoil, full Mossy Oak® Duck Blind camo and a sturdy 28" barrel come standard. ***See page 64.***



SuperCell RECOIL PAD
REALTREE MAX-4

MODEL 887™ NITRO MAG® WATERFOWL CAMO

The most durable shotgun on the planet and the next generation of our unrivaled pump-shotgun legacy. Wrapped in polymer armor and ready to dominate the most extreme waterfowling conditions. ***See page 70.***



SuperCell RECOIL PAD
MOSSY OAK BOTTOMLAND

MODEL 870™ EXPRESS® SUPER MAGNUM WATERFOWL

A camo-clad, Super Magnum-shucking rendition of the most popular, most dependable pump shotgun in American firearms history. ***See page 72.***



TRAVEL-WEARY MIGRATORS: YOUR FINAL DESTINATION.

RULING THE FLYWAY WITH LETHAL AUTHORITY, YEAR IN AND YEAR OUT.

Because no one works harder to advance the game or provides more solutions for success. And we're thrilled to bring you our most lethal lineup yet, including our new Versa Max shotgun that's completely revolutionized autoloader function and reliability. Want to drop more birds in fewer shots? Try HyperSonic Steel, the world's fastest, hardest-hitting steel. For firearms, ammunition and accessories, only one name offers the ultimate advantage. Remington.



HYPERSONIC STEEL®

The world's fastest, hardest-hitting steel cuts lead by up to 11%. Proprietary wad and propellant technology puts more birds on the ground with fewer shots. ***See page 98.***



WINGMASTER HD® CHOKE TUBES

Dense, deadly patterns optimized for any steel shot. ***See page 131.***



SPORTSMAN® HI-SPEED® STEEL

High on velocity and value, with a load for virtually every situation. ***See page 100.***



NITRO-STEEL®

Stops 'em dead with tight, consistent patterns and premium zinc-plated pellets. ***See page 100.***



DUCK/PHEASANT CLEANING SET

For ultimate ease of bird cleaning. ***See page 144.***

NEW

VERSA MAX® SPORTSMAN®

Any load you feed it. Anywhere you need it. A workhorse, multipurpose platform that's leaner on features but driven by the same groundbreaking, torture-tested VersaPort® gas system. ***See page 64.***



MODEL 870™ WINGMASTER®

All the features of the world's premier pump-shotgun line, available in an aesthetically refined model. The smooth sliding action is still second-to-none, while its American walnut woodwork offers a custom-quality finish. ***See page 74.***



VERSA MAX® BLACK SYNTHETIC

Impeccably cycles any 12-gauge load with minimal recoil, so you'll confidently drop any bird that crosses your path. ***See page 63.***



MODEL II-87™ SPORTSMAN® FIELD

All-around, semi-auto utility that's easy on the eyes. Features solid, satin-finished walnut woodwork with cut fleur-di-lis checkering. ***See page 66.***



THE WINGSHOOTER'S MOST LOYAL COMPANION SINCE 1816.

THE NEXT GENERATION OF AMERICAN GREATS IS OFF THE LEASH. No one has taken more strides alongside America's upland hunters than Remington, and we're proud to keep advancing the sport. Leading the way this year is our new workhorse Versa Max Sportsman that puts the flawless reliability of the original Versa Max within reach of most hunters. The venerable Model 870 Wingmaster and Model 11-87 are mainstays in the field. And we have a load for every bird that's pointed or passes, including the hard-hitting, ever-reliable Nitro Pheasant. Load up with us and let the limits fall.



NITRO PHEASANT® LOADS

One of the most potent pheasant loads on the market. Uses our Copper-Lokt® shot for deep penetration and consistent patterns. ***See page 102.***

EXPRESS® EXTRA LONG RANGE LOADS

Take down any game bird over an extended range with heavy impact and superb accuracy. ***See page 102.***





WINGMASTER® MULTI-TOOL

Features ergonomic handles with rubber inserts, game shears with wing notch, and more. ***See page 144.***



VERSA MAX® REALTREE® AP

Its incredibly soft-recoiling autoloader action tames 3 ½" magnum thunder like no other, and it will cycle light 2 ¾" field loads with the same consistency. ***See page 62.***



NEW

VERSA MAX® SPORTSMAN® TURKEY

Hard-working, groundbreaking turkey slayer, driven by our ultra-dependable VersaPort gas action, decked in Mossy Oak® Obsession Camo and featuring a highly maneuverable 22" barrel. ***See page 65.***



MODEL 870™ SPS SUPER MAG TURKEY/PREDATOR W/SCOPE

An all-inclusive turkey slayer that comes with a TruGlo® illuminated optic and more to get you out and on 'em like never before. ***See page 74.***



MODEL 887™ NITRO MAG®

The most durable shotgun on the planet and one of the most deadly turkey shotguns in the woods. ***See page 70.***



NO ONE KNOWS HOW TO REACH OUT AND WRECK TOM'S DAY LIKE REMINGTON.

YOUR SINGLE SOURCE FOR ALL TURKEY HUNTING'S BIGGEST SMASH HITS.

We're proud to offer the industry's most complete selection of specialized turkey shotguns, plus the best in hard-hitting payloads, turkey chokes and accessories. Leading the charge for 2013, the unprecedented reliability and soft recoil of our Versa Max Realtree AP. For peak bird-leveling performance, we recommend our Premier High Velocity Magnum Turkey Loads. Shotguns with our ShurShot pistol-grip stock continue to deliver the best in handling and shot control. And the innovation keeps coming. May the birds follow suit.



PREMIER® HIGH VELOCITY MAGNUM TURKEY LOADS

Our hottest recipe for cooking bird. Featuring specially metered powders, Power Piston wads and hardened copper-plated shot for dense patterns and tremendous knockdown. ***See page 101.***



NITRO TURKEY®

An American favorite that sets the standard for performance and value. ***See page 101.***



SHURSHOT® STOCKS

Ambidextrous freedom meets dead-sure stability. ***See page 134.***



EXTENDED EXTRA FULL TURKEY CHOKE TUBE

Tighter patterns. More distance. More lethal. *See page 131.*

NEW

MODEL R-15 VTR PREDATOR MAGPUL® MOE

The industry's apex predator, with Magpul engineering for more confident handling and coyote-crushing performance. Featuring AAC® 51 Tooth Brakeout muzzle brake and covered in Mossy Oak® Brush camo. ***See page 44.***



MODEL SEVEN™ PREDATOR

It's famous for deadly precision and has been a leader in the field for nearly 30 years. The Predator model is covered in full Mossy Oak® Brush® camo, so you'll seamlessly blend into the open-range, leaving plenty of coyotes in your wake. ***See page 41.***



MODEL 700™ SPS VLS

The varmint and predator hunter's mainstay, with the tack-driving accuracy of a Model 700 action and heavy varmint-contour 26" barrel bedded in a striking, yet super-tough, laminated stock. ***See page 39.***



MODEL 870™ SPS TURKEY/PREDATOR

The most dependable pump action shotgun ever lives up to its reputation, easily cycling the heaviest 12-gauge loads to take down anything that crosses your path. (Scope included). ***See page 74.***



ENGINEERING A LETHAL NEW BREED OF PREDATOR.

AT THE TOP OF THE FOOD CHAIN AGAIN IN 2013. The most efficient pack of predators in the industry keeps getting stronger thanks to continued testing and improvement by the engineering team. This year, we're proud to unleash a new line of R-15 rifles featuring Magpul® hardware for improved handling and performance. Up-close and personal, or out to the farthest reaches, we make a firearm and ammunition combination to chop links from the food chain with gusto.

PREMIER® ACCUTIP-V

The gold standard for devastating on-game results. Shot after shot, AccuTip's gold polymer tip delivers match-grade accuracy and explosive expansion. ***See page 88.***





PREMIER® DISINTEGRATOR® VARMINT

Loaded with lead-free frangible bullets that deliver explosive on-game results. Developed by Remington engineers for maximum accuracy and lethality that complies with non-toxic regulations. ***See page 88.***

EXPRESS® BUCKSHOT

The deer hunter's favorite buckshot works equally well for dropping predators and varmints at close range. ***See page 109.***





AR-STYLE MAGAZINES

Aftermarket R-15 450 Bushmaster and 5-round, aluminum camo mags available. ***See page 137.***

AR-STYLE 4" PICATINNY RAILS

Made with aircraft quality aluminum and hardcoated to Mil-Spec. ***See page 130.***





MODEL R-25

The ultimate modern sporting rifle for the big-game hunter, accuracy and ultra-fast follow-ups are hallmarks of its design. ***See page 48.***

MODEL700™ SPS



Legendary Model 700 accuracy and reliability in an all-business platform that'll leave a little left over for pork processing. ***See page 35.***

MODEL SEVEN™ SYNTHETIC



A tusker's true nemesis, combining a quick-handling, lightweight design with hair-splitting accuracy and big-game power. (Scope, base and rings not included). ***See page 40.***



AS MANY ADVANCED WAYS TO DROP THEM AS THERE ARE TO COOK THEM.

REMINGTON IS THE ULTIMATE RECIPE FOR WILD-HOG SUCCESS. As the range and prowess of this invasive species advances, so must the efficiency of our tools, and Remington firearms and ammunition remain the foremost weapons of choice for today's top swine assassins. Choose from the blazing speed and massive knockdown of our R-25 platform or the tried-and-true Model 700 and Model Seven offerings. Load up with Premier® ammunition, and you're equipped for a real population boom.



NEW

HOG HAMMER™

Penetrates 28% deeper than standard lead-core bullets. Retains 100% of its weight on-hog. Expands rapidly to deliver devastating wound channels. Dropping a deadly hammer on feral hogs. ***See page 84.***



PREMIER® CORE-LOKT® ULTRA BONDED®

The standard for accuracy in bonded hunting bullets, this ammunition delivers the precision and retained energy of a tipped bullet, with the terminal performance of bonded construction. ***See page 90.***



REM™ WRAP

Made with breathable tape, it prevents rust, conforms to curved surfaces, and won't leave behind a sticky residue. Safe to use on all firearms or gear. ***See page 147.***

MODEL 700™ SPS TACTICAL

Rock-solid precision in a highly maneuverable package, featuring a 16 1/2" barrel threaded for a silencer and an overmolded stock for exceptional handling. ***See page 37.***



MODEL 700™ TARGET TACTICAL

With its triangular VTR barrel configuration and Bell & Carlson Medalist Varmint/Tactical stock, its looks are nearly as remarkable as its ability to print tiny groups. (Scope, base and rings not included). ***See page 37.***



MODEL 700™ XCR TACTICAL LONG RANGE

The utmost in extended-range accuracy, with a 40-X adjustable trigger and a stainless steel barreled action with our black TriNyte® providing a diamond-hard layer of defense against the elements. ***See page 36.***



MODEL 700™ SPS TACTICAL AAC®-SD™

Silent, hair-splitting precision, outfitted to easily accept AAC® and other 5/8-24 Threaded Flash Hiders, Muzzle Brakes and Suppressors. (Scope, base, rings and silencer not included). ***See page 36.***



VERSA MAX® TACTICAL

The awesome firepower of an 8 + 1 capacity, driven by the most reliable, softest-recoiling semi-auto action of our time. ***See page 76.***



ANY DISTANCE. EVERY SCENARIO. AN UNMATCHED TACTICAL ADVANTAGE.

YOU'LL EITHER HAVE IT, OR WISH YOU HAD IT IN 2013. Decades in the trenches with America's military and law enforcement has equipped us to create a tactical lineup no one in the industry can touch. For extended range, experts agree there is no finer choice than the Model 700, and we offer a wealth of configurations to deliver your appointed rounds with precision in every scenario. Our Versa Max Tactical and Model 1911 R1 offerings shine in close quarters. And all firearms run better on Remington ammunition. Your tactical leader again in 2013.



MODEL 1911 R1™ ENHANCED THREADED BARREL

Our enhanced version of the American standard, adapted with a threaded barrel to accept silencers. Features fiber optic front sight and two 8-round magazines. ***See page 61.***



PREMIER® MATCH

With special loading practices and match-grade bullets. Every shot will be as pinpoint precise as the last one. ***See page 89.***



MODEL 1911 R1™ KNIVES

Uses the same pistol grips and grip screws as the classic siderarm, delivering an authentic touch and feel. ***See page 142.***



EXPRESS® BUCKSHOT

Versatile rounds deliver tight, consistent patterns perfect for home defense. ***See page 109.***



GOLDEN SABER® HPJ

Combines match-type accuracy with deep penetration for superior stopping power when the stakes are highest. ***See page 112.***

MODEL 11-87™ SPORTSMAN® FIELD

All-around utility that's easy on the eyes. Features solid, satin-finished walnut woodwork with cut fleur-de-lis checkering. ***See page 66.***



MODEL 1100™ COMPETITION

Every feature is optimized to give you the competitive edge, from its 30" overbored barrel to the soft recoil of its Model 1100 action, tuned for peak performance with 2 ¾" target loads and light field loads. ***See page 68.***



MODEL 1100™ SPORTING SERIES

Handsome looks, meets cutting-edge function, meets the target. This proven competitor is a favorite among sporting clays enthusiasts and is offered in four gauges. ***See page 69.***



MODEL 870™ CLASSIC TRAP

The most trusted pump action of all time, specially configured to rule the field from the 16 to the 27. ***See page 69.***



FOR THE PREPARED, "LUCK" IS A FOUR-LETTER WORD.

PROUDLY GIVING YOU THE EDGE IN EVERY FACET OF THE GAME. Trap, skeet and sporting clays are in our DNA, and so is outperforming the competition at every venue. Our Model 1100™ Competition is the versatile clay buster you've been looking for, combining soft recoil, dependable function and classic good looks. Whatever your game, we offer a shotgun proven to smoke 'em. And our full line of target loads delivers industry-leading performance for every application. To improve your scores, trust a name that's reigned supreme in American shooting sports for decades. Remington.



PREMIER® STS® TARGET

The leading choice of competitive shooters, with incredible shot-to-shot consistency and light recoil. ***See page 105.***



PREMIER® NITRO 27®

Outstanding back-line performance boasting a winning blend of high velocity and lighter recoil. ***See page 104.***



GUN CLUB® TARGET

Hone your skills for less with these economical, yet meticulously crafted loads. ***See page 105.***



MODEL 870™ FOLDER KNIFE

As handsome and dependable as its namesake, with stainless steel blades and walnut handles made from Model 870 Wingmaster stock. ***See page 140.***



TACTICAL CHOKE TUBE

Extended choke, with a knurled ring around the body for easy insertion and removal. ***See page 131.***





MODEL 1911 R1™ STAINLESS

The smooth-firing, all-American classic, now available with a handsome 5" stainless steel barrel and walnut double diamond grip panels. For performance and looks, this icon shines brighter than ever. ***See page 58.***

UMC® HANDGUN


High performance and value meet, leaving plenty of targets in their wake. Load up for the day with our 100-round Value Packs, or 250-round Mega Packs for select calibers. ***See page 115.***



MODEL 597™ TVP

The ultimate tack-driving, target-rifle platform. Featuring a 20" stainless heavy barrel and rugged, ambidextrous thumbhole stock for shot-to-shot comfort and accuracy. ***See page 53.***





SHARPEN YOUR SKILLS WITH THE INDUSTRY'S BEST FIREARMS AND AMMUNITION.

ON THE RANGE, PRACTICE MAKES PERFECT. SO DO WE. Round after round, nobody does more to maximize your time at the range than Remington.® Leading our lineup this year, the iconic Model 1911 R1.™ Unleash its tack-driving accuracy and superb handling next time you go shooting and you'll soon see why it's one of the greatest names in firearms history. And with offerings for today's most popular pistols and revolvers, our UMC® Handgun cartridges are today's finest blend of quality, reliability and value. Take your abilities to the next level with the most trusted name in shooting. Remington.

PISTOL & REVOLVER

Suited for everything from plinking to personal defense, choose from the broadest range of handgun ammo available. Each round is assembled with meticulous precision and the highest quality components. ***See page 113.***





RIMFIRE

Whether you're at the top of your game or training to get there, our multi-purpose rimfire line offers the peak reliability and consistency you're after. ***See page 116.***



MODEL 1911 MAGAZINES

Extra 7- and 8-round magazines are available for the Model 1911 platform. ***See page 137.***



REM® SQUEEG-E™

Easily cleans lands and grooves with one pull, eliminating the need for mops and patches. ***See page 124.***

MODEL 870™ EXPRESS® COMPACT CAMO

Our rock-solid reliable 20-gauge Model 870 Express, with a virtually indestructible synthetic stock, Realtree Hardwoods® HD camo, and shorter length of pull. ***See page 78.***

ADJUSTABLE LOP SYSTEM



MODEL 870™ EXPRESS® COMPACT PINK CAMO

The world's most popular shotgun, now with full Mossy Oak® Pink Camo coverage. Killer looks meet deadly patterns. ***See page 79.***

ADJUSTABLE LOP SYSTEM



MODEL 700™ SPS COMPACT SYNTHETIC

The most legendary of all rifles, now with an ergonomically designed synthetic stock for easier handling. ***See page 79.***

ADJUSTABLE LOP SYSTEM



MODEL 597™ PINK CAMO

Decked in exclusive Mossy Oak® Pink camo, the most advanced autoloading rimfire turns heads before it drops jaws. ***See page 79.***



NO ONE EQUIPS WOMEN FOR SUCCESS LIKE REMINGTON.

MORE CHOICES, MORE INNOVATION, MORE CONFIDENCE. We're proud to meet your different needs and preferences with the industry's most diverse selection of specialized firearms and ammo. For smaller statures, we offer a complete line of Compact firearms, including the nation's most popular shotgun, the Model 870™ Express® Compact Camo, and most trusted rifle, the Model 700™ SPS Compact Synthetic. Our Managed-Recoil® centerfire and shotgun ammo offers twice the confidence at half the recoil of standard velocity rounds. To every lady hunter who carries on this great tradition, thank you. We remain honored to serve you.



MANAGED-RECOIL®

With half the recoil of standard-velocity rounds and lethal punch out to 200 yards, they're optimal big-game medicine for recoil-sensitive shooters. ***See page 96.***

ADJUSTABLE LENGTH OF PULL KIT

Our Adjustable Length of Pull Kit is included with all synthetic compact firearms. The kit offers a full 1" adjustment, so any compact model can be custom-fit to shooters of small stature and grow alongside youngsters – all the way up to the standard LOP. ***See page 136.***





OUR PROMISE, OUR PURPOSE. TO INNOVATE.

FOR NEARLY 200 YEARS WE HAVE ADVANCED THE ART AND SCIENCE OF FIREARM TECHNOLOGY.

More than a goal, it's our responsibility as America's most trusted gunmaker. For decades this pledge has been met, and surpassed, by the R&D masterminds assembled at Remington. The proof is the product.


Our legendary **Model 700,**™ iconic **Model 870,**™ unstoppable **VERSA MAX .**® Now joining their ranks, the tack-driving, multi-purpose **Model 783**.™ Forged into every firearm that bears our name is an immutable drive to enhance the sports we hold most dear. Like the lineup you'll see here, this promise is made to last forever.

28	RIFLES
50	LEFT HAND
52	RIMFIRE
56	CUSTOM SHOP
58	HANDGUNS
62	SHOTGUNS
76	TACTICAL
78	COMPACT












MODEL 783™



ENGINEERED FOR ACCURACY.

EXPECT TIGHT GROUPS WITH A WIDE RANGE OF FACTORY AMMO. RIGHT OUT OF THE BOX.



FROM A BLANK SHEET OF PAPER TO ONE RAGGED HOLE. Custom-grade accuracy is now within reach of virtually every hunter. Using the expertise that's dominated bolt-action technology for more than 50 years, the engineering team started from scratch and combined their most advanced, accuracy-enhancing features to create an all-new platform. This sleek, hard-working tack-driver is even built differently. Crafted in our newest manufacturing facility using proprietary methods that create the tightest tolerances from rifle to rifle, by the most efficient means possible. Perhaps the first thing you'll notice are the striking lines of the new stock design. Inside, it's a true performance-enhancer, with a dual-pillar bedding platform that free-floats the barrel for the ultimate in shot-to-shot consistency. Also helping deliver those inherently tight groups is a precision button-rifled barrel. For shot control, it's equipped with the crisp new CrossFire™ trigger system that's user adjustable to suit your preferences. Like with all Remington bolt actions, expect a lifetime of rock-solid reliability. From the next generation in a legendary bloodline.



MODEL 783™ NEW

MODEL 783™ FEATURES

- New CrossFire™ trigger system, factory set at 3 ½ lbs. and user adjustable from 2 ½ to 5 lbs
- Carbon steel magnum contour button rifled barrel
- 22" standard chamberings and 24" on magnums
- Pillar-bedded stock and free-floated barrel
- SuperCell™ Recoil Pad
- Model 783 accepts two Model 700 front bases



NEW

MODEL 783™

Available in: 270 Win. (Order No. 85834)
30-06 Springfield (Order No. 85836)
308 Win. (Order No. 85837)
7mm Rem Mag (Order No. 85838)



PILLAR-BEDDED STOCK AND FREE-FLOATED BARREL



EASY-TO-OPERATE BOLT HANDLE AND STYLISH SHROUD



DETACHABLE STEEL BOX MAGAZINE

MORE MODELS AVAILABLE. Visit www.remington.com or see page 151 for additional listings.



NEW CROSSFIRE™ ADJUSTABLE TRIGGER SYSTEM

It breaks like glass and comes set from the factory at a sweet 3 ½ lbs., and is completely user adjustable from 2 ½ to 5 lbs.



MODEL 700™ XCR II



DIEHARDS, MEET THE DIE NEVER. When conditions push you to the extreme, hit back with the most durable rifle ever built. The **Model 700™ XCR II** (Xtreme Conditions Rifle) featuring our TriNyte® Corrosion Control System. Its stainless steel barrel and receiver are coated with black TriNyte® for a more classic look with less glare for superior stealth. And it's every bit as impervious to abuse as our original finish, with the accelerated saltwater testing to prove it. Our **Model 700 XCR II Rocky Mountain Elk Foundation Edition** is chambered for the venerable 257 Weatherby Mag and has a rugged synthetic stock in Realtree AP™ camo. For positive handling in adverse weather, both stock options are equipped with rubber overmolding at key grip areas. Choose from a wide range of hard-hitting big game cartridges, enhanced by the tack-driving accuracy only a Model 700 action can provide.

TRINYTE® CORROSION CONTROL SYSTEM. (Patent pending.) Consisting of 416 Stainless Steel, electroless nickel and proprietary PVD, this armor-tough, multilayer coating is the world's most effective barrier against rust and abrasion for firearms, yet it is only a fraction of a human hair in thickness.

As proved in a rigorous saltwater test by an independent laboratory, our armor-tough, multilayer TriNyte® coating forms a virtually impenetrable barrier to corrosion. In fact, it's the most effective on the planet.





MODEL 700™ XCR II

Available in: 270 Win. (Order No. 84521), 7mm Remington Mag (Order No. 84524), 30-06 Springfield (Order No. 84523), 300 WSM (Order No. 84525), 300 Win. Mag (Order No. 84526), 300 Remington Ultra Mag (Order No. 84528), 338 Remington Ultra Mag (Order No. 84529), 338 Win. Mag (Order No. 84530), 375 H&H (Order No. 84531)

MODEL 700™ XCR II FEATURES

- Proprietary TriNyte® Corrosion Control System provides unprecedented corrosion resistance
- Stock features patented rubber overmolding technology on grip and fore-end areas
- Standard short action, short action magnum and long-action caliber offerings feature a 24" barrel while ultra magnum offerings feature a 26" barrel
- Hinged floorplate magazine
- Drilled and tapped for scope mounts
- X-Mark Pro® externally adjustable trigger system set at 3 ½ lbs.
- SuperCell™ recoil pad provides up to 54% recoil reduction



MODEL 700™ XCR II ROCKY MOUNTAIN ELK FOUNDATION® EDITION

Available in: 257 Weatherby Mag (Order No. 84545)

MORE MODELS AVAILABLE. Visit www.remington.com or see page 151 for additional listings.



MODEL 700™





CELEBRATING MILESTONES. ADVANCING THE LEGEND. The Remington Model 700™ is a rifle with no equal, a superior performer in every way. Its accuracy and dependability are the standard by which all other centerfire rifles are measured and continually fall short – proudly represented in this diverse family of guns. This year's **Model 700 CDL SF Limited Edition** is chambered in the 300 Win Mag. An advancement of America's favorite bolt gun for the high-country, the **Model 700 Mountain Rifle SS**, in stainless steel with a sleek 22" Mountain Contour barrel and a Bell & Carlson aramid-fiber-reinforced stock that helps reduce weight to a mere 6 ½ lbs. Our ever-popular **Model 700 CDL SF** showcases a blend of traditional looks with the added performance of a 24" fluted barrel and stainless steel finish. The **Model 700 CDL** is available in a high-polish blued finish and our satin finish, and the **Model 700 CDL DM** with satin finish offers the convenience of a detachable box magazine. Over fifty years and stronger than ever, the **Model 700 BDL** is an all-time bestseller. All cataloged models feature our X-Mark Pro® externally adjustable trigger system.



MODEL 700™ CDL

Available in: 243 Win. (Order No. 27007), 25-06 Remington (Order No. 27009), 270 Win. (Order No. 27011), 7mm-08 Remington (Order No. 27015), 7mm Remington Mag (Order No. 27047), 30-06 Springfield (Order No. 27017), 300 Win. Mag (Order No. 27049), 300 Rem Ultra Mag (Order No. 27053)

Left-hand models also available, see page 50.



MODEL 700™ CDL DM

(Scope, base and rings not included)

Available in: 243 Win. (Order No. 84074), 7mm-08 Remington (Order No. 84075), 270 Win. (Order No. 84076), 30-06 Springfield (Order No. 84077), 7mm Remington Mag (Order No. 84078), 300 Win. Mag (Order No. 84079)

MORE MODELS AVAILABLE. Visit www.remington.com or see pages 151-152 for additional listings.



MODEL 700™ CDL SF LIMITED EDITION

Available in: 300 Win. Mag (Order No. 84026)

FEATURES

- Receiver machined from solid-steel bar stock, resulting in uniformity and strength
- Cylindrical receiver design provides a solid bedding area in the stock for consistent shot placement
- Recessed bolt face locks up inside the counter-bored breech of the barrel, which is surrounded by the receiver, forming "three rings of steel" that enclose the cartridge case head for unparalleled strength
- Integral extractor is set in a groove inside the rim of the bolt face, uniformly supporting the cartridge head
- X-Mark Pro® externally adjustable trigger system features super-tight tolerances and mirror-like surface finishes. It breaks like glass and is adjustable for trigger pull weight



MODEL 700™ CDL SF

Available in: 7mm-08 Remington (Order No. 84012), 270 Win. (Order No. 84014), 30-06 Springfield (Order No. 84015), 257 Weatherby Mag (Order No. 84019), 7mm Remington Mag (Order No. 84016), 270 WSM (Order No. 84013), 300 WSM (Order No. 84017)



MODEL 700™ BDL

Available in: 243 Win. (Order No. 25787), 270 Win. (Order No. 25791), 7mm Remington Mag (Order No. 25803), 30-06 Springfield (Order No. 25793), 300 Rem Ultra Mag (Order No. 26410)



MODEL 700™ MOUNTAIN SS

Available in: 7mm-08 Remington (Order No. 84276), 308 Win (Order No. 84277), 25-06 Remington (Order No. 84272), 270 Win. (Order No. 84273), 280 Remington (Order No. 84274), 30-06 Springfield (Order No. 84275)



PREMIER® CORE-LOKT® ULTRA BONDED®

The only high-performance bullet worthy of the Core-Lokt® name. Developed and designed by the industry-leading Remington® R & D staff, and manufactured to our exacting process standards, this bullet delivers exceptional on-game terminal performance. ***See page 90.***



MODEL 700™ SPS



NO NONSENSE, ALL MODEL 700 DOMINANCE. Leading the way for the next generation of fully featured, affordably priced rifles. With its handsome, durable walnut decorated synthetic stock, the **Model 700™ SPS Wood Tech** is easy on the eyes and a workhorse in the field. The rock-solid action and hammer-forged barrel deliver the unrivaled accuracy of America's favorite centerfire, while the X-Mark Pro® externally adjustable trigger ensures peak shot control. The **Model 700 SPS** offers carbon steel barrels and a matte blue finish on all exterior metal work, while the **Model 700 SPS Stainless Synthetic** features a durable, stainless steel barrel and weather-resistant synthetic stock. From dropping big game to printing three-shot groups, the **Model 700 SPS Long Range** stretches your lethal range with the added stability of a 26" heavy contour barrel and hard-hitting, long-action chamberings. Making an impact wherever you roam, the **Model 700 SPS Camo** features a Mossy Oak® Break-Up Infinity stock, with over-molded panels for superior grip in wet weather. The **Model 700 SPS Varmint** offers a heavy-contour 26" barrel, as well as the SPS Varmint stock with a vented beavertail fore-end for enhanced grip, reduced weight and better heat dissipation.



MODEL 700™ SPS LONG RANGE

Available in: 25-06 Remington (Order No. 84154), 7mm Remington Mag (84155), 300 Win. Mag (Order No. 84156), 300 Remington Ultra Mag (Order No. 84157)



MODEL 700™ SPS VARMINT

Available in: 204 Ruger (Order No. 84214), 22-250 Remington (Order No. 84216), 223 Remington (Order No. 84215), 243 Win. (Order No. 84217), 308 Win. (Order No. 84218)

Left-hand models also available, see page 50.



MODEL 700™ SPS WOOD TECH

NEW

Available in: 270 Win. (Order No. 84193), 7mm Remington Mag (Order No. 84197), 30-06 Springfield (Order No. 84195), 300 Win. Mag (Order No. 84199)

MODEL 700™ SPS WOOD TECH FEATURES

- Walnut decorated synthetic stock with over-molded grip panels
- 22" barrels on standard and 24" on magnum chamberings
- Remington X-Mark Pro® externally adjustable trigger, factory set at 3½ lbs
- SuperCell™ recoil pad reduces felt recoil up to 54%



REMINGTON CORE-LOKT®

The world's best-selling big game ammunition, and the most proven of all time. With consistent 2x expansion, deep penetration and outstanding accuracy, it has filled more tags and freezers than any other ammo. ***See page 94.***



SuperCell™ RECOIL PAD

X-MARK PRO ADJUSTABLE

MODEL 700™ SPS STAINLESS

Available in: 223 Remington (Order No. 27133), 22-250 Remington (Order No. 27135), 243 Win. (Order No. 27263), 25-06 Remington (Order No. 27251), 270 Win. (Order No. 27267), 270 WSM (Order No. 27253), 7mm-08 Remington (Order No. 27265), 7mm Remington Mag (Order No. 27271), 7mm Remington Ultra Mag™ (Order No. 84300), 30-06 Springfield (Order No. 27269), 300 WSM (Order No. 27255), 300 Win. Mag (Order No. 27273), 308 Win. (Order No. 27136), 300 Rem Ultra Mag™ (Order No. 27140)



SuperCell™ RECOIL PAD

X-MARK PRO ADJUSTABLE

MODEL 700™ SPS

Available in: 223 Remington (Order No. 27351), 243 Win. (Order No. 27355), 270 Win (27361), 270 WSM (Order No. 27331), 7mm-08 Remington (Order No. 27357), 7mm Remington Mag (Order No. 27385), 30-06 Springfield (Order No. 27363), 300 WSM (Order No. 27333), 300 Win. Mag (Order No. 27387), 308 Win. (Order No. 27359), 300 Rem Ultra Mag (Order No. 27389)

Left-hand models also available, see page 50.



SuperCell™ RECOIL PAD

X-MARK PRO ADJUSTABLE

MOSSY OAK BREAK-UP INFINITY

MODEL 700™ SPS CAMO

(Scope, base and rings not included)

Available in: 243 Win. (Order No. 84183), 7mm-08 Remington (Order No. 84184), 270 Win. (Order No. 84185), 30-06 Springfield (Order No. 84186), 7mm Remington Mag (Order No. 84187), 300 Win. Mag (Order No. 84188).

MODEL 700™ SPS CAMO COMPACT Available in: 223 Remington (84109), 243 Win. (84190), 7mm-08 Remington (84191)

MORE MODELS AVAILABLE. Visit www.remington.com or see pages 152-153 for additional listings.





MODEL 700™



ENGINEERED TO MAKE THREE SHOTS LOOK LIKE ONE. From extended-range big game hunting to printing one-ragged-hole groups from the bench, no rifle delivers like the Model 700.™ And we're continually finding new ways to maximize our legendary action's inherent precision. Our time-honored, tack-driver **Model 700 Sendero SF II** brings a stunning degree of precision right out of the box. Built with input from shooters across America, hair-splitting, long-range accuracy is assured with the 26" heavy-contour fluted barrel. The **Model 700 SPS Long Range** also features the added stability of a 26" heavy-contour barrel, one that's perfectly matched with its high-velocity caliber offerings. And the best family features of our Model 700 tactical, target and varmint rifles come together in the **Model 700 Target Tactical**, making one world-class rifle.



TACTICAL PERFECTION RUNS IN THE FAMILY. The proven choice of military and law-enforcement personnel, Model 700™ tactical rifles deliver their appointed rounds with ultimate precision and unfailing reliability when the stakes are at their highest. Our **Model 700 XCR Long Range Tactical Rifle** is equipped with a 40-X externally adjustable trigger and stainless steel barreled action coated with black TriNyte® PVD to provide a diamond-hard layer of defense against rust, corrosion and abrasion. A full aluminum-bedding block in its specially designed Bell & Carlson stock enhances shot-to-shot precision. Its 26" varmint-contour is free-floated and features LTR-style fluting. The **Model 700 XCR Compact Tactical** is a highly maneuverable short-action version with a 20" barrel. Our **Model 700 SPS Tactical AAC®-SD™** has a heavy 20" barrel with a $^{5}/_{8}$"-24-threaded muzzle to accept flash hiders, muzzle brakes and silencers. Another high-performance tactical solution is our **Model 700 SPS Tactical** with a quick-handling 20" heavy-contour barrel. And for scenarios where speed and stealth are paramount, the **Model 700 SPS Tactical Threaded Muzzle** features a highly maneuverable 16 $^{1}/_{2}$" barrel and is adapted for silencers, muzzle brakes, flash suppressors and other accessories.



MODEL 700™ SPS TACTICAL AAC®-SD™

(Scope, base, rings and silencer not included)
Available in: 308 Win. (Order No. 84203)
Works with AAC® silencers and flash suppressors.
For more information, visit www.advanced-armament.com



MODEL 700™ SENDERO® SF II

Available in: 7mm Remington Mag (Order No. 27311),
300 Win. Mag (Order No. 27313),
300 Rem Ultra Mag (Order No. 27318)

MODEL 700™ SENDERO SF II FEATURES

- 26" heavy contour barrel
- Concave, target-style barrel crown
- Composite stock with beavertail fore-end
- Chambered for popular Magnum and Remington Ultra Mag cartridges
- Black stock with grey webbing



MODEL 700™ SPS LONG RANGE

Available in: 25-06 Remington (Order No. 84154), 7mm Remington Mag (84155),
300 Win. Mag (Order No. 84156), 300 Remington Ultra Mag (Order No. 84157)



MODEL 700™ TARGET TACTICAL

(Scope, base and rings not included)
Available in: 308 Win. (Order No. 84456)



MODEL 700™ XCR TACTICAL LONG RANGE

Available in: 223 Remington (Order No. 84460), 300 Win. Mag (Order No. 84462), 308 Win. (Order No. 84461)

MODEL 700™ XCR TACTICAL LONG RANGE FEATURES

- New Tactical Bell & Carlson stock in OD Green w/black webbing
- Full-length aluminum bedding block, tactical beavertail fore-end and recessed "thumbhook" behind pistol grip for off-the-bench shooting performance
- Black TriNyte® Corrosion Control System over 416 stainless steel for uncompromised strength and corrosion/abrasion resistance
- 26" varmint-contour 416 stainless steel barreled action with dish-style target crown, drilled and tapped for scope mounts
- 40-X externally adjustable trigger
- Hinged floorplate magazine, dual front swivel studs and rear stud
- Barrel is free-floating with LTR-style fluting



MODEL 700™ XCR TACTICAL LONG RANGE

Available in: 338 Lapua (Order No. 84463)



MODEL 700™ XCR COMPACT TACTICAL

Available in: 223 Remington (Order No. 84466), 308 Win. (Order No. 84467)



MODEL 700™ SPS TACTICAL

Available in: 223 Remington (Order No. 84206),
308 Win. (Order No. 84207)



MODEL 700™ SPS TACTICAL THREADED MUZZLE

Available in: 223 Remington (Order No. 85549),
300 AAC Blackout (Order No. 84205), 308 Win (Order No. 85538)

MORE MODELS AVAILABLE. Visit www.remington.com or see pages 153-154 for additional listings.





MODEL 700™

BECOME A LEGEND IN YOUR OWN RIGHT. Three-shot groups that drop jaws. Long-range shots that split hairs. True to their reputation, our legendary Model 700™ Varmint rifles will earn you one. Built on our famous Model 700 cylindrical action, they're among the most accurate factory-built rifles we produce. And the X-Mark Pro® externally adjustable trigger system ensures impeccable shot control. Destined to leave a lasting impression on any critter that crosses your line of sight, the **Model 700 SPS Varmint** has a heavy-contour 26" barrel and innovative SPS Varmint stock with a vented beavertail fore-end. Sharp predator eyes won't spot the tough, non-reflective matte blued finish on the barrel and receiver. The **Model 700 Varmint Stainless Fluted (SF)** has a heavy-contour barrel with six longitudinal flutes for rapid cooling and less weight, with a concave target-style barrel crown for even greater consistency. The **Model 700 VTR A-TACS®** has a patent-pending triangular barrel design with an A-TACS camo pattern on its stock that's formulated with a digitized pattern to absorb surrounding light for chameleon-like versatility. Its 22" triangular barrel weighs less than traditional heavy barrels, yet delivers the same degree of heat dissipation and rigidity. A long-time favorite, the **Model 700 VLS** features a richly blued finish, heavy-contour barrel and a distinctive laminated stock. And our original **Model 700 VTR** has identical features with an OD green synthetic stock.



MODEL 700™ VTR

Available in: 22-250 Remington (Order No. 84373), 223 Remington (Order No. 84370), 243 Win. (Order No. 84368), 308 Win. (Order No. 84371)



VTR INTEGRAL MUZZLE BRAKE

HOGUE® OVER-MOLDED GRIPS ON STOCK

VTR TRIANGULAR BARREL CONTOUR



MODEL 700™ SPS VARMINT

Available in: 204 Ruger (Order No. 84214), 22-250 Remington (Order No. 84216), 223 Remington (Order No. 84215), 243 Win. (Order No. 84217), 308 Win. (Order No. 84218)

MODEL 700™ SPS VARMINT FEATURES

- Innovative, ergonomically designed SPS Varmint stock with vented beavertail fore-end for enhanced grip, reduced weight and better heat dissipation
- X-Mark Pro® externally adjustable trigger system features super-tight tolerance and mirror-like surface finishes. Breaks like glass and adjustable for trigger pull weight
- Tough, non-reflective matted blue finish on the barrel and receiver
- 26" heavy-contour barrel (0.820" muzzle O.D.)
- Built on Legendary Model 700™ action
- Hinged floorplate magazine and swivel studs for bipod and sling
- Drilled and tapped for scope mounts



MODEL 700™ VTR A-TACS®

Available in: 223 Remington (Order No. 84362), 308 Win. (Order No. 84364)



MODEL 700™ VARMINT SF


Available in: 22-250 Remington (Order No. 84342), 223 Remington (Order No. 84343), 220 Swift (Order No. 84344), 308 Win. (Order No. 84345)



MODEL 700™ VLS VARMINT LAMINATED STOCK

Available in: 204 Ruger (Order No. 27467), 223 Remington (Order No. 27491), 22-250 Remington (Order No. 27489), 243 Win. (Order No. 27495), 308 Win. (Order No. 27499)

MORE MODELS AVAILABLE. Visit www.remington.com or see pages 153-154 for additional listings.



PREMIER® ACCUTIP-V

World-renowned pinpoint accuracy and explosive on-game results take varmint lethality to a new level. ***See page 88.***





MODEL SEVEN™



HANDLES LIKE A SPORTS CAR, HITS LIKE A FREIGHT TRAIN. Famous for their extreme maneuverability, our Model Seven™ rifles combine accuracy and game-flattening power in a handy platform that's perfect for tight quarters like blinds and treestands, or when you're on the move and swift shot placement is essential. These rifles are equipped with 20" standard contour barrels in non-magnum chamberings. All deliver the breaks-like-glass feel of our X-Mark Pro® externally adjustable trigger.
The **Model Seven Synthetic** features a rugged black synthetic stock with textured grip panels for sure handling, and a matte blue finish. Our **Model Seven CDL** is the quintessential short-action hunting rifle, with a satin-finished walnut stock and a sleek satin-blued barreled action. The **Model Seven Predator** is every predator and varmint's worst nightmare. It's fully decked in Mossy Oak® Brush™ camo with a magnum-contour 22" fluted barrel.

MODEL 770™



RIGGED AND READY, RIGHT OUT OF THE BOX. The Model 770™ is the perfect choice for any hunter looking to fast-forward through the process of selecting a scope and components. It comes with a pre-mounted and boresighted 3-9x40mm riflescope, and is built to our rigorous standards for accuracy and reliability. Just choose your ammo and you're ready to shoot. The **Model 770 Stainless Camo** has a Realtree® AP™ camo synthetic stock design with molded sling swivel studs. Our **Model 770 Synthetic** comes with a black synthetic stock and molded sling swivel studs.



MODEL SEVEN™ SHORT-ACTION FEATURES

- Shorter overall length than Model 700™ counterparts makes the Model Seven perfectly sized for small-statured shooters and dense-cover hunting situations
- Compact design for fast handling
- Features the same legendary strength as the Model 700™ action: "Three rings of steel" with the bolt face, barrel and receiver encasing the cartridge head
- Cylindrical receiver design provides a consistent bedding area in the stock

MODEL SEVEN™ SYNTHETIC

(Scope, base and rings not included)
Available in: 223 Remington (Order No. 85910), 243 Win. (Order No. 85911), 260 Win. (Order No. 85912), 7mm-08 Remington (Order No. 85913), 308 Win. (Order No. 85914), 243 Win. Compact (Order No. 85915), 7mm-08 Remington (Order No. 85916)



SuperCell™ RECOIL PAD

X-MARK PRO ADJUSTABLE

MODEL SEVEN™ CDL

Available in: 243 Win. (Order No. 26417), 260 Remington (Order No. 26419), 7mm-08 Remington (Order No. 26421), 308 Win. (Order No. 26423)



SuperCell™ RECOIL PAD

X-MARK PRO ADJUSTABLE

MOSSY OAK BREAKUP

MODEL SEVEN™ PREDATOR

Available in: 22-250 Remington (Order No. 85953), 223 Remington (Order No. 85952), 243 Win. (Order No. 85954)

Remington X-MARK PRO ADJUSTABLE

TRIGGER IS NOW EXTERNALLY ADJUSTABLE. It breaks like glass, has virtually zero creep and offers a level of shot control unmatched by any factory trigger today. The X-Mark Pro® externally adjustable trigger system delivers true custom-grade performance in a production trigger and is user-adjustable with readily available tools. Not that you'll feel the need. It comes from the factory with a lighter average pull weight – 3 ½ lbs. While others use gadgets and add-ons to hide inconsistencies, Remington® eliminates them with state-of-the-art manufacturing techniques and the tightest possible production tolerances.




MODEL 770™ FEATURES

- Black or Realtree® AP™ camo synthetic stock design with molded sling swivel studs
- Blued or stainless offerings available
- Factory mounted and bore-sighted 3-9x40mm scope
- Smooth-camming 60 degree bolt
- Detachable magazine holds four standard cartridges and three magnum cartridges
- Six-groove, button-rifled, ordnance-grade steel barrel (22" standard calibers and 24" magnum calibers).

MODEL 770™ STAINLESS CAMO

(Scope, base and rings included)
Available in: 270 Win. (Order No. 85655), 7mm Remington Mag (Order No. 85657), 30-06 Springfield (Order No. 85656), 300 Win. Mag (Order No. 85658)



ERGONOMIC STOCK DESIGN. Sleek, textured fore-end improves handling in all conditions.




MODEL 770™ SYNTHETIC

(Scope, base and rings included)
Available in: 243 Win. (Order No. 85630), 270 Win. (Order No. 85632), 7mm-08 Remington (Order No. 85631), 7mm Remington Mag (Order No. 85635), 30-06 Springfield (Order No. 85633), 300 Win. Mag (Order No. 85636), 308 Win. (Order No. 85634)

MORE MODELS AVAILABLE. Visit www.remington.com or see pages 154-155 for additional listings.

MODEL 7600™





SHOULD YOU NEED ANOTHER SHOT AT THAT SHOT OF A LIFETIME. Hunts don't always unfold like you see on TV, and when the heat of the moment finds you looking for a follow-up, our famous Model 7600™ can deliver with outstanding speed and accuracy, time and time again. The twin steel action bars and rotary bolt lockup of its pump action provide smooth operation, ultra-positive chambering and ejection and rock-solid strength. For accuracy rivaling that of the best bolt guns, the barrel is free floated. Hunters that rely on the Model 870 in other pursuits will love that the action, slide release and safety are based on the best-selling pump shotgun of all time. Its weight distribution and sleek design provide shotgun-like pointability. Equipped with a 22" barrel with iron sights, the rifle's receiver is also drilled and tapped for scope mounts. Choose the **Model 7600** with a satin-finished American walnut stock and fore-end or the **Model 7600 Synthetic** with a durable black synthetic stock and fore-end. Both come with a four-shot magazine.



MODEL 7600™ SYNTHETIC

Available in: 243 Win. (Order No. 25143), 270 Win. (Order No. 25145), 30-06 Springfield Carbine (Order No. 25153), 30-06 Springfield (Order No. 25149), 308 Win. (Order No. 25151)

MODEL 750™




ONE-SHOT ACCURACY. FIVE SHOTS OF LIGHTNING-FAST ASSURANCE.

The woods can provide a narrow window of success. Our Model 750™ throws it wide open with a smooth, gas-operated semi-automatic action and a balanced, low-profile design that points like a dream. Along with providing up to five fast, accurate shots, the Model 750's gas system reduces felt recoil for quicker scope recovery. The **Model 750 Woodmaster®** features a stylish American walnut stock and fore-end, while the **Model 750 Synthetic** has a tough black synthetic stock and fore-end. Both come with pre-installed sling swivel studs. Receivers are drilled and tapped for Model 7400™ scope mounts.



MODEL 7600™

Available in: 243 Win. (Order No. 24653), 270 Win. (Order No. 24655), 270 Win. High Gloss (Order No. 24667), 30-06 Springfield Carbine (Order No. 24661), 30-06 Springfield (Order No. 24657), 30-06 Springfield High Gloss (Order No. 24671), 308 Win. (Order No. 24659)



MODEL 7600™ FEATURES

- Action, slide release and safety based on the design of the Model 870,™ America's most popular pump shotgun, for instantaneous user familiarity
- Weight distribution and slimline design result in shotgun-like balance and pointability

MORE MODELS AVAILABLE. Visit www.remington.com or see pages 155-156 for additional listings.



MODEL 750™ WOODMASTER®

Available in: 243 Win. (Order No. 27055), 308 Win. (Order No. 27057), 308 Win. Carbine (Order No. 27075), 270 Win. (Order No. 27059), 30-06 Springfield Carbine (Order No. 27077), 30-06 Springfield (Ord er No. 27061)

MODEL 750™ FEATURES

- Improved gas-operated action for slick, super-fast cycling
- Stylish American walnut or black synthetic stock and fore-end
- Stellar balance and a streamlined design for fast target acquisition
- 22" barrel with iron sights (18 ½" on the Carbine)
- Receiver drilled and tapped for Model 7400™ scope mounts
- Exceptional action strength – rotary-bolt lockup

FORE-END DESIGN. Restyled American walnut fore-end emblazoned with a Remington "R".





MODEL 750™ SYNTHETIC

Available in: 243 Win. (Order No. 85682), 30-06 Springfield Carbine (Order No. 85687), 30-06 Springfield (Order No. 85686), 308 Win. (Order No. 85683), 308 Win. Carbine (Order No. 85684)





MODEL R-15
VTR PREDATOR MAGPUL® MOE



THE INDUSTRY'S MOST LETHAL PREDATOR, NOW PACKED WITH A HOST OF MAGPUL® ADVANCEMENTS. We took the hair-splitting accuracy, lightning-fast follow-ups and hunt-specific features of our Model R-15 VTR Predator platform and upgraded it with state of the art Magpul® technology. The result is the Model R-15 VTR Predator MOE – the peak in predator crushing performance. Features include the Magpul Grip. With a low profile, compact design and steeper grip angle compared to more traditional styles, it delivers max comfort and control shot after shot. The polymer Magpul Trigger Guard is "V"-shaped for better use with gloves, while the AAC® 51 Tooth Brakeout silences flash and reduces recoil for even faster follow-ups. Each also comes with a two stage trigger for match-grade accuracy, and is decked in Mossy Oak® Brush™ camo. The **Model R-15 Magpul® MOE – Collapsible Stock** is available with a 16" carbine barrel and mid-length fore end, as well as with an 18" carbine barrel and dissipator fore end. And the **Model R-15 Magpul® MOE – Fixed Stock** comes with either an 18" or 22" carbine barrel, each with a dissipator fore end. With all the features of our R-15 VTR Predator, plus a host of Magpul advancements, the world's premier predator hunting platform secures its place at the top of the food chain.

PREMIER® ACCUTIP-V
World-renowned pinpoint accuracy and explosive on-game results take varmint lethality to a new level. ***See page 88.***





NEW MODEL R-15 VTR PREDATOR MAGPUL® MOE

MODEL R-15 VTR PREDATOR MAGPUL® MOE FEATURES

- AAC® 51 Tooth Brakeout reduces rise and recoil for lightning fast follow-ups and greater shot-to-shot accuracy. Machined from high strength aerospace 17-4 stainless steel alloy and coated in a hard, durable, corrosion-resistant SCARmor finish
- Magpul grip features reinforced polymer body construction with comfortable, wrap-around rubber overmolding for maximum weapon control in adverse environments
- Magpul Trigger Guard – enhanced polymer drop in replacement, with shallow "V" shape for better use with gloves
- Decked in full Mossy Oak® Brush™ camo for terrains with little to no cover
- Competition two stage trigger offers match grade accuracy



MODEL R-15 VTR PREDATOR MAGPUL® MOE FIXED STOCK

Available in: 223 Remington (Order No. 60010 / 18" barrel), (Order No. 60011 / 22" barrel)



MODEL R-15 VTR PREDATOR MAGPUL® MOE COLLAPSIBLE STOCK

Available in: 223 Remington (Order No. 60018 / 16" barrel), (Order No. 60019 / 18" barrel)

MORE MODELS AVAILABLE. Visit www.remington.com or see page 155 for additional listings.





MODEL R-15



A FASTER, MORE LETHAL BREED OF PREDATOR. With precision accuracy, blazing-fast follow-ups and hunt-specific features, the Remington R-15 will cut links from the food chain as fast as you can pull the trigger. It represents the best of today's AR-15-style rifles, implemented on a platform specially designed to maximize the success of today's predator aficionado. For awesome 30-caliber big game knockdown in a lightweight package, we're also proud to offer the **Model R-15 Hunter,** chambered for our exclusive 30 Remington AR cartridge. All models in the family are equipped with a semi-automatic gas action, free-floated ChroMoly barrel and clean-breaking single-stage trigger. The receiver-length Picatinny rail makes adding optics a cinch, and uppers and lowers are machined from aluminum forgings for featherweight durability. Our **Model R-15 VTR Predator Rifle** has a 22" barrel with a fixed stock and pistol grip. At 7 3/4 lbs, it's extremely stable – the optimal choice for long shots. The **Model R-15 VTR Predator Carbine** and **R-15 VTR Predator Carbine CS*** (Collapsible Stock) are extremely maneuverable with their 18" barrels and weigh a mere 6 3/4 lbs. The Model R-15 VTR Predator and Model R-15 VTR Predator Carbine are now available with a fixed magazine option that is inspired by various state compliance requirements. For a fully adjustable length of pull and custom fit, the Predator Carbine CS features a telescoping stock. The **Model R-15 VTR Stainless Steel** utilizes our patent-pending triangular fluted barrel in a 24" configuration that optimizes repeat-shot accuracy with less weight than traditional heavy varmint-style designs. All models feature an ergonomic pistol grip and include a 5-round magazine (4-round for 30 Remington AR). The fore-end tube is drilled and tapped for accessory rails as well.



MODEL R-15 HUNTER
(Scope and mount not included)
Available in: 30 Remington AR (Order No. 60100)



PREMIER® DISINTEGRATOR® VARMINT Radical, explosive expansion is the hallmark of this frangible, lead-free varmint ammunition. ***See page 88.***



MODEL R-15 VTR PREDATOR

Available in: 223 Remington (Order No. 60001)

MODEL R-15 MODULAR REPEATING RIFLE FEATURES

- Legal for hunting in most states
- Semi-automatic AR-15-type rifle developed in conjunction with the industry leader in AR platforms
- Free-floating button-rifled 0.680" Muzzle OD ChroMoly barrels with recessed hunting crown for superior accuracy
- Fluted barrel design reduces weight and promotes rapid barrel cooling
- Clean-breaking, single-stage hunting trigger
- Receiver-length Picatinny rail for adding optics
- Ergonomic pistol grip
- Fore-end tube drilled and tapped for accessory rails
- Advantage MAX-1 HD® coverage (on select R-15 VTR models)
- Includes 5-round magazine (30 REM AR include 4-round magazine)
- Compatible with aftermarket AR15-type magazines
- Lockable hard case included



30 REMINGTON AR FEATURES 308 BOLT HEAD IN COMPACT R-15 UPPER.



BARREL WITH 0.680" OD, RECESSED HUNTING CROWN, FLUTING.



MODEL R-15 VTR PREDATOR CARBINE

Available in: 223 Remington (Order No. 60003)



MODEL R-15 VTR PREDATOR CARBINE CS*

Available in: 223 Remington (Order No. 60005)

*Pre-Ban configurations not legal in all states.

STATE COMPLIANCE

These models are now equipped with a Fixed Box Magazine for compliance in most states:

MODEL R-15 VTR PREDATOR (FMB) – Available in: **223 Remington** (Order No. 60020)
MODEL R-15 VTR PREDATOR CARBINE (FMB) – Available in: **223 Remington** (Order No. 60022)



MODEL R-15 VTR SS VARMINT

Available in: 223 Remington (Order No. 60007)



MORE MODELS AVAILABLE. Visit www.remington.com or see page 155 for additional listings.

MODEL R-25



THE MODERN SPORTING RIFLE WITH BIG-GAME PUNCH. A leading manufacturer of modern sporting rifles introduced us to the AR-10 platform, and we brought the hunting prowess. What emerged is a masterwork of big-game-dropping performance and hunt-specific features that will load any camp's meat pole with unrivaled efficiency. For enhanced accuracy, the R-25's precision-crafted ChroMoly barrel is free-floated within the machined aluminum fore-end. Six longitudinal flutes forward of the gas block keep weight to a minimum and facilitate rapid heat dissipation. Barrel also features a recessed hunting crown to protect the rifling and aid in more consistent bullet flight. The ergonomic pistol-grip gives you unmatched control and rock-steady aim, adding to the already balanced, stable feel that makes it deadly from the offhand position. For shot control, its crisp, single-stage trigger comes from the factory set at 4 ½ to 5 lbs. It's decked in Mossy Oak® Treestand camo and includes a 4-round magazine. Upper and lower are machined from rugged aluminum forgings. Front and rear sling swivel studs are installed. The Model R-25 is now available with a fixed magazine option that is inspired by various state compliance requirements.





PICATINNY GAS BLOCK



FLUTED BARREL 0.680" OD,
WITH RECESSED HUNTING CROWN



SINGLE-STAGE
HUNTING TRIGGER



INCLUDES 4-ROUND MAGAZINE
Accepts DPMS 308 Win.-type magazines



MODEL R-25

Available in: 243 Win. (Order No. 60030), 7mm-08 Remington (Order No. 60031), 308 Win. (Order No. 60032)

MODEL R-25 MODULAR REPEATING RIFLE FEATURES

- Legal for hunting in most states
- Semi-automatic AR-10-type rifle developed in conjunction with an industry leader in the category
- 20" free-floated ChroMoly barrel with a recessed hunting crown for superior accuracy
- Fluted barrel design reduces weight and promotes rapid cooling
- Clean-breaking single-stage hunting trigger
- Receiver-length Picatinny rail for adding optics
- Ergonomic pistol grip
- Full Mossy Oak® Treestand™ coverage
- Includes 4-round magazine
- Lockable hard case included

STATE COMPLIANCE

These models are now equipped with a Fixed Box Magazine for compliance in most states:

MODEL R-25 (FMB) – Available in: **308 Win** (Order No. 60040)

PREMIER® SCIROCCO™ BONDED

The remarkable Premier® Scirocco™ Bonded bullet maintains its status as the industry leader in bonded tipped bullets by delivering the highest ballistic coefficient of any bullet of its kind for the flattest trajectory and maximum retained energy. ***See page 86.***




MORE MODELS AVAILABLE. Visit www.remington.com or see page 155 for additional listings.





PART OF THE MOST COMPLETE SELECTION OF LEFT-HANDED FIREARMS IN THE INDUSTRY.

Nowhere will you find as broad a selection of left-handed centerfires, and Remington is proud to offer these specially configured Model 700™ rifles so everyone can experience the legendary accuracy and dependability of our flagship bolt action. Along with our unrivaled standard for out-of-the-box accuracy, all come equipped with the X-Mark Pro® externally adjustable trigger for the ultimate shooting experience. The **Model 700 SPS Left-Hand** features a black matte finish and rugged synthetic stock. Our **Model 700 SPS Compact Synthetic Left-Hand** is the industry's first and only left-handed rifle made specifically for youth and small-stature shooters, with 1" shorter length of pull and swift-handling 20" barrel. The **Model 700 SPS Varmint Left-Hand** sports a 26" heavy-contour barrel, black matte finish and durable synthetic stock with a vented beavertail fore-end to facilitate rapid cooling. Combining traditional good looks with leading-edge standards for precision and performance, the **Model 700 CDL Left-Hand** is available in a wide range of chamberings to suit the demands of most hunters.



MODEL 700™ CDL LEFT HAND FEATURES

- Traditional straight-comb American walnut stock with satin finish, finely cut checkering, right-handed cheek piece, black fore-end tip and grip cap, and sling swivel studs
- Satin blued finish of the barreled action and the jeweled bolt body completes the tasteful design
- Standard calibers feature 24" non-sighted carbon steel barrels, while magnum calibers sport 26" barrels
- Hinged floor plate magazine has a four-round capacity in standard calibers and a three-round capacity in magnum calibers
- X-Mark Pro® externally adjustable trigger

MODEL 700™ SPS SYNTHETIC LEFT HAND FEATURES

- Rugged, ergonomically designed synthetic stock delivers excellent handling characteristics
- Non-glare matte finish over carbon steel barreled action
- Standard calibers feature 24" non-sighted carbon steel barrels, while magnum calibers sport 26" barrels
- X-Mark Pro® externally adjustable trigger

MODEL 700™ SPS VARMINT LEFT HAND FEATURES

- Ergonomically designed black synthetic stock with vented beavertail fore-end for enhanced grip, reduced weight and better heat dissipation
- 26" heavy contour clean barrel
- Non-reflective matte blued finish on the barrel and receiver
- Hinged floorplate magazine, sling swivel studs, and a drilled and tapped receiver
- Sling swivel studs included

MODEL 700™ LEFT HAND



MODEL 700™ CDL LEFT HAND

Available in: 270 Win. (Order No. 27105), 30-06 Springfield (Order No. 27107), 7mm Remington Mag (Order No. 27109), 300 Remington Ultra Mag (Order No. 27111)



MODEL 700™ SPS SYNTHETIC LEFT HAND

Available in: 270 Win. (Order No. 84177), 30-06 Springfield (Order No. 84178), 7mm Remington Mag (Order No. 84179), 300 Win. Mag (Order No. 84180)



MODEL 700™ SPS COMPACT SYNTHETIC LEFT HAND

Available in: 243 Win. (Order No. 84150), 7mm-08 Remington (Order No. 84151)



MODEL 700™ SPS VARMINT LEFT HAND

Available in: 22-250 Remington (Order No. 84226), 223 Remington (Order No. 84227), 243 Win. (Order No. 84228), 308 Win. (Order No. 84229)



MODEL 700 SERIES KNIVES

Stainless steel blade. Handle carved from actual Model 700 stock. And available in several styles, each crafted with the same dependability and performance as their namesake. Bring on the cuttin'. ***See page 141.***

MORE MODELS AVAILABLE. Visit www.remington.com or see page 152 for additional listings.



MODEL 597™



TURBOCHARGE YOUR SHOOTING EXPERIENCE. The fastest, smoothest, slickest, most advanced rimfire rifle you've ever put a shoulder to. And the rate it zips out rounds is rivaled only by the speed of its advancement. Not only that, the Model 597™ continues to lead in autoloading rimfire out-of-the-box accuracy and reliability. We're proud to offer the new **Model 597 Heavy Barrel A-TACS Threaded**, dressed in revolutionary A-TACS digital camouflage that absorbs surrounding light for concealment in varied conditions. It has a 16" heavy-contour barrel that's threaded to accept AAC® and other ½"-28-threaded flash hiders, muzzle brakes and silencers. For hunters who prefer a standard contour barrel threaded to accept the same accessories, we still offer the **Model 597 AAC-SD**. The **Model 597 Heavy Barrel** has a 16" heavy-contour barrel and a rugged synthetic stock. **Model 597 TVP (Target-Varmint Plinker)** is the ultimate 22 target-rifle platform, with a 20" stainless heavy barrel and ambidextrous laminated thumbhole stock. **Model 597 FLX** has a digital camo stock that assumes the detail and definition of the surroundings for near invisibility. Our **Model 597 Mossy Oak® Blaze Orange Camo** and **Model 597 Mossy Oak® Pink Camo** both offer 20" carbon steel barrels and TruGlo® fiber-optic front sights. **Model 597 Magnum Synthetic** is chambered in 22 Win Mag and features a stagger-stacked eight-round capacity magazine.



MODEL 597™
MAGNUM SYNTHETIC
Available in: 22 Win. Mag (Order No. 26560)



MODEL 597™ SYNTHETIC
Scope Combo (3-9x32mm)
Available in: 22 LR (Order No. 26513)



MODEL 597™ TVP

Available in: 22 LR (Order No. 80852)

MODEL 597™ TVP FEATURES

- Bolt-guidance system features twin, tool-steel guide rails
- Offered in laminated ambidextrous wood thumbhole stock
- Non-glare matte finish
- Patented, 10-shot metal detachable magazine, 8-shot for magnum
- Last-shot hold-open bolt for added safety
- Scope rail

MODEL 597™ FEATURES

- Bolt-guidance system features twin tool-steel guide rails
- Offered in both textured finish synthetic or laminated wood stocks
- Non-glare matte finish
- Patented, 10-shot metal detachable magazine, 8-shot for magnum
- Last-shot, hold-open bolt for added safety
- TruGlo® fiber-optic sights on camo models
- Scope rail included on Model 597™ TVP/SD

Model 597™ bolt travels on twin tool-steel guide rails for flawless functioning

Unique attachment system rigidly joins barrel to receiver for perfect alignment and enhanced accuracy



Sear and hammer are Teflon®/ nickel-plated for crisp, smooth trigger pull

Patented drop-out style staggered-stack box magazine assures reliable feeding and fast, easy reloading

Last-shot hold-open for positive identification of empty chamber



MODEL 597™ HB

Available in: 22 LR (Order No. 80877)



MODEL 597™ HB A-TACS CAMO

Available in: 22 LR (Order No. 80912)



MODEL 597™ AAC®-SD™

(AAC® silencer not included)
Available in: 22 LR (Order No. 80910)



MODEL 597™ FLX

Available in: 22 LR (Order No. 80864)



MODEL 597™ BLAZE ORANGE CAMO

Available in: 22 LR (Order No. 80853)



MODEL 597™ PINK CAMO

Available in: 22 LR (Order No. 80854)

MORE MODELS AVAILABLE. Visit www.remington.com or see page 156 for additional listings.

MODEL 552™/572™



CLASSIC DESIGNS THAT CONTINUE TO LEAD THE WAY. For those who still love the look and feel of a classic rimfire rifle, our **Model 572™ BDL Fieldmaster®** and **Model 552 BDL Speedmaster®** may be the finest available today. Their tack-driving accuracy and quick follow-ups have made them a customer favorite. So much so, the Model 572 BDL Fieldmaster has been an American standard since its introduction in 1955, and the Model 552 BDL Speedmaster a mainstay since it hit the scene in 1957. They combine richly blued carbon steel barrels with generously checkered high-gloss American walnut stocks and fore-ends. Both feature big-game sights, a positive cross-bolt safety and a grooved receiver for scope mounting. The Model 572 BDL Fieldmaster is the most popular pump-action 22 rimfire made in America today, and handles 22 short, 22 long and 22 long rifle cartridges interchangeably. Our Model 552 BDL Speedmaster is the only American-made 22 autoloader that handles 22 short, long and long rifles interchangeably.



SPORTSMAN® UNIVERSAL KIT
Keep your .22 caliber to 12-gauge firearms performing to peak capacity. 27 piece-kit includes 50 patches, 3-piece brass rod, and brass and nylon brushes for actions, bolts, cylinders and semi-auto slides. ***See page 126.***



MODEL 552™ BDL SPEEDMASTER®

MODEL 552™/572™ FEATURES

- Model 552™ Speedmaster® features an autoloading action for serious plinking
- Model 572™ Fieldmaster® features a smooth classic slide action
- Chambers 22 short, 22 long and 22 long rifle cartridges
- High-gloss American walnut stock and fore-end with cut checkering
- Tubular magazine fed
- Richly blued carbon-steel receiver and barrel
- Adjustable iron sights for open sight plinking
- Receiver grooved for scope mounts for precision shooting with optics



MODEL 552™ BDL SPEEDMASTER®

Shoots: 22 Short, 22 Long , 22 LR (Order No. 25594)



MODEL 572™ BDL FIELDMASTER®

Shoots: 22 Short, 22 Long , 22 LR (Order No. 25624)

MORE MODELS AVAILABLE. Visit www.remington.com or see page 156 for additional listings.



COMPLETE YOUR SHOOTING EXPERIENCE.

For years of optimal performance, pair your Model 552 BDL Speedmaster or Model 572 BDL Fieldmaster with our full range of .22 Short and .22 Long Rifle cartridges. One of the most complete lineups in the industry, all our rimfire ammo is made to the highest standards of quality, delivering reliability, accuracy and consistency with every shot. ***See page 116.***







HANDCRAFTED ONE AT A TIME. MADE TO LAST A LIFETIME.

When your passion for the finest equipment is surpassed only by your love of the sport, you owe yourself a visit to the Remington Custom Shop. With old-world-style craftsmanship, and an expertly trained eye for detail, our select group of artisans will individually produce any long arm to meet and exceed your every expectation. Using the world's most advanced gunmaking equipment, our highly skilled team is able to engrave, accurize and hone components on any rifle or shotgun. When all is said and done, you'll be the proud owner of a firearm that performs reliably for a lifetime, reaching a standard simply described as perfection.

PERFORMANCE

ACCURATE.
Made to exacting tolerances to deliver pinpoint precision.

RELIABLE.
Crafted with extreme care to perform for generations.

COMFORT.
Finely tuned to fit the individual shooter.

TOUGH.
Built to weather any environment or condition.



MODEL 700™ CUSTOM SENDERO®

HUNTER SERIES. We've taken the legendary Model 700™ to a level that can only be met through personal attention by industry-leading gunsmiths. The barrel is matted to blueprinted actions to meet our guaranteed accuracy standards, while the synthetic stock provides precise support for impeccable shot-to-shot consistency. And its Model 40-X™ trigger is set at 3 lbs. for peerless shot crispness and control.



MODEL 700™
AWR II



MODEL 700™
NORTH AMERICAN



MODEL 700™
NORTH AMERICAN STAINLESS

IF YOU DREAM IT, WE CAN BUILD IT. A Remington® Custom Shop firearm is anything you want it to be. From standard coverage to full customization, our in-house master engraver works with you every step of the way. Engineered performance and artistry perfectly blend to exhibit gunmaking in its highest form.







MODEL 40-XB™ KS



MODEL 40-XB™
RANGEMASTER® THUMBHOLE



MODEL 40-XB™
RANGEMASTER®



MODEL 40-XB™
TACTICAL

MODEL 40-X™ SERIES. Built with our world-famous Model 40-X™ action, these rifles shoot groups that you can cover with a dime. The blueprinted action is squared to the barrel, with the barreled action hand-fitted and epoxy-bedded into the stock. The Adjustable 40-X™ trigger gives you a 1 ½ to 3 ½ lb. range, with a special 2-oz. trigger available on benchrest models. Also available in a Tactical model, featuring a 27 ¼" stainless steel barrel and chambered for .308 Win.



MODEL 547™
CUSTOM "C" GRADE




MODEL 547™
CUSTOM TARGET



MODEL 547™
CUSTOM CLASSIC

RIMFIRE SERIES. Guaranteed to deliver 5-shot ½" groups or better at 50 yards, the Model 547™ Custom is truly the rifle of a lifetime and untold thousands of rounds. At the heart of its astounding accuracy is a button-rifled Shilen barrel. This hand-lapped barrel features a precision-cut chamber and is finished with a concave dish or target crown to protect the rifling. Each also comes tuned to a crisp 3 lb. trigger pull.

THE REMINGTON ARMS CO.
IS PROUD TO CONTINUE THE LEGACY OF
THE PARKER GUN



For nearly a century and a half, the Parker® Gun has been a fixture in the landscape of American firearms. Today, the legacy continues. The AAHE 28 Gauge is built to your specifications using the original Charles Parker Co. blueprints and drawings. We're proud to say the very few of these shotguns that will be offered are available exclusively from the Remington Arms Co. Visit our website at www.parkergunmakers.com or e-mail us at parker@remington.com.

MODEL 1911 R1™







MODEL 1911 R1™ STAINLESS

Available in: 45 ACP (Order No. 96324)

AMERICA'S FAVORITE PISTOL DESIGN, BUILT BY AMERICA'S MOST TRUSTED GUNMAKER. For more than 100 years it has served justice, protected families and defended freedom. Now it's once again a Remington. The finest blend of exacting craftsmanship and out-of-box performance available today, the **Model 1911 R1™** is a sweet-shooting advancement of America's most reliable, accurate and enduring handgun. Produced to ultra-tight tolerances using state-of-the-art technology, it features a crisp trigger, dovetailed rear and front sights, precision-machined slide and frame, and is available with fine-checkered American walnut grips. This year it's joined by the **Model 1911 R1 Carry**, featuring a de-horned steel frame and slide for easy concealment and lightning-fast draws. Manufactured with pride and precision in Ilion, New York, the only thing more American than a Model 1911 is one made by America's oldest and most trusted gunmaker. Remington.



19 VERTICAL SERRATIONS



FLARED AND LOWERED EJECTION PORT



SKELETONIZED MACHINED ALUMINUM TRIGGER



AMBIDEXTROUS THUMB SAFETY

MODEL 1911 R1™ FEATURES

- Match-grade stainless steel 5" barrel and bushing
- Stainless steel or satin black oxide finish
- Two-Dot dovetailed rear sight with single dot dovetailed front sight
- Checkered double diamond walnut grips
- Flat mainspring housing
- Beveled magazine well
- Solid aluminum trigger with 3½-5lb. pull
- 7+1 round capacity (Includes two 7-round magazines)
- G.I. thumb safety, grip safety and magazine release



MODEL 1911 R1™

Available in: 45 ACP (Order No. 96323)



All Model 1911 R1 handguns come in a carrying case.



MODEL 1911 R1™ CARRY

Available in: 45 ACP (Order No. 96332)

NEW

MODEL 1911 R1™ CARRY FEATURES

- Match-grade stainless steel 5" barrel and bushing
- De-horned carbon steel frame and slide
- Satin black oxide finish
- Beavertail grip safety with checkered memory bump (25 LPI)
- Checkered front strap and mainspring housing (25 LPI)
- Ambidextrous safety
- Novak® sights with Tritium front sight
- Enhanced safety
- Flared and lowered ejection port
- Cocobolo grips
- Aluminum trigger with 3½-5lb. pull
- One 7-round and one 8-round magazine

MORE MODELS AVAILABLE. Visit www.remington.com or see page 156 for additional listings.

MODEL 1911 R1™ ENHANCED





MODEL 1911 R1™ ENHANCED

Available in: 45 ACP (Order No. 96328)

AN AMERICAN LEGEND IN TOP FORM. True to our reputation as America's greatest gunmaker, we took our rock-solid, workhorse Model 1911 R1™ and added features to maximize your shooting experience. The result is the **Model 1911 R1 Enhanced**, a handsome addition to your collection and a dominant force in competition. For sure handling, the flat mainspring housing and beavertail grip safety are checkered 20 LPI. For flawless, reliable shooting, it easily digests any type of handgun ammo, including .45 ACP. And for the tightest group of features you could ask for, it offers a robust fiber optic front sight, extended performance trigger, double 2-dot rear sight and two 8-round magazines. New for 2013, the **Model 1911 R1 Enhanced Stainless** is a straight shooter and a jaw-dropper, with a stainless steel frame and slide, and satin stainless finish. Also new this year, the **Model 1911 R1 Enhanced Threaded Barrel** is adapted to easily accept silencers.



ENHANCED HARDWOOD GRIPS



THREADED BARREL (Thread protector included)



FIBER OPTIC FRONT SIGHT



EXTENDED PERFORMANCE TRIGGER

MODEL 1911 R1™ ENHANCED FEATURES

- Match-grade stainless steel 5" barrel and bushing
- Satin black oxide or stainless steel finish
- Two-Dot adjustable dovetailed rear sight with fiber optic front sight
- Beavertail grip safety with checkered memory bump (20 LPI)
- Flat checkered mainspring housing (20 LPI)
- Beveled magazine well
- Solid aluminum trigger with 3½-5lb. pull
- 8+1 round capacity (includes two 8-round magazine with bumper pads)
- Enhanced hammer, hardwood grips and wide thumb safety
- Extended performance trigger
- Flared and lowered ejection port
- Front grip serrations



MODEL 1911 R1™ ENHANCED THREADED BARREL

NEW

Available in: 45 ACP (Order No. 96339)

MODEL 1911 R1™ ENHANCED THREADED BARREL FEATURES

- High-profile 3-dot sights
- Blackened aluminum trigger
- Black oxide finish only



MODEL 1911 R1™ ENHANCED STAINLESS

NEW

Available in: 45 ACP (Order No. 96329)

REMINGTON® UMC® AMMUNITION. American-made in Lonoke, Arkansas, all UMC ammo uses high-quality brass and Kleanbore® primers to provide best value for shooters. ***See page 114.***

MORE MODELS AVAILABLE. Visit www.remington.com or see page 156 for additional listings.

VERSA MAX®





ANY LOAD. ANYWHERE. EVERY TIME.

VERSA MAX® shatters convention and all previous benchmarks for reliability with an action unlike any that have come before it. Proven in the field and in extreme tests of endurance with thousands of test rounds, it cycles 12-gauge loads with ultimate consistency, softer recoil and less maintenance than you've ever experienced.

The new standard for reliability in autoloading shotguns.



VERSAPORT®

An advanced patent-pending gas operating system unlike any in the world.

SELF-REGULATES GAS PRESSURE BASED ON THE LENGTH OF THE SHELL

RELIABLY CYCLES 12 GAUGE LOADS – FROM LIGHT 2 ¾" TARGET LOADS TO THE HEAVIEST 3 ½" MAGNUMS



SELF-CLEANING

Tested and proven with thousands of rounds in an extreme torture test.

With its self-cleaning design, VERSA MAX® ripped through thousands of rounds without cleaning. That's an astounding testament to its reliability.





VERSA MAX® WATERFOWL

Available in 12 gauge (3 ½")
Order No. 81048 (28")

VERSA MAX® FEATURES

- Most versatile, reliable shotgun on the planet
- Groundbreaking VersaPort® operating system, featuring multi-port gas system, self-cleaning pistons and rotating bolt-head
- Flawlessly cycles 12-gauge rounds, from 2 ¾" to 3 ½" magnum
- Nickel-plated barrel and nickel-Teflon® plated internal components for extreme corrosion resistance
- Enlarged trigger guard opening and larger safety
- Features HiViz® interchangeable sights, Length-of-pull kit and fully adjustable stock
- Black synthetic models include 5 flush Remington Pro Bore® choke tubes (IC. Lt. Mod, Mod, Imp Mod, Full)
- Camo models include 4 Extended Pro Bore choke tubes (IC, Mod, Full, Extra Full)
- Tactical model 81059 includes 2 extended Pro Bore choke tubes (Tactical CYL and IC) as well as 2 comb inserts (straight and extra high)



A hard-sided gun case comes standard with every VERSA MAX.® *(Excluding tactical model).*



SuperCell™ RECOIL PAD

VERSA MAX® BLACK SYNTHETIC

Available in 12 gauge (3 ½")
Order No. 81042 (28"), 81043 (26")



SuperCell™ RECOIL PAD
REALTREE® AP

VERSA MAX® CAMO

Available in 12 gauge (3 ½")
Order No. 81054 (26")



SuperCell™ RECOIL PAD

VERSA MAX® TACTICAL

Available in 12 gauge (3 ½")
Order No. 81059 (22") 8+1 Capacity



SuperCell™ RECOIL PAD
NEW

VERSA MAX® ZOMBIE GARGOYLE GREEN

Available in 12 gauge (3 ½")
Order No. 81025 (22")



SuperCell™ RECOIL PAD
NEW

VERSA MAX® ZOMBIE PINK EXPLOSION

Available in 12 gauge (3 ½")
Order No. 81026 (22")

MORE MODELS AVAILABLE. Visit www.remington.com or see page 149 for additional listings.

MAXIMUM VERSATILITY


Light target loads to the heaviest magnums. VERSA MAX® delivers reliable cycling no matter the load, no matter the game.



REDUCED RECOIL

The softest-shooting semi-auto available.

Remington® VERSA MAX® reduces recoil of a 12 gauge magnum to that of a 20 gauge.







VERSA MAX®
SPORTSMAN®



THE NEW AMERICAN WORKHORSE.

ANY LOAD YOU FEED IT, ANYWHERE YOU NEED IT, EVERY TIME YOU PULL THE TRIGGER. Remington engineers changed the world of autoloader design forever when they created the Versa Max, and they've done it again with the Versa Max® Sportsman.® A hard-working, do-all streamlined version of our breakthrough Versa Max, and driven by the same relentless heart. VersaPort.® Our self-regulating gas system that cycles all 12-gauge loads – from light 2 ¾" to the heaviest 3 ½" magnums – with unrivaled dependability. Run one round through VersaPort, and you'll ditch your inertia-driven auto for good. Along with an unstoppable, self-cleaning design, it reduces the felt recoil of a 12-gauge load to that of a 20-gauge pump gun. Meaning, faster, smoother follow-ups, more comfort and simply better shooting. Here to take the woods, fields and flyways by force, the Sportsman will be on the hunt in five configurations for 2013. All wear rugged synthetic stocks and forends, and our ultra-effective SuperCell™ recoil pad. For nearly any application, we offer the all-black Versa Max Sportsman with a 26" or 28" barrel. With full camo coverage, we're offering Versa Max Sportsman in Mossy Oak® Duck Blind, Mossy Oak Shadow Grass Blades and Realtree® AP™ HD. The Versa Max Sportsman Turkey is decked in Mossy Oak Obsession™ camo and sports a highly maneuverable 22" barrel. Any load. Anywhere. Every time. For every application.



VERSA MAX® SPORTSMAN® MOSSY OAK® OBSESSION
Available in 12 gauge (3 ½")
Order No. 81028 (22")



VERSA MAX® SPORTSMAN® REALTREE® AP™ HD
Available in 12 gauge (3 ½")
Order No. 81027 (26")



NEW

VERSA MAX® SPORTSMAN® BLACK SYNTHETIC

Available in 12 gauge (3 ½")
Order No. 81045 (28"), Order No. 81046 (26")

VERSA MAX® SPORTSMAN FEATURES

- Groundbreaking VersaPort® operating system, featuring multi-port gas system, self-cleaning pistons and rotating bolt-head
- Synthetic stock with textured grip panels
- Black oxide barrel and anodized receiver
- Ivory front bead, steel mid bead. RS bead on Turkey model
- SuperCell™ recoil pad for up to 54% less recoil
- Includes one modified pro bore choke tube and one TXF on Turkey model
- Stepped tapered, undercut vent rib



SuperCell™ RECOIL PAD

MOSSY OAK DUCK BLIND

NEW

VERSA MAX® SPORTSMAN® MOSSY OAK® DUCK BLIND

Available in 12 gauge (3 ½")
Order No. 81049 (28")



SuperCell™ RECOIL PAD

MOSSY OAK SHADOW GRASS BLADES

NEW

VERSA MAX® SPORTSMAN® MOSSY OAK® SHADOW GRASS BLADES

Available in 12 gauge (3 ½")
Order No. 81056 (28")

MORE MODELS AVAILABLE. Visit www.remington.com or see page 149 for additional listings.



Ivory front bead

ProBore® barrel



Textured grip panels







MODEL 11-87™



A SPORTSMAN FOR ALL SEASONS. No matter the season, the Model 11-87™ Sportsman® family answers the call. Built to our legendary standards for autoloader performance, each features the unrivaled speed, reliability and smooth operation that have made this platform a standout for more than two decades. Truly as timeless and versatile as the American sportsman, the **Model 11-87 Sportsman® Field** offers classic looks that are complimented with an all-around versatility for clays, field and upland hunting. It comes with a handsome, satin-finish walnut stock and fore-end with cut fleur-di-lis checkering, and is available in 12- and 20-gauge versions, with 2 ¾" and 3" capability. Enhanced with a camo-clad ShurShot® stock for ambidextrous comfort and precision, the **Model 11-87 Sportsman Fully Rifled Cantilever ShurShot Deer** proves this family is just as deadly to bucks as to birds. And because we're constantly striving to serve shooters of all stripes, the **Model 11-87 Sportsman** is also available in black synthetic or decked in full Mossy Oak® Break Up® camo.



NITRO PHEASANT LOADS
One of the most potent pheasant loads on the market. Uses our Copper-Lokt shot for deep penetration and consistent patterns. ***See page 102.***

MORE MODELS AVAILABLE. Visit www.remington.com or see page 149 for additional listings.



MODEL 11-87™ SPORTSMAN FIELD FEATURES

- Walnut stock and fore-end with satin finish and fleur-de-lis checkering
- 12 gauge with 28" barrel (Mod Choke included) 20 gauge with 26" barrel (Mod Choke included)
- Dual-bead sights
- Nickel-plated bolt and gold trigger



Fleur-de-lis checkering compliments the satin-finished walnut stock and fore-end to create classic appeal.

MODEL 11-87™ SPORTSMAN® FIELD

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 83700 (12/28"), 83704 (20/26")



MODEL 11-87™ SPORTSMAN® CAMO

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 29895 (12/28"), 29917 (20/26")
(Compact model also available, see page 79)



MODEL 11-87™ SPORTSMAN® BLACK SYNTHETIC

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 29879 (12/28"), 29881 (12/26"), 29825 (20/28"), 29827 (20/26")
(Compact model also available, see page 79)




MODEL 11-87™ SPORTSMAN® FULLY RIFLED CANTILEVER SHURSHOT® DEER

Available in: 12 gauge (2 ¾" and 3")
Order No. 83602 (21")



MODEL 1100™





THE ULTIMATE COMPETITIVE ADVANTAGE, 50 YEARS RUNNING. After 50 years the Model 1100 has cemented its name as the most famous autoloading shotgun of all time. Favored for its exceptionally soft recoil and sleek pointing characteristics, it has etched a permanent place both in competition and the upland fields. We're honoring its remarkable history with the **Model 1100™ 50th Anniversary Limited Edition.** Featuring a machine-cut engraved receiver with a commemorative 1963 serial number prefix, and B-Grade walnut stock with white diamond grip cap, this handsome piece makes a fine addition to any firearms lovers' collection. Our **Model 1100™ Competition Synthetic** features an action optimized for 2 ¾" target and light field loads, plus a nickel-Teflon® finish on the receiver and all internal parts for the smoothest, most reliable cycling possible. The **Model 1100™ Sporting Series** is available in 12, 20, 28 and 410 options with semi-fancy American walnut woodwork, vent-rib Rem Choke barrels and 4 Briley extended choke tubes. And of course, the **Model 1100™ Classic Trap** remains one of the most dominant competitors ever.



MODEL 1100™ COMPETITION
Available in: 12 gauge (2 ¾")
Order No. 82821 (30")





THE PROFESSIONALS' CHOICE. Remington tactical shotguns are the No. 1 choice of law-enforcement agencies across the country. Built on our time-tested and extremely reliable Model 1100 action, the **Model 1100 Tactical-4** delivers semi-auto speed and soft recoil in a quick-handling package that's perfect for tight quarters. Thanks to its 4-shot magazine extension, it packs an 8+1 capacity for added assurance. The barrel is a handy 22" and comes equipped with a single bead sight and is compatible with Rem Chokes. For other sighting and scope options, the receiver is drilled and tapped. Stock and fore-end are crafted of rugged black synthetic. Chambered for 2 ¾" and 3" 12-gauge rounds. The **Model 1100 Tactical-2** has all the same great features with a 2-shot magazine extension that provides a 6+1 capacity.



MODEL 1100™ 50TH ANNIVERSARY LIMITED EDITION

NEW

Available in: 12 gauge (2 ¾" and 3"),
Order No. 82908 (12/28")



MODEL 1100™ 50TH ANNIVERSARY FEATURES

- Machine-cut engraved receiver with gold fill. Based on the two-millionth Model 1100 on display at Remington's Ilion, NY museum
- Commemorative 1963 serial number prefix
- B-Grade walnut stock with white diamond grip cap and white line spacer
- 28" Vent Rib Barrel with Rem Choke tube
- Shipped in green Remington hard case



Receiver features handsome design based on original engraving by master engraver Leo W. Bala.

OTHERS MAKE AUTOMATIC SHOTGUNS. BUT THE REMINGTON MODEL 1100™ IS MADE FOR KEEPS. What was true in 1967 on the Model 1100's 4th anniversary is just as much so today. Its incredible 50-year reign is all thanks to the generations of sportsmen who've chosen it over all others. To those who've made the Model 1100 America's most popular autoloader, thank you. It remains our honor to serve you.



MODEL 1100™ SPORTING SERIES

Available in: 12, 20 and 28 gauge (2 ¾") and 410 bore (3")
Order No. 25315 (12/28"), 25399 (20/28"), 29583 (28/27"), 29549 (.410/27")



MODEL 1100™ CLASSIC TRAP

Available in: 12 gauge (2 ¾")
Order No. 25333 (30")



MODEL 1100™ TACTICAL-4

Available in: 12 gauge (2 ¾" and 3")
Order No. 82801 (22")

MODEL 1100™ TACTICAL FEATURES

- Our Model 1100 gas-operated semi-automatic action is proven dependable and softens felt recoil
- Rugged black synthetic stock and fore-end
- Chambered for 2 ¾" and 3" 12-gauge rounds
- Receiver and 22" barrel feature a tough black matte finish
- Available with 4-shot (8+1 capacity) or 2-shot (6+1 capacity) magazine extension
- Receiver drilled and tapped for scope mounts



MODEL 1100™ TACTICAL-2

Available in: 12 gauge (2 ¾" and 3")
Order No. 82800 (18")

MORE MODELS AVAILABLE. Visit www.remington.com or see pages 149-151 for additional listings.

MODEL 887™ NITRO MAG®



BUILT WITH ARMOR SKIN AND BONES OF STEEL. The most durable shotgun on the planet. Born of the gunmaking expertise that brought you the best-selling, most trusted shotgun of all time, the Model 870,™ the **Model 887™ Nitro Mag®** is an armor-clad warrior designed to carry the torch of our great pump-gun legacy through the most extreme conditions on earth. Our softest-shooting pump-gun ever, it has superior balance and natural pointing characteristics.

Our exclusive ArmorLokt® process seals the receiver and barrel in a vault of weather-impervious synthetic armor that's both completely rustproof and tough as nails. The barrel is hammer forged to last a lifetime. Twin steel action bars ensure smooth, positive chambering and ejection. And the sleek receiver design, awesome balance and natural pointing characteristics spell trouble for any bird within reach of its 12-gauge 3 ½" Super Magnum capability. The synthetic stock and fore-end are ergonomically contoured to offer a positive grip and comfortable handling. Swivel studs are built-in.

The **Model 887™ Nitro Mag® Waterfowl** is fully concealed with Realtree® Max-4 camo. The **Model 887™ Nitro Mag® Tactical** has an 18 ½" barrel with solid rib and HiViz® front sight, and includes a ported, extended tactical Rem Choke.



ARMORLOKT® TECHNOLOGY

ARMORLOKT® COATING. The barrel and receiver are locked in a vault of nail-tough polymer armor that's impenetrable to moisture and will never rust. This over-molded construction not only minimizes maintenance, it withstands abrasion and punishment like no other. Consider it full-coverage insurance for anything the season throws at you.

HYPERSONIC STEEL®
The world's fastest, hardest-hitting steel shortens lead by 11% to put more pellets in the head and neck, and help kill more birds with fewer shots. ***See page 98.***





MODEL 887™ NITRO MAG®

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 82501 (12/26"), 82500 (12/28")

MODEL 887™ NITRO MAG® FEATURES

- Action design based on the venerable Model 870™ – ultra-smooth and reliable
- Rugged ArmorLokt® coating prevents rust on all exterior surfaces
- SuperCell™ recoil pad reduces the felt recoil up to 54%
- Handles 12 gauge 2 ¾", 3" and 3 ½" loads interchangeably
- Rugged synthetic stock and fore-end with specially contoured grip panels
- ArmorLokt® barrel with solid rib and HiViz® front sight with interchangeable fiber optics
- Sling swivel studs built in



MODEL 887™ NITRO MAG® WATERFOWL CAMO

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 82502 (28")



MODEL 887™ NITRO MAG® TACTICAL

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 82540 (18 ½")

MORE MODELS AVAILABLE. Visit www.remington.com or see page 150 for additional listings.





MODEL 870™ EXPRESS®



AMERICA'S FAVORITE PUMP SHOTGUN, WITH A MODEL FOR EVERY HUNTER IN AMERICA. Its solid, dependable action makes it America's most popular, and our continual upgrades have made it the most advanced and well-rounded family of pump shotguns in the industry. Beneath the no-nonsense, ready-for-work exterior of the Model 870™ Express® lies the same quality, precision and dependability you'll find in our legendary Model 870 Wingmaster,® and we're proud to offer it in a wide range of configurations to fit virtually every pursuit: Tactical, Turkey, Deer and Waterfowl, to name just a few. Choose from your choice of laminated wood, black and camo synthetic stocks and fore-ends, with the additional option of our ShurShot® pistol-grip stock that offers the best in ambidextrous utility and quick handling. We have combos that give you the versatility of a vent-rib barrel, plus a fully rifled barrel with rifle sights for deer season. For whatever you do, the Model 870 Express family has a member that can help you do it better.



MODEL 870™ EXPRESS® COMBO

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 25578 (12/20" & 26"), 25597 (20/20" & 26")



MODEL 870™ EXPRESS® SUPER MAGNUM COMBO

Available in: 12 gauge (3 ½")
Order No. 25114 (12/20" & 26")



MODEL 870™ EXPRESS® CANTILEVER COMBO

Available in: 12 gauge (3")
Order No. 81280 (12/23" & 28")



MODEL 870™ EXPRESS® SUPER MAGNUM TURKEY/WATERFOWL

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 81125 (12/26") Mossy Oak® Bottomland,
81111 (12/28") Mossy Oak® Duck Blind

MODEL 870™ EXPRESS® SUPER MAGNUM TURKEY/ WATERFOWL FEATURES

- 12 gauge, HiViz® vent-rib sight with replaceable fiber optics
- 26" barrel with extended Turkey and Waterfowl chokes
- Mossy Oak® Bottomland™ full camo
- Shoots 2 ¾", 3" and 3 ½" shells
- SuperCell™ recoil pad
- Drilled and tapped receiver

Remington is proud to support Ducks Unlimited, the world leader in wetlands conservation. To learn more, visit ducks.org.

DUCKS UNLIMITED



From a solid steel block to roller-bearing smooth, every Model 870™ receiver is machined from a single block of solid steel for unmatched strength. This is just one of the many reasons it's the most proven, popular and reliable shotgun action in the world.



MODEL 870™ EXPRESS® SUPER MAGNUM

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 25102 (12/26") Black, 25103 (12/28") Black, 25100 (12/28") Wood



MODEL 870™ EXPRESS®

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 25569 (12/26"), 25568 (12/28"), 25582 (20/26"), 25583 (20/28")
25577 (12/28") Left-Hand



MODEL 870™ EXPRESS® BLACK SYNTHETIC

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 25589 (12/26"), 25587 (12/28")



MODEL 870™ EXPRESS® TURKEY CAMO

Available in: 12 gauge (2 ¾" and 3")
Order No. 81115 (21")



MODEL 870™ EXPRESS® SHURSHOT® SYNTHETIC TURKEY

Available in: 12 gauge (2 ¾" and 3")
Order No. 81114 (21")



MODEL 870™ EXPRESS® FULLY RIFLED SHURSHOT® SLUG

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 81118 (12/23"), 81120 (20/18 ½")



MODEL 870™ EXPRESS® DEER

Available in: 12 and gauge (2 ¾" and 3")
Order No. 25575 (12/20"/Rifled), 25565 (12/20"/Imp Cyl)
Black model not shown. Order No. 25097 (12/28")




MODEL 870™ EXPRESS® FULLY RIFLED CANTILEVER

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 25090 (12/23"), 25183 (20/18 ½")

MORE MODELS AVAILABLE. Visit www.remington.com or see pages 150-151 for additional listings.

MODEL 870™



THE GREATEST OF ALL TIME, MORE THAN 10 MILLION STRONG. The Model 870™ is so smooth and reliable that, 60 years after its introduction, it remains the standard by which all pump shotguns are measured. And with its strength, durability, silky-smooth bind-free action and sleek, classic lines, it's no wonder it has become the best-selling shotgun of any type in history with more than 10 million made. Our Model 870 Wingmaster® is the smoothest pump-action shotgun on the market. The pump glides effortlessly on twin action bars for the utmost in positive chambering and ejection. For utmost strength, its receiver is machined from a solid steel billet. Its American walnut woodwork, plus richly blued and highly polished receiver and barrel, creates a look as timeless as its performance. Choose from a wide array of barrel and choke options.



TRUGLO

SuperCell™ RECOIL PAD

ShurShot® Stock

MOSSY OAK Obsession

NWTF PROUD PARTNER

FLAWLESS RELIABILITY FOR ANY SPECIAL PURPOSE YOU CHOOSE.

The Model 870™ Special Purpose family combines the most dependable slide-action of all time with advanced, specialized designs that will go the distance with deadly precision and reach farther with greater accuracy than was ever possible before. Our **Model 870 SPS Super Mag Turkey/Predator** is a package put together with devastating implications for birds and predators. Along with the handling ease of our ShurShot® pistol-grip stock, it features a highly maneuverable 20" barrel and a pre-mounted TruGlo® red/green selectable illuminated sight. It handles 2 ¾", 3" and 3 ½" rounds interchangeably. Similar to the turkey/predator model, we offer the **Model 870 SPS Super Mag** with fiber optic rifle sights, Realtree® APG camo and ShurShot stock. Our 12-gauge **Model 870 SPS ShurShot Synthetic Super Slug®** advances deer-leveling technology to slug technology's farthest reaches with an extra-heavy 1"-diameter barrel that's pinned to the receiver to control vibration for rifle-like accuracy. The 25 ½" barrel is fully rifled. And you'll love the added stability of the ShurShot pistol-grip stock. To fight corrosion on land and sea, the **Model 870™ SPS Marine Magnum®** has an electroless nickel plating covering all metal, including the inside of the barrel and receiver. It has an 18" cylinder barrel and a six-round magazine.



MODEL 870™ WINGMASTER®

Available in: 12 and 20 gauge (2 ¾" and 3"),
28 gauge (2 ¾"), and 410 bore (3")
Order No. 26927 (12/28"), 26929 (12/26"), 26947 (20/28"), 26949 (20/26"), 24983 (28/25"), 24991 (.410/25")

MODEL 870™ WINGMASTER® FEATURES

- The smoothest pump-action shotgun on the market
- Remarkable reliability and durability
- Superior balance, handling and looks
- Points, swings and functions better than any other in its class
- The highly polished and richly blued receiver is milled from a solid billet of steel for the ultimate in rugged dependability
- A wide array of barrel and choke options make versatility a Wingmaster® hallmark
- Twin-action bars for non-binding action



MODEL 870™ CLASSIC TRAP

Available in: 12 gauge (2 ¾")
Order No. 24857 (30")





MODEL 870™ SPS SUPER MAG TURKEY/PREDATOR W/SCOPE

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 81062 (20")

MODEL 870™ SPS SUPER MAG TURKEY/PREDATOR FEATURES

- 12 gauge, 2 ¾", 3" and 3 ½" chambered
- 20" barrel Turkey/Predator Extended Rem Choke included
- ShurShot® pistol-grip stock with black overmolded grip panels for sure grip
- TruGlo® 30mm Red/Green Dot Scope (Model TG8030DB)
- Full Mossy Oak® Obsession™ camo coverage
- Includes padded, quick-attach sling



MODEL 870™ SPS SUPER MAGNUM

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 81061 (23")



MODEL 870™ SPS SHURSHOT® FULLY RIFLED SUPER SLUG®

Available in: 12 gauge (2 ¾" and 3")
Order No. 82101 (25 ½")



MODEL 870™ SPS MARINE MAGNUM®

Available in: 12 gauge (2 ¾" and 3")
Order No. 25012 (18")

NITRO TURKEY®
Bird-hammering performance at an outstanding value.
See page 101.




MORE MODELS AVAILABLE. Visit www.remington.com or see pages 150-151 for additional listings.

TACTICAL



THE BEST DEFENSE FOR THE MOST DEMANDING SITUATIONS. No task is too demanding and no challenge is too intense with our rugged, ultra-dependable and ever-expanding selection of tactical shotguns. Our lineup keeps growing to serve the needs of law enforcement, the military, competitive shooters and people defending their homes and loved ones. This year's centerpiece is the Versa Max® Tactical. The pinnacle of autoloader reliability is now available customized with a picatinny rail, forward barrel-clamp side rails and an extended magazine. It's joined by our crew of powerhouse shotguns, each specifically tailored for tactical applications. When you're in the most demanding environments and every second counts, Remington's tactical shotguns give you the confidence and firepower to get the job done.





MODEL 870™ EXPRESS® TACTICAL MAGPUL®

Available in: 12 gauge (2 ¾" and 3")
Order No. 81209 (18 ½")
(8+1 capacity)



MODEL 870™ EXPRESS® TACTICAL BLACKHAWK!

Available in: 12 gauge (2 ¾" and 3")
Order No. 81404 (12/18 ½")



MODEL 870™ EXPRESS® TACTICAL WITH GHOST RING SIGHTS

Available in: 12 gauge (2 ¾" and 3")
Order No. 81198 (18 ½")



MODEL 870™ EXPRESS® TACTICAL A-TACS CAMO WITH GHOST RING SIGHTS

Available in: 12 gauge (2 ¾" and 3")
Order No. 81204 (18 ½")



VERSA MAX® TACTICAL

Available in 12 gauge (2 ¾" and 3")
Order No. 81059 (22") 8+1 Capacity

VERSA MAX® TACTICAL FEATURES

- Proven, reliable Versa Max platform
- 8+1 Capacity
- ProBore® choke system includes both IC and Tactical Extended Choke Tubes
- Oversized bolt release button and bolt release
- Oversized trigger guard for easy operation when wearing gloves
- Includes two comb inserts (straight and extra high)





Picatinny barrel clamps for accessories mounting



Model 1100 Tactical-2 model not shown.
Order No. 82800 (18")

MODEL 1100™ TACTICAL-4

Available in: 12 gauge (2 ¾" and 3")
Order No. 82801 (22")



MODEL 887™ NITRO MAG® TACTICAL

Available in: 12 gauge (2 ¾", 3" and 3 ½")
Order No. 82540 (18 ½")





Model 870 Tactical-2 with Knoxx Folding Stock not shown.
Order No. 81402 (18 ½")

MODEL 870™ EXPRESS® TACTICAL WITH KNOXX® SPEC OPS STOCK

Available in: 20 gauge (2 ¾" and 3")
Order No. 81180 (18 ½")
(8+1 capacity)



MODEL 870™ EXPRESS® TACTICAL

Available in: 12 gauge (2 ¾" and 3")
Order No. 25549 (12/18 ½")



MODEL 870™ EXPRESS® TACTICAL WITH 7-ROUND CAPACITY

Available in: 12 and 20 gauge (2 ¾" and 3")
Order No. 25077 (12/18 ½"), 81100 (20/18 ½")

MORE MODELS AVAILABLE. Visit www.remington.com or see pages 149-150 for additional listings.





COMPACT



THE INDUSTRY'S FINEST SELECTION OF COMPACT SHOTGUNS AND RIFLES.

Remington® is committed to the future of the hunting and shooting traditions. And because young shooters are more apt to continue the shooting sports if they start with a gun that fits properly, we crafted our standard, premium-grade stocks with a shorter length of pull, then fit them to some of our finest firearms. For the utmost in versatility, all synthetic compact firearms feature our Adjustable Length of Pull Kit. This kit grows with youngsters, and also helps shorter-statured adults tailor their firearm to meet their specific needs. The world's most effective recoil pad, SuperCell™ is standard equipment on all Compact firearms to ensure shooting comfort. All **Model 870™ Express® Compact** and **Model 11-87™ Compact** shotguns are equipped with 21" barrels, while the **Model 700™** and **Model 770™ Compact** rifles have 20" barrels.



ADJUSTABLE LENGTH OF PULL KIT INCLUDED WITH COMPACT FIREARMS

Our Adjustable Length of Pull Kit is included with all synthetic compact firearms. The kit offers a full 1" adjustment, so any compact model can be custom-fit to shooters of small stature and grow alongside youngsters – all the way up to the standard LOP. *See page 110 for the Adjustable Length of Pull Kit.*

KIT INCLUDES:

- Two ¼" LOP spacers
- One ½" LOP spacer
- Corresponding screw lengths to accommodate 3 different lengths
- Full 1" adjustment
- SuperCell recoil pad



MANAGED-RECOIL®

For recoil-sensitive shooters, half the recoil of standard-velocity rounds with a lethal punch out to 200 yards. ***See page 96.***



MODEL 870™ EXPRESS® COMPACT CAMO

Available in 20 gauge (2 ¾" and 3")
Order No. 81166 (21")

MODEL 870™ EXPRESS® COMPACT CAMO FEATURES

- 13" length of pull
- Offered in 20 gauge
- Adjustable length of pull system
- Features Rem Choke barrels
- Perfect length, weight and balance for smaller-stature shooters
- Model 870™ action is the reliability standard for pump shotguns around the world
- Realtree® Hardwoods® HD™ camo
- SuperCell™ recoil pad

MODEL 870™ EXPRESS® COMPACT JR. FEATURES

- Shorter 12" length of pull (1" shorter than compact model)
- Adjustable length of pull system
- Features Rem Choke barrels
- Perfect length, weight and balance for smaller-stature shooters
- Model 870™ action is the reliability standard for pump shotguns around the world

RIFLE FEATURES

- Legendary Remington® bolt-action accuracy
- 1-inch-shorter stock for smaller-stature shooters
- Ordnance-grade steel receivers
- Three rings of steel (bolt, barrel and receiver) surround the cartridge head for strongest lock-up
- Hammer-forged barrel with blued finish (Model 700™ only)
- Button-rifled barrel (Model 770™)
- Hinged floorplate or detachable magazines



ADJUSTABLE LOP SYSTEM
SuperCell™ RECOIL PAD
Shown installed

MODEL II-87™ SPORTSMAN® COMPACT SYNTHETIC

Available in: 20 gauge (2 ¾" and 3")
Order No. 83626 (21')
Camo model not shown. Order No. 83630 (21")



ADJUSTABLE LOP SYSTEM
SuperCell™ RECOIL PAD

MODEL 870™ EXPRESS® COMPACT JR.

Available in: 20 gauge (2 ¾" and 3")
Order No. 81161 (18 ¾")



MODEL 870™ EXPRESS® BLACK SYNTHETIC YOUTH COMBO

Available in: 20 gauge (2 ¾" and 3")
Order No. 25659 (20" & 21")



ADJUSTABLE LOP SYSTEM
SuperCell™ RECOIL PAD
MOSSY OAK

MODEL 870™ EXPRESS® COMPACT PINK CAMO

Available in: 20 gauge (2 ¾" and 3")
Order No. 81150 (21")
Black model not shown. Order No. 81148 (21")
Wood model not shown. Order No. 25561 (21")



ADJUSTABLE LOP SYSTEM
SuperCell™ RECOIL PAD
X-MARK PRO ADJUSTABLE

MODEL 700™ SPS COMPACT SYNTHETIC

Available in: 243 Win. (Order No. 84150), 7mm-08 Remington (Order No. 84151)
(Left-hand compact models also available, see page 50)



ADJUSTABLE LOP SYSTEM

MODEL 770™ COMPACT

(Scope, base and rings included)
Available in: 243 Win. (Order No. 85637)



TRUGLO
MOSSY OAK

MODEL 597™ PINK CAMO

Available in: 22 LR (Order No. 80854)

MORE MODELS AVAILABLE. Visit www.remington.com or see page 149-156 for additional listings.




THE ULTIMATE ENGINE OF PROGRESS IN THE INDUSTRY.

OUR UNRIVALED KNOWLEDGE OF BOTH FIREARMS AND AMMO MAKES THIS CLAIM UNDENIABLE.

We say exceptional firearms should be paired with the finest ammo. As the only name that excels in both, our full lineup is proven to deliver standout performance with every load. Period.

Now the brilliant minds behind **HyperSonic Steel®** and **Remington Premier®** unveil their latest breakthrough, **HyperSonic® Centerfire.** With hyper-charged velocity and unmatched performance, it is simply the deadliest big game cartridge ever devised. This year it proudly joins the most diverse, devastating ammo lineup going. And going.

82	CENTERFIRE
98	SHOTSHELL
110	HOME DEFENSE
112	HANDGUN
116	RIMFIRE










GAME-CHANGING VELOCITY
MEETS GAME-LEVELING BULLET DESIGN.

FINE-TUNED FOR ON-GAME DESTRUCTION

Remington tested countless bullet designs at these higher velocities to find the ultimate vehicle of ballistic wrath.



Simulated bone

Penetrates through bone and initiates wound channel

Bullet exits after inflicting massive tissue damage

Full pass-through with devastating trauma

SHOULDER BONES ARE MERE SPEED BUMPS.










OUR DEADLY FORMULA.

1 BONDED CORE DESIGN
carries boosted velocities and energies through heavy bone with absolute lethal command

2 PROPRIETARY PROPELLANT BLEND
delivers velocities up to 200 fps faster than standard loads

THE FLATTEST TRAJECTORIES





HYPERSONIC® CENTERFIRE			
CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
223 Remington	PRH223R4	62	Hypersonic® Centerfire
243 Win	PRH243WC	100	Hypersonic® Centerfire
270 Win	PRH270WB	140	Hypersonic® Centerfire
7mm Rem Mag	PRH7MMRC	160	Hypersonic® Centerfire
30-06 Springfield	PRH3006A	150	Hypersonic® Centerfire
30-06 Springfield	PRH3006C	180	Hypersonic® Centerfire
308 Win	PRH308WA	150	Hypersonic® Centerfire
308 Win	PRH308WC	180	Hypersonic® Centerfire
300 Win Mag	PRH300WC	180	Hypersonic® Centerfire

For more information on ballistics, see pages 158-161.

THE MOST LETHAL BIG-GAME AMMUNITION EVER DEVISED.

With hyper-charged velocities up to 200 fps faster than standard loads, HyperSonic® Centerfire delivers more than just laser-flat trajectories and higher downrange energies. It zips through hide, meat and bone with unrivaled devastation thanks to today's most advanced bonded bullet design, Core-Lokt® Ultra Bonded. Remington engineers started with a proprietary blend of propellants to achieve the boost in speed, then went to work to find the perfect lethal match, testing loads with every possible bullet design on ballistic gel, simulated bone, actual big-game carcasses and other mediums we can't reveal. When the smoke and the chunks cleared, the combination that dominated in terminal performance and accuracy is the one you see here. No other high-velocity load on the market can measure up, and you'll only get it from the R&D masterminds at Remington.

OPERATION HAMMER DOWN.





Four “cutting petals” expand to double the bullet’s original diameter for long, wide wound channels.

WAGE WAR ON FERAL SWINE WITH DEEPER PENETRATION AND RAPID ON-HOG EXPANSION.

NEW

For whacking and stacking swine, nothing delivers like our new Hog Hammer.™ It penetrates even the thickest-skinned pigs with a Barnes TSX® Bullet® at its heart. With all copper construction for 28% deeper penetration than standard lead-core bullets, it's the toughest expanding bullet on the market, offering near 100% weight-retention on-hog, while expanding rapidly to deliver devastating wound channels. Hog Hammer utilizes a flash-suppressed propellant for nighttime or low light hunts, and uses nickel-plated cases for reliable feeding in today's hog rifles. Available in seven calibers, including 450 Bushmaster. Hog Hammer. Full-boar annihilation only Remington can provide.

HOG HAMMER™

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
223 Remington	PHH223R4	62	Barnes TSX
300 BLK	PHH300AAAC1	110	Barnes TSX
30 Remington AR	PHH30AR1	125	Barnes TSX
30-30 Win	PHH30302	150	Barnes TSX
30-06 Springfield	PHH30061	168	Barnes TSX
308 Win	PHH308W2	168	Barnes TSX
450 Bushmaster	PHH450B1	275	Barnes TSX

For more information on ballistics, see pages 158-161.




SHOCK UP FRONT. AWE IN THE BACK.

A-FRAME® CONSTRUCTION AND BONDING PROCESS

Produces controlled expansion and 2x caliber diameter with nearly 95% weight retention.



400 yards 300 yards 200 yards 100 yards



1 THICK TAPERED JACKET
Controls mushrooming for totally dependable on-game results

2 LEAD CORE
Is bonded to pure copper jacket

3 A-FRAME CROSSMEMBER
Stops expansion at optimum diameter of 2x caliber

4 PROTECTED REAR
Drives forward for deep penetration on tough game

PREMIER® A-FRAME®



THE MOST RELIABLE BONDED DUAL-CORE BULLET ON THE PLANET.

Premier® A-Frame® bullets by Swift™ provide totally reliable performance for the world's toughest big game. A-Frame will mushroom to a devastating 2x caliber diameter with nearly 95 percent weight retention. Suitable for all big or dangerous game – the best choice from Alaska to Africa and everywhere in between.

PREMIER® A-FRAME®			
CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
270 Win	RS270WA	140	A-Frame PSP
7mm Remington Mag	RSTMMA	160	A-Frame PSP
7mm Remington Ultra Mag	PR7UM5	175	A-Frame PSP
30-06 Springfield	RS3006A	180	A-Frame PSP
300 Win Mag	RS300WMB	180	A-Frame PSP
300 Win Mag	RS300WA	200	A-Frame PSP
8mm Remington Mag	RS8MMRA	200	A-Frame PSP
300 Remington Ultra Mag	RS300UM2	200	A-Frame PSP
300 Remington Ultra Mag	RS300VM1	180	A-Frame PSP
338 Win Mag	RS338WA	225	A-Frame PSP
338 Remington Ultra Mag	PR338UM1	250	A-Frame PSP
375 H&H Mag	RS375MA	300	A-Frame PSP
375 Remington Ultra Mag	PR375UM3	300	A-Frame PSP
416 Remington Mag	RS416RA	400	A-Frame PSP

For more information on ballistics, see pages 158-161.



A TIPPED BULLET THAT POWERS THROUGH.



5 SHOTS, .8", 100 YDS.
30-06, 180-gr. Premier® Scirocco® Bonded



400 yards | 300 yards | 200 yards | 100 yards

PREMIER® SCIROCCO® BONDED BULLETS
Expands reliably over a wide range of terminal velocities

1. **PRECISION-SHAPED POLYMER TIP**
   Initiates expansion
2. **JACKET AND CORE LOCKED TOGETHER**
   With proven Swift bonding technology
3. **SLEEK PROFILE**
   For optimum ballistic coefficient
4. **BOAT TAIL BASE DESIGN**
   For improved downrange performance



PREMIER® SCIROCCO® BONDED



THE TOUGHEST POLYMER-TIPPED BULLET PERIOD.

The remarkable Premier® Scirocco® Bonded bullet by Swift™ maintains its status as the industry leader in bonded tipped bullets by delivering the highest ballistic coefficient of any bullet of its kind for the flattest trajectory and maximum retained energy. Combine that with unsurpassed accuracy and superior weight retention, Premier® Scirocco is unquestionably the most effective bonded, tipped bullet to sit atop a factory load. When the ultimate accuracy and performance is needed, turn to Scirocco.



ONE SERIOUSLY LETHAL HUNTING TIP.



50 YARDS


The AccuTip bullet expands rapidly to dispatch medium game like lightning, while utilizing a strong jacket and hard lead core for deep penetration.

1 TIP INITIATES EXPANSION
For maximum energy transfer

2 JACKET THICKNESS
Tuned for controlled expansion on medium-sized game

3 SLEEK PROFILE
For optimum ballistic coefficient

4 FLAT TRAJECTORY
And outstanding accuracy



PREMIER® ACCUTIP™



PRECISELY THE BIG-GAME BULLET OF YOUR DREAMS.

It's the most accurate polymer-tipped big-game bullet available today. Along with match-grade precision, AccuTip™ delivers an unprecedented combination of laser-flat trajectory and devastating terminal performance. AccuTip bullets expand quickly – producing an awesome level of transferred energy – to dispatch medium and big game with lightning authority. A thicker jacket and harder lead core regulate weight retention and optimize penetration. Make the switch and, trust us, big game won't know what hit 'em!

PREMIER® SCIROCCO® BONDED

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
243 Win	PRSC243WA	90	Scirocco Bonded
270 Win	PRSC270WA	130	Scirocco Bonded
7mm Remington Mag	PRSC7MMB	150	Scirocco Bonded
7mm Remington Ultra Mag	PRSC7UM1	150	Scirocco Bonded
30-06 Springfield	PRSC3006C	150	Scirocco Bonded
30-06 Springfield	PRSC3006B	180	Scirocco Bonded
300 Win Mag	PRSC300WB	180	Scirocco Bonded
300 WSM	PRSC300WSMB	180	Scirocco Bonded
308 Win	PRSC308WB	165	Scirocco Bonded
300 Remington Ultra Mag	PR300UM5	150	Scirocco Bonded
300 Remington Ultra Mag	PR300UM3	180	Scirocco Bonded
300 Remington Ultra Mag	PR300UM3-P2	180	Scirocco Bonded


PREMIER® ACCUTIP™

CALIBER	INDEX/EDI NO.	BULLET WT. (grs.)	BULLET TYPE
243 Win	PRA243WA	95	AccuTip
260 Remington	PRA260RA	120	AccuTip Boat Tail
270 Win	PRA270WA	130	AccuTip Boat Tail
280 Remington	PRA280RA	140	AccuTip Boat Tail
7mm-08 Remington	PRA7M08RB	140	AccuTip Boat Tail
7mm Remington Mag	PRA7MMRB	150	AccuTip Boat Tail
30 Remington AR	PRA30RAR1	125	AccuTip
300 WSM	PRA300WSMC	180	AccuTip Boat Tail
30-06 Springfield	PRA3006A	150	AccuTip Boat Tail
30-06 Springfield	PRA3006B	165	AccuTip Boat Tail
30-06 Springfield	PRA3006C	180	AccuTip Boat Tail
300 Win Mag	PRA300WC	180	AccuTip Boat Tail
300 Remington Ultra Mag	PRA300UM1-P1	150	AccuTip Boat Tail
308 Win	PRA308WB	165	AccuTip Boat Tail

For more information on ballistics, see pages 158-161. AccuTip-V: Varmint-Specific Cartridges.

DELIVERING PURE ACCURACY AND DEVASTATING TERMINAL RESULTS.

Massive tissue damage and instant terminal performance for varmints and predators.



1. **BOAT-TAIL BASE**
   Reduces drag
2. **SUPERIOR SHAPE**
   High ballistic coefficient
3. **POLYMER TIP**
   Less frontal air resistance

PREMIER® ACCUTIP-V™



PINPOINT DETONATION.

Expect dynamite results. In varmint calibers, AccuTip-V™ combines superb flight characteristics and match-grade accuracy with a design optimized for explosive on-game results. At impact, AccuTip's gold polymer tip is driven rearward, causing the thin jacket and soft lead core to violently fragment. First and foremost, though, it gets there precisely, shot after shot – it's the most accurate varmint bullet you can shoot.

PREMIER® DISINTEGRATOR® VARMINT



EXPLOSIVELY VOLATILE ON GAME.

Now you see him. Now you don't. Disintegrator® Varmint. Loaded with lead-free frangible bullets that meet the requirements of non-toxic hunting areas, this ammunition delivers radical, explosive expansion that shatters the capabilities of conventional jacketed bullets. Because they break into tiny fragments at impact, Disintegrator® Varmint bullets will not ricochet, giving you added peace of mind. Tight manufacturing tolerances and industry-leading components produce tiny groups on paper as well. In two popular calibers: 223 Remington and 22-250 Remington,

MATCH-GRADE ACCURACY. ELEVATED.



PREMIER® MATCH

Ever hear the phrase, "You could drive tacks with 'em?" Well, they're probably talking about Remington® Premier® Match ammunition. Using only match-grade bullets, Premier Match ammunition employs special loading practices to ensure world-class performance and accuracy with every shot. Maybe some day there will be a stronger word than accurate to describe Premier Match. Until then, we'll continue to prove it on paper.



5 SHOTS, .6", 100 YDS.
308 Win, 168-gr. Premier® Match

PREMIER® COPPER SOLID®



Experience the game-leveling advantage of the finest lead-free bullet design on the market today. Premier® Copper Solid® delivers extremely deep penetration with nearly 100 percent weight retention. Its sleek profile, polymer tip and boat-tail base give it outstanding flight characteristics. In fact, it's one of the finest extended-range hunting bullets we've ever offered due to its extremely high ballistic coefficient. At impact, the polymer tip plows through a built-in expansion chamber and initiates a mushroom that's consistently 1.8x bullet diameter – creating a large terminal wound channel from close range to the farthest reaches of your shooting ability.

PREMIER® ACCUTIP-V™

CALIBER	INDEX/EDI NO.	BULLET WT. (grs.)	BULLET TYPE
17 Remington Fireball	PRA17FB	20	AccuTip-V
17 Remington	PRA17RA	20	AccuTip-V
204 Ruger	PRA204A	32	AccuTip-V
204 Ruger	PRA204B	40	AccuTip-V Boat Tail
221 Remington Fireball	PRA221FB	50	AccuTip-V Boat Tail
22 Hornet	PRA22HNA	35	AccuTip-V
222 Remington	PRA222RB	50	AccuTip-V Boat Tail
223 Remington	PRA223RB	50	AccuTip-V Boat Tail
223 Remington	PRA223RC	55	AccuTip-V
22-250 Remington	PRA2250RB	50	AccuTip-V Boat Tail
243 Win	PRA243WB	75	AccuTip-V Boat Tail

PREMIER® DISINTEGRATOR® VARMINT

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
223 Remington	DV223RA	45	Jacketed Iron Core HP
22-250 Remington	DV22250RA	45	Jacketed Iron Core HP

PREMIER® MATCH

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
223 Remington	R223R6	62	Hollow Point Match
223 Remington	RM223R1	69	MatchKing® BTHP
223 Remington	RM223R3	77	MatchKing® BTHP
6.8mm Remington SPC	RM68R1	115	MatchKing® BTHP
308 Win	RM308W7	168	MatchKing® BTHP
308 Win	RM308W8	175	MatchKing® BTHP

PREMIER® COPPER SOLID®

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
243 Win	PCS243WB	80	Copper Solid Tipped
270 Win	PCS270WA	130	Copper Solid Tipped
7mm Remington Mag	PCS7MMA	140	Copper Solid Tipped
30-30 Win	PCS3030WA	150	Copper Solid Tipped
30-06 Springfield	PCS3006A	150	Copper Solid Tipped
30-06 Springfield	PCS3006B	165	Copper Solid Tipped
300 Win Mag	PCS300WA	150	Copper Solid Tipped
300 Win Mag	PCS300WB	165	Copper Solid Tipped
308 Win	PCS308WA	150	Copper Solid Tipped
300 Remington Ultra Mag	PCS300UMB	165	Copper Solid Tipped

For more information on ballistics, see pages 158-161.

PERFECTION IN DEVASTATION.



1 MORE ACCURATE
Near-perfect wall thickness results in better flight stability.

2 MORE RELIABLE
50% thicker Core-Lokt® section better controls expansion at higher velocities.

3 MORE VERSATILE
A 20% heavier jacket provides better expansion and penetration at all ranges.

4 MORE DEADLY
Bonded jacket/core design with 2x diameter expansion and up to 95% weight retention for ultimate on-game performance.





5 SHOTS, .6", 100 YDS.
30-06 Springfield, 150-gr.
Premier® Core-Lokt® Ultra Bonded®

PREMIER® CORE-LOKT® ULTRA BONDED®

THE STANDARD OF ACCURACY IN BONDED HUNTING BULLETS.

Premier® Core-Lokt® Ultra Bonded® is a bullet in a class of its own. It is the first and only bullet to successfully maximize the best features of two great types of hunting bullet construction. It delivers the extreme accuracy and retained energy you would expect from a tipped bullet, in combination with the outstanding penetration and weight retention that only a bonded, non-tipped bullet could deliver. This unique design provides the hunter a Premier bullet that yields devastating on-game performance from 50 to 500 yards. Premier® Core-Lokt® Ultra Bonded® – the new standard in high-performance hunting bullets.

PREMIER® CORE-LOKT® ULTRA BONDED®


CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
223 Remington	PRC223R4	62	Core-Lokt® Ultra Bonded®
243 Win	PRC243WC	100	Core-Lokt® Ultra Bonded®
25-06 Remington	PRC2506RA	115	Core-Lokt® Ultra Bonded®
260 Remington	PRC260RB	140	Core-Lokt® Ultra Bonded®
270 Win	PRC270WC	140	Core-Lokt® Ultra Bonded®
6.8mm Rem SPC	PRC68R4	115	Core-Lokt® Ultra Bonded®
7mm Rem. Mag	PRC7MMRA	140	Core-Lokt® Ultra Bonded®
7mm Rem. Mag	PRC7MMRC	160	Core-Lokt® Ultra Bonded®
7mm Rem. SA UM	PR7SM4	160	Core-Lokt® Ultra Bonded®
7mm Remington Ultra Mag	PR7UM1	140	Core-Lokt® Ultra Bonded®
7mm Remington Ultra Mag	PR7UM2-P2	160	Core-Lokt® Ultra Bonded®
30-06 Springfield	PRC3006A	150	Core-Lokt® Ultra Bonded®
30-06 Springfield	PRC3006C	180	Core-Lokt® Ultra Bonded®
300 Win Mag	PRC300WA	150	Core-Lokt® Ultra Bonded®
300 Win Mag	PRC300WC	180	Core-Lokt® Ultra Bonded®
308 Win	PRC308WA	150	Core-Lokt® Ultra Bonded®
308 Win	PRC308WC	180	Core-Lokt® Ultra Bonded®
300 Rem. SA UM	PR300SM4	180	Core-Lokt® Ultra Bonded®
300 Rem. Ultra Mag	PR300UM4	180	Core-Lokt® Ultra Bonded®
300 Rem. Ultra Mag	PR300UM3-P2	180	Core-Lokt® Ultra Bonded®
338 Win Mag	PRC338WA	225	Core-Lokt® Ultra Bonded®

For more information on ballistics, see pages 158-161.



ONE GUN. ONE CARTRIDGE. THREE PERFORMANCE LEVELS.





POINT OF IMPACT

Across all Power Levels within 2", out to 200 yards.



POWER LEVEL® I

TERMINAL ENERGY – LONGE RANGE

30-06 Springfield performance
Whitetail-sized game out to long range



POWER LEVEL® II

MAGNUM ENERGY – EXTENDED RANGE

300 Win Mag / 300 WSM performance
Medium and large big game at extended ranges



POWER LEVEL® III

MAXIMUM ENERGY – EXTREME RANGE

300 Remington Ultra Mag performance
The biggest, toughest game at extreme ranges

REMINGTON® ULTRA MAG® POWER LEVEL® AMMUNITION

Giving hunters the greatest velocities, flattest trajectories and highest energy levels available. Remington Ultra Mag.® For accuracy and lethality, each features large case capacities with non-belted case designs that hold more powder and align with unrivaled precision within the bore. Remington Ultra Mag is also available in Power Level® ammo loads, which maintain a 2" point of impact out to 200 yards. This kind of versatility is simply unmatched by any other cartridge, offering you little to no scope adjustment when changing power levels. We also proudly offer magnum performance in a lightweight, short-action firearm and ammo package with Remington Premier® Short-Action Ultra Mag. Packing a ballistic punch comparable to the most popular belted magnums – 300 Win Mag and 7mm Remington Mag – all in a fast-handling, short-action rifle. For hunters of the most discriminating standards, this is truly a superior, high-performance system.

REMINGTON® ULTRA MAG®

INDEX/EDI NO.	CALIBER	POWER LEVEL	PERFORMANCE EQUIVALENT	BULLET WT. (GRS.)	BULLET TYPE
PR7UM1	7mm Ultra Mag	III	7mm Ultra Mag	140	Core-Lokt® Ultra Bonded®
PRSC7UM1	7mm Ultra Mag	III	7mm Ultra Mag	150	Scirocco® Bonded
PR7UM5	7mm Ultra Mag	III	7mm Ultra Mag	175	A-Frame®
PR7UM2-P2	7mm Ultra Mag	II	7mm Remington Mag	160	Core-Lokt® Ultra Bonded®
R7UM1-P1	7mm Ultra Mag	I	270 Win	140	Core-Lokt®
PR300UM5	300 Ultra Mag	III	300 Ultra Mag	150	Scirocco® Bonded
PR300UM3	300 Ultra Mag	III	300 Ultra Mag	180	Scirocco® Bonded
PR300UM4	300 Ultra Mag	III	300 Ultra Mag	180	Core-Lokt® Ultra Bonded®
RS300UM2	300 Ultra Mag	III	300 Ultra Mag	200	A-Frame®
PR300UM2-P2	300 Ultra Mag	II	300 Win/300 WSM	180	Core-Lokt® Ultra Bonded®
PR300UM3-P2	300 Ultra Mag	II	300 Win/300 WSM	180	Scirocco Bonded
PRA300UM1-P1	300 Ultra Mag	I	30-06 Springfield	150	AccuTip™
R300UM1-P1	300 Ultra Mag	I	30-06 Springfield	150	Core-Lokt®
PR338UM1	338 Ultra Mag			250	A-Frame® PSP
PR338UM2	338 Ultra Mag			250	Core-Lokt® PSP
PR375UM2	375 Ultra Mag			150	Soft Point Hornady®
PR375UM3	375 Ultra Mag			150	A-Frame® PSP

PREMIER® SHORT-ACTION ULTRA MAG®

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
7mm Remington SA UM	PR7SM1	140	Core-Lokt® Ultra Bonded®
7mm Remington SA UM	PR7SM2	150	Core-Lokt® PSP
7mm Remington SA UM	PR7SM4	160	Core-Lokt® Ultra Bonded®
300 Remington SA UM	PR300SM1	150	Core-Lokt® Ultra Bonded®
300 Remington SA UM	PR300SM2	165	Core-Lokt® PSP
300 Remington SA UM	PR300SM4	180	Core-Lokt® Ultra Bonded®


For more information on ballistics, see pages 158-161.

MODERN SPORTING RIFLE

WE BROUGHT THE MODERN SPORTING RIFLE TO THE GREAT AMERICAN TRADITION.



All of America's greatest hunting rifles evolved out of military designs, and we were the first to see the great potential of the AR platform in the field. Hence, the R-15 and R-25 were born. The first of their kind, and still the best. We also carry a complete selection of supremely accurate and hunting ammunition for every chambering of modern sporting rifle we offer.



300 AAC BLACKOUT

NEW



The ultimate 30-cal solution for the MSR platform. It matches the ballistic power of the 7.62x39mm AK, but at 300 meters has 16.7% more energy. Optimal for sound and flash-suppressed fire, all in a low-recoiling package. Featuring waterproofed primers, crimped and cannelured open-tip match bullets, and a low-drag design.

30 REMINGTON AR



With big game dropping ballistics like the vaunted 308 Win., it creates the ultimate synergy of our firearms and ammo expertise when paired with our lightweight R-15 platform. This blend of devastating power and speed is a major advancement in big-game hunting technology. Available in polymer-tipped Core-Lokt, AccuTip and UMC loadings.



PREMIER® ACCUTIP™ 450 BUSHMASTER



300 AAC BLACKOUT			
CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
300 AAC Blackout	BB300AAC1	110	Barnes TSX™
300 AAC Blackout	RM300AAC6	125	MatchKing® OTM
300 AAC Blackout	PRA300AAC5	125	AccuTip™
300 AAC Blackout	R300AAC8	220	OTM
300 AAC Blackout	L300AAC2	115	CTFB
300 AAC Blackout	L300AAC4	TBD	CTFB

30 REMINGTON® AR			
CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
30 Remington AR	PRA30RAR1	125	AccuTip™
30 Remington AR	R30RAR1	125	Core-Lokt,® PSP
30 Remington AR	L30RAR2	150	Core-Lokt,® PSP
30 Remington AR	L30RAR1	123	MC UMC®

PREMIER® ACCUTIP 450 BUSHMASTER			
CALIBER	INDEX/EDI NO.	BULLET WT. (grs.)	BULLET TYPE
450 Bushmaster	PRA450B1	260	AccuTip™

For more information on ballistics, see pages 158-161.

The "Big Thumper" gets a big dose of aerodynamics and devastating expansion from your 450 Bushmaster and we load it with perhaps the most accurate 45-caliber bullet ever devised. Featuring our Power Port tip, this 260-grain AccuTip bonded projectile delivers exceptional flight characteristics for ultimate downrange precision and sustained energy. Its bonded construction, high-strength cartridge-brass jacket and spiral nose cuts combine to drive huge, uniform mushrooms through the toughest game with ease.



CORE-LOKT®

THE DEADLIEST MUSHROOM IN THE WOODS.



TESTED, PROVEN FOR TERMINAL DEVASTATION

Creating expanded cavities in the thickest ballistic gels, Remington engineers have devised the ultimate performer for devastating wound channels.






1. **CONSISTENT 2X EXPANSION**
   For large terminal wound channels
2. **DEEP PENETRATION**
   And high weight retention
3. **PROVEN LETHAL**
   The original controlled-expansion bullet

THE WORLD'S BEST-SELLING CENTERFIRE HUNTING AMMUNITION.

Remington Core-Lokt® – a reputation deserved. Hunters with a knack for filling their deer tag tend to have more than success in common. They trust their hunt to Remington Core-Lokt. For more than six decades, it has remained the leader in centerfire deer ammunition. And deservedly so. The Core-Lokt bullet design is the original controlled-expansion bullet – and one of the most effective ever developed. Its tapered copper jacket is locked to a solid lead core, promoting reliable expansion and high weight retention for absolutely dependable on-game results. You'll find its time-proven performance in both soft point and pointed soft point versions – and in a range of bullet weights for virtually every centerfire hunting caliber made.







CORE-LOKT® SOFT POINT

CORE-LOKT® POINTED SOFT POINT

1 SOFT POINT SHAPE

Provides broad frontal area for high-energy impact and rapid expansion

2 SPITZER SHAPE PROFILE

For improved velocity and flatter trajectory

3 BULLET CORES "LOKT" IN PLACE

To provide deep penetration

4 JACKETS DESIGNED FOR PROGRESSIVE, RELIABLE EXPANSION

To almost twice the original diameter

CORE-LOKT® POINTED SOFT POINT

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
6mm Remington	R6MM4	100	Pointed Soft Point
243 Win	R243W3	100	Pointed Soft Point
25-06 Remington	R25062	100	Pointed Soft Point
25-06 Remington	R25063	120	Pointed Soft Point
6.5x55 Swedish	R65SWE1	140	Pointed Soft Point
6.5mm Remington Mag	R65MM2	120	Pointed Soft Point
260 Remington	R260R1	140	Pointed Soft Point
264 Win Mag	R264W2	140	Pointed Soft Point
270 Win	R270W2	130	Pointed Soft Point
270 WSM	R270WSM1	130	Pointed Soft Point
280 Remington	R280R3	140	Pointed Soft Point
280 Remington	R280R1	150	Pointed Soft Point
7mm-08 Remington	R7M081	140	Pointed Soft Point
7mm Remington Mag	R7MM4	140	Pointed Soft Point
7mm Remington Mag	R7MM2	150	Pointed Soft Point
7mm Remington Mag	R7MM3	175	Pointed Soft Point
7x64 Brenneke	R7x641	140	Pointed Soft Point
7x64 Brenneke	R7x642	175	Pointed Soft Point
7mm Mauser (7x57)	R7MSR1	140	Pointed Soft Point
7mm Remington SA Ultra Mag	PR7SM2	150	Pointed Soft Point
30-40 Krag	R30402	180	Pointed Soft Point
30-06 Springfield	R30062	150	Pointed Soft Point
30-06 Springfield	R3006B	165	Pointed Soft Point
30-06 Springfield	R30065	180	Pointed Soft Point
300 Savage	R30SV2	150	Pointed Soft Point
30 Remington AR	R30RAR1	125	Pointed Soft Point
300 Win Mag	R300W1	150	Pointed Soft Point
300 Win Mag	R300W2	180	Pointed Soft Point
300 WSM	R300WSM1	150	Pointed Soft Point
308 Win	R308W1	150	Pointed Soft Point
308 Win	R308W3	180	Pointed Soft Point

CORE-LOKT® POINTED SOFT POINT (CONT.)

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
300 Wby Mag	R300WB1	180	Pointed Soft Point
300 Remington SA Ultra Mag	PR300SM2	165	Pointed Soft Point
300 Remington Ultra Mag	R300UM1-P1	150	Pointed Soft Point
338 Win Mag	R338W1	225	Pointed Soft Point
338 Win Mag	R338W2	250	Pointed Soft Point
338 Remington Ultra Mag	PR338UM2	250	Pointed Soft Point
35 Remington	R35R1	150	Pointed Soft Point
35 Whelen	R35WH1	200	Pointed Soft Point
9.3x62mm	R93x621	286	Pointed Soft Point

CORE-LOKT® SOFT POINT

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
257 Roberts	R257	117	Soft Point
270 Win	R270W4	150	Soft Point
280 Remington	R280R2	165	Soft Point
30-30 Win	R30301	150	Soft Point
30-30 Win	R30302	170	Soft Point
30-06 Springfield	R30064	180	Soft Point
30-06 Springfield	R30067	220	Soft Point
308 Marlin® Express	R308ME1	150	Soft Point
308 Win	R308W2	180	Soft Point
303 British	R303B1	180	Soft Point
32 Win Special	R32WS2	170	Soft Point
8mm Mauser	R8MSR	170	Soft Point
35 Remington	R35R2	200	Soft Point
450 Bushmaster	R450B1	250	Soft Point

CORE-LOKT® HOLLOW POINT

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
30-30 Win	R30303	170	Hollow Point

For more information on ballistics, see pages 158-161.

50% LESS RECOIL.
DEADLY ON DEER.



NO SCOPE READJUSTMENT NECESSARY

Remington Managed-Recoil® point of impact is nearly identical to full velocity loads.


Point of impact comparison at 100 yards.

- *30-06 Springfield 125-grain Managed-Recoil®*
- *30-06 Springfield 150-grain PSP Core-Lokt®*


May not operate in all recoil- or gas-operated firearms.

FULLY EFFECTIVE ENERGY AND EXPANSION OUT TO 200 YARDS:





50% LESS RECOIL. **With half the recoil of standard velocity ammunition, Managed-Recoil® 270 Win, 308 Win and 30-06 actually deliver less recoil than a standard velocity 243 Win!**



LETHAL PUNCH OUT TO 200 YARDS.

Energy levels exceed 1100 ft.-lb. at 200 yards, except Managed-Recoil® 30-30 which delivers 919 ft.-lb. at 100 yards – fully effective on deer out to 125 yards.

MANAGED-RECOIL®

HALF THE RECOIL. TWICE THE CONFIDENCE.

Drop all the negative side effects of recoil – flinching, shoulder pain, added recovery time for a follow-up shot – and still drop deer like lightning at 200 yards. Remington Managed-Recoil® ammunition succeeds where other recoil-control ammunition fails by combining a lighter powder charge with a bullet that's specially designed for optimum terminal results at lower velocities. Put your shots where you want them and more meat in the freezer. Count on it.



MANAGED-RECOIL®

CALIBER	INDEX/ EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
260 Remington	RL2601	140	Core-Lokt® PSP
7mm-08 Remington	RL7M081	140	Core-Lokt® PSP
270 Win.	RL270W2	115	Core-Lokt® PSP
30-30 Win.	RL30301	125	Core-Lokt® PSP
30-06 Springfield	RL30062	125	Core-Lokt® PSP
300 Win. Mag.	RL300W1	150	Core-Lokt® PSP
308 Win.	RL308W1	125	Core-Lokt® PSP
7mm Remington Mag.	RL7MM4	140	Core-Lokt® PSP
300 Remington Ultra Mag.	RL300UM1	150	Core-Lokt® PSP

For more information on ballistics, see pages 158-161.

MANAGED-RECOIL APPLICATIONS



YOUTH AND WOMEN. Simply a more comfortable way for young people and women to shoot. Start them with Managed-Recoil and you're more likely to ignite a lifelong passion.




PRACTICE MAKES PERFECT. Spend more time honing your skills without the ill effects of recoil. After your practice session, switch to full-power ammunition without scope adjustment.



RECOIL-SENSITIVE HUNTERS. For shooters who are unable or unwilling to tolerate the recoil of a standard cartridge, Managed-Recoil® cartridges are the perfect solution.

A BULLET FOR EVERY PASSION.



HOLLOW POINT | POINTED SOFT POINT | METAL CASE | OPEN TIP MATCH | SOFT POINT | POWER-LOKT HOLLOW POINT | BRONZE POINT

REMINGTON CENTERFIRE RIFLE

Providing the industry's widest selection of centerfire ammo is our unwavering dedication. Here's proof. Assembled with premium components honed to ultra-tight tolerances, our **Rifle Series** is available in a multitude of calibers and styles. **Bronze Point** offers superior long-range ballistics and rapid expansion for exceptional performance on medium-sized game. For small game and varmints, **Power-Lokt®** features a plated copper jacket for top accuracy and instant fragmentation on impact.



BRONZE POINT TIPPED

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
270 Win	R270W3	130	Bronze Point Tipped
30-06 Springfield	R30063	150	Bronze Point Tipped
30-06 Springfield	R30066	180	Bronze Point Tipped

POWER-LOKT® POINT TIPPED

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
222 Remington	R222R3	50	Power-Lokt Hollow Point
223 Remington	R223R3	55	Power-Lokt Hollow Point
243 Win	R243W2	80	Power-Lokt Hollow Point

REMINGTON® RIFLE

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
17 Remington	R17R2	25	Hollow Point
22 Hornet	R22HN1	45	Pointed Soft Point
22 Hornet	R22HN2	45	Hollow Point
220 Swift	R220S1	50	Pointed Soft Point
222 Remington	R222R1	50	Pointed Soft Point
223 Remington	R223R1	55	Pointed Soft Point
223 Remington	R223R3	55	Metal Case
22-250 Remington	R22501	55	Pointed Soft Point
243 Win	R243W1	80	Pointed Soft Point
25-20 Win	R25202	86	Soft Point
250 Savage	R250SV	100	Pointed Soft Point
6.8mm Remington SPC	R68R1	115	Open Tip Match (OTM)
6.8mm Remington SPC	R68R2	115	Metal Case
270 Win	R270W1	100	Pointed Soft Point
7mm-08 Remington	R7M082	120	Hollow Point
30 Carbine	R30CAR	110	Soft Point
30 Remington AR	R30RAR2	150	Pointed Soft Point
30-06 Springfield	R30069	55	Pointed Soft Point
30-06 Springfield	R30061	125	Pointed Soft Point
7.62x39mm	R762391	125	Pointed Soft Point
7mm Rem SA Ultra Mag	PR7SM3	160	Pointed Soft Point
32-20 Win	R32201	100	Lead
338 Lapua Mag	RM338LMR1	250	Scenar®
338 Marlin Express	R338ME1	250	Soft Point
35 Whelen	R35WH3	250	Pointed Soft Point
375 H&H Mag	R375MI	270	Soft Point
375 Remington Ultra Mag	PR375UM2	270	Soft Point
444 Marlin	R444M	240	Soft Point
450 Bushmaster	PRA450B1	260	AccuTip™
45-70 Government	R4570L	300	Semi-Jacketed Hollow Point
45-70 Government	R4570G	405	Soft Point

For more information on ballistics, see pages 158-161.







HYPERSONIC STEEL®

THE WORLD'S FASTEST HARDEST-HITTING STEEL.



- HIGH VELOCITY STEEL
  (1450 FPS, 1¼ OZ.) @ 40 YDS
- HYPERSONIC STEEL®
  (1700 FPS, 1¼ OZ.) @ 40 YDS

AT

1700 FPS,

HYPERSONIC STEEL® GIVES YOU AN 8" LEAD ADVANTAGE AT 40 YARDS.

QUICKER KILLS. FEWER MISSES.
11% SHORTER LEADS.
MORE HEAD & NECK SHOTS.

GET THE HYPERSONIC STEEL® ADVANTAGE.



PATENTED XELERATOR® WAD TECHNOLOGY

Our proprietary wad technology is the key to HyperSonic Steel's unprecedented velocity.



1 NEW HOTTER PRIMER

Ignites small powder charge in chamber, moving entire payload forward slightly to control pressure.

3 XELERATOR® WAD STRESS CONCENTRATOR

Initiates petal splitting, which holds patterns tighter downrange.

2 IGNITION CHAMBER

Produces higher velocities with safe pressures and full payloads.

4 PRIMARY POWDER CHARGE

Ignites, accelerating the payload to speeds up to 1700 FPS.



HYPERSONIC STEEL®						
INDEX/ EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE	SHOTSHELLS (per box)
HSS10C	10	3 1/2	1500	1 1/2	BBB	25
HSS10B	10	3 1/2	1500	1 1/2	BB	25
HSS102	10	3 1/2	1500	1 1/2	2	25
HSS12B	12	3	1700	1 1/8	BB	25
HSS122	12	3	1700	1 1/8	2	25
HSS124	12	3	1700	1 1/8	4	25
HSS12MB	12	3	1700	1 1/4	BB	25
HSS12M1	12	3	1700	1 1/4	1	25
HSS12M2	12	3	1700	1 1/4	2	25
HSS12M4	12	3	1700	1 1/4	4	25
HSS1235B	12	3 1/2	1700	1 3/8	BB	25
HSS12352	12	3 1/2	1700	1 3/8	2	25
HSS12354	12	3 1/2	1700	1 3/8	4	25
HSS20M2	20	3	1600	7/8	2	25
HSS20M3	20	3	1600	7/8	3	25
HSS20M4	20	3	1600	7/8	4	25

SHORTENS LEAD BY UP TO 11 PERCENT.

Most ducks are missed from behind, but the unprecedented velocity of Remington HyperSonic Steel® compensates for this by reducing required lead by 8" at 40 yards (about a full body length) on a duck flying at average speed. It puts more pellets in the head and neck for quicker kills and fewer misses – without changing the way you shoot. With unprecedented velocity and the highest downrange pattern energies ever achieved, HyperSonic Steel takes lethality to new heights and lengths. To a level of terminal performance where more birds drop with fewer shots at the farthest reaches of your abilities. And only Remington harnessed the wad technology to do it.

WATERFOWL

NITRO-STEEL®

THE MIGRATION'S STEEL WALL.

Short range or long distances, Remington Nitro-Steel® stops 'em dead with tight, consistent patterns and premium zinc-plated steel pellets, providing premium performance at a very reasonable price. Available in a wide range of loads to suit any hunt – 10 to 20 gauge, maximum payloads and high velocities. Trust your dollar to a legend – Remington.



Zinc-plated loads prevent corrosion.



SPORTSMAN® HI-SPEED® STEEL LOADS

HIGH VELOCITY, HIGH VALUE.

- Economical, Hi-Speed® steel loads
- Waterfowl loads for every hunting situation
- Upland loads for use in non-toxic zones and for practice shooting
- Shot size selection to match your game



NITRO-STEEL® HIGH VELOCITY MAGNUM LOADS

INDEX/ EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
NS10M	10	3 1/2	1260	1 3/4	T, BB, 2
NS12HVS	12	2 3/4	1390	1 1/8	2, 4
NS12S	12	2 3/4	1275	1 1/4	BB, 2, 4
NS12M	12	3	1450	1 1/4	BBB, BB, 1, 2, 3, 4
NS12HM	12	3	1300	1 3/8	T, BB, 2, 4
NS1235	12	3 1/2	1300	1 9/16	BB, 2
NS16HV	16	2 3/4	1300	15/16	2, 4
NS20HVS	20	2 3/4	1425	3/4	2, 4
NS20M	20	3	1330	1	2, 4

SPORTSMAN® HI-SPEED® STEEL LOADS

INDEX/ EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
SSTHV10	10	4	1500	1 3/8	BB, 2
SST12	12	3	1365	1	6, 7
SST12S	12	3	1375	1 1/8	2, 4
SSTHV12H	12	3	1550	1 1/8	BB, 2, 4
SSTHV12HM	12	3	1400	1 1/4	BB, 1, 2, 3, 4
SST12HM	12	3	1300	1 3/8	BB, 2
SSTHV1235	12	4	1550	1 3/8	BB, 2
SST20	20	3	1425	3/4	7

TURKEY

LEAD MAGNUMS

PREMIER® HIGH VELOCITY MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS

The high-performance lead load for avid turkey hunters. 3" and 3½" 12 gauge payload leaves the muzzle at 1300 fps. Delivers hard-hitting knockdown power. Loaded with our Power Piston one-piece wad and magnum-grade Copper-Lokt® lead shot for dense patterns and deep penetration.



PREMIER® DUPLEX® MAGNUM COPPER-PLATED BUFFERED LOADS

A specialized layering of magnum-grade Copper-Lokt® No. 4 shot over No. 6 shot. Larger pellets deliver excellent retained energy and penetration, while smaller pellets enhance pattern density. Awesome versatility for uncertain shooting distances on turkeys and late-season pheasants.





NITRO MAG® BUFFERED MAGNUMS

Excellent for turkey or long-range pheasants. Heavy payloads of magnum-grade shot are packed with polymer buffering and enclosed in our patented Power Piston one-piece wad to provide dense, even patterns and uniform shot strings.

NITRO TURKEY®

NITRO TURKEY® EXTENDED RANGE BUFFERED MAGNUMS

- Nitro Mag® extra-hard lead shot
- Patterns over 80% with super full choke
- Patterns like copper-plated shot
- Value priced





PREMIER® MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS

Our original magnum turkey loads. The finest lead shotshell you can carry in the woods. Magnum-grade Copper-Lokt® shot is cushioned with special polymer buffering and further protected by our Power Piston one-piece wad for dense, even patterns. Delivers superb performance and knockdown power out of tightly constricted turkey chokes.

PREMIER® HIGH VELOCITY MAGNUM COPPER-PLATED TURKEY LOADS – BUFFERED

INDEX/ EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
PHV12M	12	3	1300	1 3/4	4, 5
PHV1235M	12	3 1/2	1300	2	4, 5

PREMIER® MAGNUM COPPER-PLATED LEAD TURKEY LOADS – BUFFERED

INDEX/ EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
P10HM	10	3 1/2	1210	2 1/4	4
P12SM	12	2 3/4	1260	1 1/2	4, 5
P12XHM	12	3	1175	2	4, 5, 6
P1235M	12	3 1/2	1150	2 1/4	4
P20XHM	20	3	1185	1 1/4	6

PREMIER® DUPLEX® MAGNUM COPPER-PLATED LOADS – BUFFERED

INDEX/ EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
MP12S	12	2 3/4	1260	1 1/2	4x6
MP12H	12	3	1210	1 7/8	4x6

NITRO MAG® LOADS – BUFFERED

INDEX/ EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
NM12S	12	2 3/4	1260	1 1/2	2, 4, 6
NM12	12	3	1280	1 5/8	4, 6
NM12H	12	3	1210	1 7/8	2, 4, 6
NM20S	20	2 3/4	1175	1 1/8	4, 6
NM20H	20	3	1185	1 1/4	4, 6

NITRO TURKEY® MAGNUM LOADS – BUFFERED


INDEX/ EDI NO.	GAUGE	LENGTH (in.)	VELOCITY (ft/sec @ 3 ft)	OUNCES OF SHOT	SHOT SIZE
NT12H	12	3	1210	1 7/8	4, 5, 6
NT1235	12	3 1/2	1300	2	4, 5, 6
NT20M	20	3	1185	1 1/4	5

UPLAND



NITRO PHEASANT® LOADS

For pattern, energy and performance, nobody beats Nitro Pheasant.® It uses the Remington Copper-Lokt® copper-plated lead shot with high antimony content – the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. So when it comes to bringing down tough birds like pheasant, you need a load that delivers maximum pattern density and lethal energy – you need Nitro Pheasant.® Available in both high velocity and magnum loadings in both 12 and 20 gauge.






PHEASANT LOADS

For the broadest selection in game-specific upland lead shotshells, Remington Pheasant Loads are the perfect choice. Their high velocity and long-range performance are just right for any pheasant hunting situation. Standard high-base payloads include 12, 16, and 20 gauge.



EXPRESS® EXTRA LONG RANGE LOADS

Time-proven performance for all upland game. The choice of experienced small game hunters across the country, the Express® line offers the best balance of payload and performance. Available in a broad selection of loadings – 12 gauge to 410 bore – with shot sizes ranging from two all the way down to nine.



LEAD GAME LOADS

Budget-stretching shotshells for a wide variety of hunting. Available in 410 bore, 20, 16, and 12 gauge loadings.





HEAVY DOVE LOADS

The hunter's choice for doves and a wide variety of game-bird applications, available in 12 and 20 gauge with shot size options of 6, 7 1/2 and 8.

NITRO PHEASANT® LOADS – COPPER-PLATED

INDEX/ EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
NP12	12	2 3/4	1400	1 1/4	4, 5, 6
NP12M	12	2 3/4	1300	1 3/8	4, 5, 6
NP12HV	12	2 3/4	1450	1 3/8	4, 5, 6
NP12HM	12	3	1350	1 5/8	4, 5
NP20	20	2 3/4	1300	1	5, 6
NP20M	20	3	1185	1 1/4	5, 6

PHEASANT LOADS

INDEX/ EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
PL12	12	2 3/4	1330	1 1/4	4, 5, 6, 7 1/2
PL16	16	2 3/4	1295	1 1/8	6
PL20	20	2 3/4	1220	1	4, 5, 6, 7 1/2

EXPRESS® EXTRA LONG RANGE LOADS

INDEX/ EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
SP12	12	2 3/4	1330	1 1/4	2, 4, 5, 6, 7 1/2, 9
SP16	16	2 3/4	1295	1 1/8	4, 6, 7 1/2
SP20	20	2 3/4	1220	1	4, 5, 6, 7 1/2, 9
SP28	28	2 3/4	1295	3/4	6, 7 1/2
SP410	410	2 1/2	1250	1/2	4, 6, 7 1/2
SP413	410	3	1135	11/16	4, 6, 7 1/2

LEAD GAME LOADS

INDEX/ EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
GL12	12	2 3/4	1290	1	6, 7 1/2, 8
GL16	16	2 3/4	1200	1	6, 7 1/2, 8
GL20	20	2 3/4	1225	7/8	6, 7 1/2, 8
GL410*	410	2 1/2	1200	1/2	6

HEAVY DOVE LOADS

INDEX/ EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
RHD12	12	2 3/4	1255	1 1/8	6, 7 1/2, 8
RHD20	20	2 3/4	1165	1	6, 7 1/2, 8

*20-round box


REMINGTON® PREMIER.®

THE MOST DOMINANT FAMILY OF COMPETITORS IN SHOTGUN SPORTS HISTORY.



PREMIER® NITRO SPORTING CLAYS

Smoke targets and all competitors with the finest sporting clays load in the world today. The Premier® Nitro performance that's dominated trap and skeet competitions for years is now available in high-velocity, 1 oz. and 1 1/8 oz. loads specially formulated for the sporting clays enthusiast.





GUN CLUB® TARGET LOADS

An excellent choice for economical shooting, these high-quality shells are loaded with the same care as our top-of-the-line STS® loads and feature a Power Piston® wad. Many shooters are discovering that they can get acceptable reloading life while stretching their shooting dollar.

WENDELL CHERRY

– 9-Time Team USA Captain

– 4-Time All-American Team Captain

– 2012 National Sporting Clays Association – Hall of Fame Inductee



MORE WORLD TITLES. Nitro 27® and Premier® STS® target loads have won more trophies at the Grand American World Trapshooting Championships than any other.


PREMIER® STS® TARGET

The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none, the most reliable, most reloadable shells you can shoot. Available in 12, 20 and 28 gauge and 410 bore.

PREMIER® NITRO 27® HANDICAP TRAP LOADS

Designed for long-yardage trapshooting and long-range sporting clays, our custom powder blend, Power Piston wad and Premier® STS® primer mix have improved the Nitro 27® performance allowing more consistent velocities, 15 percent better pattern performance and softer recoil.





HARLAN CAMPBELL, JR.

– 7-Time Men's Trap All-American Team Captain

– 2012 Amateur Trapshooting Association – Hall of Fame Inductee

PREMIER® STS® TARGET LOADS – EXTRA HARD STS® TARGET SHOT

INDEX/ EDI NO.	GAUGE/ BORE	LOAD TYPE	LENGTH (IN.)	POWDER DR. EQ.	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
STS121	12	Premier STS Target	2 3/4	2 3/4	1185	1	7 1/2, 8, 8 1/2
STS12LR	12	Premier STS Low Recoil	2 3/4	2 1/2	1100	1 1/8	8
STS12L	12	Premier STS Light Target	2 3/4	2 3/4	1145	1 1/8	7 1/2, 8, 8 1/2, 9
STS12LH	12	Premier STS Light Handicap	2 3/4	3	1200	1 1/8	7 1/2, 8
STS12NH1	12	Premier Nitro 27 Handicap	2 3/4	HDCP	1290	1	7 1/2, 8
STS12NH	12	Premier Nitro 27 Handicap	2 3/4	HDCP	1235	1 1/8	7 1/2, 8
STS12NSC	12	Premier STS Nitro Sporting Clays	2 3/4	Max	1300	1 1/8	7 1/2, 8
STS12NSC1	12	Premier STS Nitro Sporting Clays	2 3/4	Max	1350	1	7 1/2
STS20SC	20	Premier STS Target	2 3/4	2 1/2	1200	7/8	8
STS20	20	Premier STS Target	2 3/4	2 1/2	1200	7/8	9
STS28NSC	28	Premier STS Nitro Sporting Clays	2 3/4	2 1/4	1300	3/4	7 1/2
STS28SC	28	Premier STS Target	2 3/4	2	1200	3/4	8
STS28	28	Premier STS Target	2 3/4	2	1200	3/4	9
STS410NSC	410	Premier STS Nitro Sporting Clays	2 1/2	Max	1300	1/2	8
STS410SC	410	Premier STS Target	2 1/2	Max	1200	1/2	8 1/2
STS410	410	Premier STS Target	2 1/2	Max	1200	1/2	9

GUN CLUB® TARGET LOADS

INDEX/ EDI NO.	GAUGE/ BORE	LOAD TYPE	LENGTH (IN.)	POWDER DR. EQ.	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
GC121	12	Gun Club	2 3/4	2 3/4	1185	1	7 1/2, 8
GC12L	12	Gun Club	2 3/4	2 3/4	1145	1 1/8	7 1/2, 8, 9
GC12	12	Gun Club	2 3/4	3	1200	1 1/8	7 1/2, 8
GC20	20	Gun Club	2 3/4	2 1/2	1200	7/8	7 1/2, 8, 9


HIGH PERFORMANCE SLUGS

MORE ACCURATE. MORE LETHAL.
AND IT'S ALL ABOUT THE TIP.



CONTROLLED EXPANSION
Massive wound channels, 95% weight retention

1. **POWER PORT TIP**
   For accuracy assurance
2. **PATENTED SPIRAL NOSE**
   Cuts for controlled expansion
3. **SOLID LEAD CORE**
   Bonded to the jacket for high weight retention
4. **CARTRIDGE BRASS JACKET**
   For high strength



PREMIER® ACCUTIP™ BONDED SABOT SLUG

PUNCH HUGE HOLES WITH PINPOINT ACCURACY.

The AccuTip doesn't just look intimidating, it's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. Guided by our Power Port Tip, these bonded sabot slugs hit with a degree of accuracy and terminal performance unmatched by any other we've tested. It is a true masterpiece of aerodynamics that consistently transfers tremendous knockdown force to the farthest reaches of shotgun range. At 58-cal, our 12 gauge version is the largest tipped slug you'll find anywhere. In field testing, both the 12 and 20 gauge versions produced huge wound channels and crumpled every deer they touched with a single shot. Spiral nose cuts, bonded construction and a high-strength cartridge-brass jacket come together on game to create large, perfect mushrooms with over 95 percent weight retention from 5 to 200 yards. Available in 2 3/4" or 3" 12 gauge and 20 gauge versions.



PREMIER® ACCUTIP™ BONDED SABOT SLUGS


INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC)			ENERGY (FT.-LBS.)			TRAJECTORY		
				MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
PRA12	12	2 3/4"	385-gr.	1850	1611	1401	2925	2218	1677	2.7"	3.6"	0.0"*
PRA12M	12	3"	385-gr.	1900	1656	1439	3086	2344	1771	2.5"	3.4"	0.0"*
PRA20	20	2 3/4"	260-gr.	1850	1610	1399	1976	1496	1130	2.7"	3.6"	0.0"*
PRA20M	20	3"	260-gr.	1900	1655	1438	2084	1581	1193	2.5"	3.4"	0.0"*

** 0.0 indicates yardage at which shotgun was sighted in.*

FEATURES	12 GAUGE	20 GAUGE
Power Port Tip delivers dramatically superior **ACCURACY**	Yes	Yes
Spiral nose cuts and proprietary bonding technology **CONTROL EXPANSION** at all ranges	5–200 yards	5–150 yards
High **WEIGHT RETENTION** at all distances	98% @ 100 yards	98% @ 100 yards
Slug jacket made from **HIGH-STRENGTH** cartridge brass	Yes	Yes
Designed for use in **FULLY RIFLED** barrels only	Yes	Yes

1,900 FPS
FLAT-OUT CRUSHES BIG GAME.

Illustration below highlights a 12 gauge, 3" AccuTip™ bonded sabot load





12 GAUGE
385-grain



20 GAUGE
260-grain




UNRIVALED PRECISION
5 shots @ 100 yards – 1.2"

PREMIER® CORE-LOKT® ULTRA BONDED® SABOT SLUG

HARD HITTING. FLAT SHOOTING. GAME OVER.

Maximize the effective range of your slug gun and put more game on the ground. The Premier Core-Lokt® Ultra Bonded® is a sleek, ultra-fast, flat-shooting sabot slug that's virtually in a class of its own. With unparalleled accuracy, the 12-gauge load launches a 385-grain, .50-caliber jacketed, bonded bullet that retains near 100% weight retention and expands to 2x diameter at impact. We're also proud to offer the 260-grain 20-gauge version. Both loads exit the muzzle at an awesome 1,900 fps and are designed for use in rifled barrels only.









PREMIER® CORE-LOKT® ULTRA BONDED® SABOT SLUGS

INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC) MUZ.	50 YDS.	100 YDS.	ENERGY (FT.-LBS.) MUZ.	50 YDS.	100 YDS.	TRAJECTORY 50 YDS.	100 YDS.	150 YDS.
PR12CLU	12	2 ¾"	385-gr.	1900	1770	1648	3086	2682	2325	1.8"	2.4"	0.0*
PR20CLU	20	2 ¾"	260-gr.	1900	1750	1615	2084	1774	1506	2.0"	2.7"	0.0*

** 0.0 indicates yardage at which shotgun was sighted in.*

HIGH PERFORMANCE SLUGS AND BUCKSHOT



PREMIER® COPPER SOLID® SABOT SLUGS

The unique, all-copper shotgun deer load designed specifically for use in fully rifled barrels. Outstanding on-game performance with 2x caliber expansion and virtually 100 percent weight retention. Consistently delivers 2 ½", 5-shot groups at 100 yards.



SLUGGER® HIGH VELOCITY RIFLED SLUGS

This higher velocity slug exits the barrel at 1800 fps, 13 percent faster than standard 1-oz. slugs. The 7/8-oz. Slugger® High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1 oz. slugs. Produced in most popular slug loadings – 2 ¾" and 3" 12 gauge and 2 ¾" 20 gauge. Designed for the avid deer hunter using smooth bore guns.



SLUGGER® RIFLED SLUGS

Our most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.



MANAGED-RECOIL® SLUGGER® RIFLED SLUGS

Devastating performance, but with 45% less felt recoil than full velocity Sluggers. Less recoil makes sighting-in more comfortable, while the accuracy and speed of second shots is greatly improved. And with effective energy out to 80 yards, it handles the majority of shotgun deer hunting ranges.

PREMIER® COPPER SOLID® SABOT SLUGS

INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC) MUZ.	50 YDS.	100 YDS.	ENERGY (FT.-LBS.) MUZ.	50 YDS.	100 YDS.	TRAJECTORY 50 YDS.	100 YDS.	150 YDS.
PR12CS	12	2 3/4"	1 oz.	1450	1320	1208	2040	1689	1417	0.0*	-3.5"	–
PR12MCS	12	3"	1 oz.	1550	1408	1283	2331	1923	1597	0.0*	-2.9"	–
PR20CS	20	2 3/4"	5/8 oz.	1500	1360	1240	1444	1187	986	0.0*	-3.1"	–

SLUGGER® HIGH VELOCITY RIFLED SLUGS

INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC) MUZ.	50 YDS.	100 YDS.	ENERGY (FT.-LBS.) MUZ.	50 YDS.	100 YDS.	TRAJECTORY 50 YDS.	100 YDS.	150 YDS.
SPHV12RS	12	2 ¾"	7/8 oz.	1800	1252	978	2751	1517	813	0.0*	-4.1"	–
SPHV12MRS	12	3"	7/8 oz.	1875	1302	998	2989	1442	847	0.0*	-3.7"	–
SPHV20RS	20	2 ¾"	1/2 oz.	1800	1321	1037	1575	848	523	0.0*	-3.6"	–

SLUGGER® RIFLED SLUGS

INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC) MUZ.	50 YDS.	100 YDS.	ENERGY (FT.-LBS.) MUZ.	50 YDS.	100 YDS.	TRAJECTORY 50 YDS.	100 YDS.	150 YDS.
SP12RS	12	2 3/4"	1 oz.	1560	1175	977	2361	1340	926	0.0*	-4.8"	–
S12SRS	12	2 3/4"	1 oz.	1680	1285	1045	2738	1605	1059	0.0*	-3.8"	–
S12MRS	12	3"	1 oz.	1760	1345	1075	3005	1753	1121	0.0*	-3.4"	–
SP16RS	16	2 3/4"	4/5 oz.	1600	1175	965	1989	1072	724	0.0*	-4.8"	–
SP20RS	20	2 3/4"	5/8 oz.	1580	1240	1034	1513	931	648	0.0*	-4.2"	–
SP41RS	410	2 1/2"	1/5 oz.	1830	1335	1040	654	348	211	0.0*	-3.5"	–

MANAGED-RECOIL® SLUGGER® RIFLED SLUGS

INDEX/EDI NO.	GAUGE	LENGTH	SLUG WT.	VELOCITY (FT/SEC) MUZ.	50 YDS.	100 YDS.	ENERGY (FT.-LBS.) MUZ.	50 YDS.	100 YDS.	TRAJECTORY 50 YDS.	100 YDS.	150 YDS.
RL12RS	12	2 3/4"	1 oz.	1200	988	873	1397	948	739	0.0*	-7.4"	–

EXPRESS® MAGNUM BUCKSHOT LOADS – BUFFERED

INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	BUCKSHOT SIZE	PELLET COUNT
12SB00	12	2 3/4"	1290	00	12
12HB000	12	3"	1225	000	10
12HB00	12	3"	1225	00	15
12HB4	12	3"	1225	4	41
1235B00†	12	3 1/2"	1125	00	18

EXPRESS® BUCKSHOT LOADS – BUFFERED

INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	BUCKSHOT SIZE	PELLET COUNT
12B000	12	2 3/4"	1325	000	8
12B00†	12	2 3/4"	1325	00	9
12B0	12	2 3/4"	1275	0	12
12B1	12	2 3/4"	1250	1	16
12B4	12	2 3/4"	1325	4	27
20B3	20	2 3/4"	1220	3	20

MANAGED-RECOIL® BUCKSHOT

INDEX/EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	BUCKSHOT SIZE	PELLET COUNT
RL12BK00	12	2 3/4"	1200	00	8

** 0.0 indicates yardage at which shotgun was sighted in. † Utilizes Remington® Power-Piston one-piece wad.*



DELIVER YOUR SLUGS WITH EXPERT PRECISION.

For max long-range accuracy with a slug gun, there's only one name up to the task – Remington.® Pair our advanced slug loads with any of our quality selection of rifled barrels and specialized slug shotguns. Together, they make for a deadly combination.



MODEL 870™ CANTILEVER CAMO

See page 132.



MODEL 11-87™ CANTILEVER DEER

See page 132.



MODEL 11-87™ PREMIER RIFLED SIGHTS

See page 132.



MODEL 11-87™ SPORTSMAN® FULLY RIFLED CANTILEVER SYNTHETIC SHURSHOT® DEER

See page 67.



MODEL 870™ SPS SHURSHOT® FULLY RIFLED SUPER SLUG

See page 75.



MODEL 870™ EXPRESS® DEER

See page 73.




EXPRESS® MAGNUM AND EXPRESS® BUCKSHOT

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

DON'T TRUST YOUR SAFETY TO ANYTHING ELSE.

PRECISION STOPPING POWER

The bullet diameter directly ahead of the Driving Band is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the rifling. The result: match-grade accuracy and reduced barrel friction at maximum velocities.



1 EXCLUSIVE BRASS JACKET

With precision nose cuts controls expansion and optimizes energy transfer

2 CASE MOUTH AND PRIMER WATERPROOFING

For maximum reliability


3 NICKEL-PLATED CASES

To reduce oxidation and improve feeding and extraction

4 SPECIALLY TREATED POWDERS

To suppress muzzle flash





Box shown is a rendering. Final packaging available in early 2013.

ULTIMATE DEFENSE PISTOL AND REVOLVER

Based on the same platform trusted by law enforcement professionals to protect the American way of life, now available for personal defense. Loaded with our high-performance Brass Jacket Hollow Point (BJHP), these rounds deliver massive expansion and deep penetration for ultimate stopping power. Premium nickel-plated cases resist corrosion and cycle dependably after extended storage. Available in the most popular pistol and revolver calibers.

ULTIMATE DEFENSE PISTOL & REVOLVER

CALIBER	INDEX/EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
9mm Luger	HD9MMB	124	BJHP
380 Auto	HD308B	102	BJHP
38 Special (+P)	HD38SB	125	BJHP
40 S&W	HD40SWB	180	BJHP
45 Auto	HD45APB	230	BJHP
45 Colt	HD45C410	230	BJHP

ULTIMATE DEFENSE SHOTSHELL LOADS – LEAD BUCKSHOT

INDEX/ EDI NO.	GAUGE	LENGTH (IN.)	VELOCITY (FT/SEC @ 3 FT)	OUNCES OF SHOT	SHOT SIZE
410B000HD	410	2 ½	1225	4 PEL	000BK
413B000HD	410	3	1125	5 PEL	000BK
HD45C410	410	2 ½	1225	4 PEL	000BK

For more information on ballistics, see pages 158-161.







ULTIMATE DEFENSE SHOTSHELL



Box shown is a rendering.
Final packaging available in early 2013.

These rounds deliver dense, devastating patterns and massive knockdown power when the stakes are at their highest. Short-range patterns in smoothbore barrels are tight and effective for one-shot confidence. Our 410 load packs four lead 000 buckshot pellets to maximize effectiveness of the Taurus® Judge® handgun.

ULTIMATE DEFENSE COMBO PACK

NEW



Two of the most tested and trusted payloads in home defense, together in one convenient package. For serious stopping power, Ultimate Defense 45 Colt features a 230-grain BJHP-style bullet, while the 410 load offers 4 pellets of 000 buckshot to deliver ultra-tight patterns and one-shot confidence. For the ultimate in close range assurance when it matters most, each feeds seamlessly through your combination handgun.

A SOLID GOLD INSURANCE POLICY
FOR PROTECTING WHAT MATTERS MOST.



1 JACKET NOSE CUT
Forms a folded spiral pattern that curls one edge of each jacket petal inward, completely cutting through the lead core into the hollow point for reliable and predictable expansion

2 HIGH-PERFORMANCE BRASS JACKET
Made entirely of thicker and stiffer cartridge brass instead of standard copper gilding metal for ultimate in controlled expansion

3 DRIVING BAND™
Mechanically locks core to jacket to prevent core/jacket separation and reduces rifling contact friction for optimum muzzle velocity and tack driving accuracy



This series of photos shows the totally controlled and extremely uniform expansion of Golden Saber® HPJ bullets.

GOLDEN SABER® HPJ

DEAD-SERIOUS BULLET INNOVATION.

A superior bullet for when the stakes are at their highest. Designed for law enforcement and personal defense, the Golden Saber® High Performance Jacket successfully combines match-type accuracy, deep penetration, maximum expansion and near 100 percent weight retention.





PREMIER® GOLDEN SABER® HPJ (HIGH PERFORMANCE JACKET)

CALIBER	INDEX/ EDI NO.	BULLET WT. (GRS.)
357 Magnum	GS357MA	125
9mm Luger	GS9MMB	124
	GS9MMC	147
9mm Luger (+P)	GS9MMD	124
380 Auto.	GS380B	102
38 Special (+P)	GS38SB	125
40 S&W	GS40SWA	165
	GS40SWB	180
45 Auto.	GS45APA	185
	GS45APB	230
45 Auto. (+P)	GS45APC	185

+P: Ammunition with "+P" on the headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

For more information on ballistics, see pages 158-161.

BOOST YOUR SCORES. DEFEND YOUR TURF. REMINGTON® DELIVERS.



HIGH TERMINAL PERFORMANCE (HTP)™

Now is no time for compromise. Combining premium primers, brass cases and propellants with a wide assortment of bullet designs, Remington HTP gives you the confidence and instant-stopping power you need for when it matters most. Available in all major defense calibers, in standard and many +P loadings. Always be prepared with Remington HTP.

NEW



REMINGTON TARGET

NEW

Practice makes perfect and nothing prepares you better than Remington Target. Consistency, accuracy and iron-clad reliability, made with high-quality components and available in all traditional revolver bullet styles. For the quality wheelgun owners demand, Remington Target delivers.



REMINGTON

The broadest line of pistol and revolver ammo available. Our line includes loadings for virtually every shooting scenario, with vast choices of calibers, bullet weights and styles, and combinations of all these. All assembled to exacting standards from the highest-quality components. ***For complete caliber listings, visit remington.com.***

REMINGTON HTP™ PISTOL & REVOLVER

CALIBER	INDEX/ EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
357 Mag.	RTP357M7	110	Semi-Jacketed Hollow Point
	RTP357M12	125	Semi-Jacketed Hollow Point
	RTP357M2	158	Semi-Jacketed Hollow Point
	RTP357M3	158	Soft Point
	RTP357M10	180	Semi-Jacketed Hollow Point
9mm Luger	RTP9MM1	115	Jacketed Hollow Point
	RTP9MM6	115	Jacketed Hollow Point +P
	RTP9MM8	147	Jacketed Hollow Point
380 Auto.	RTP380A1	88	Jacketed Hollow Point
38 Special	RTP38S16	110	Semi-Jacketed Hollow Point
	RTP38S10	110	Semi-Jacketed Hollow Point +P
	RTP38S21	125	Semi-Jacketed Hollow Point +P
	RTP38S12	158	Lead Hollow Point +P
40 S&W	RTP40SW1	155	Jacketed Hollow Point
	RTP40SW1	180	Jacketed Hollow Point
41 Magnum	RTP41MG1	210	Soft Point
44 Remington	RTP44MG2	240	Soft Point
	RTP44MG3	240	Semi-Jacketed Hollow Point
45 Auto.	RTP45AP2	185	Jacketed Hollow Point
	RTP45AP7	230	Jacketed Hollow Point
45 Colt	RTP45C	230	Jacketed Hollow Point

REMINGTON TARGET PISTOL & REVOLVER

CALIBER	INDEX/ EDI NO.	BULLET WT. (GRS.)	BULLET TYPE
32 S&W	RTG32SW	88	Lead Round Nose
32 S&W Long	RTG32SWL	98	Lead Round Nose
357 Mag.	RTG357M5	158	Lead Semi-Wadcutter
38 S&W	RTG38SW	146	Lead Round Nose
38 Special	RTG38S3	148	Lead Wadcutter
	RTG38S6	158	Lead Semi-Wadcutter
	RTG38S5	158	Lead Round Nose
38 Short Colt	RTG38SC	125	Lead Round Nose
44 S&W Special	RTG44SW	246	Lead
45 Colt	RTG45C1	225	Lead Semi-Wadcutter
	RTG45C	250	Lead Round Nose

+P: Ammunition with "+P" on the headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

For more information on ballistics, see pages 158-161.

REMINGTON UMC.®

THE NAME AMERICA TRUSTS.



For nearly 140 years, the Union Metallic Cartridge Company name has been synonymous with innovative, high-quality ammunition. UMC® has become a fixture in the shooting ranges and hunting grounds of America by delivering the best in shot-to-shot consistency and the latest technology at a very attractive price. Simply put, no one delivers a better product more efficiently, and the results are proof – from point of purchase to point of impact.

UMC® HANDGUN CARTRIDGES

All UMC® ammunition is American-made in Lonoke, Arkansas, using first-quality, factory-fresh brass and clean-shooting Kleanbore® primers to provide the best value for practice, personal defense and hunting.




UMC® RIFLE CARTRIDGES

Made in the USA, value-priced and ideal for high-volume shooting, our UMC® centerfire rifle ammunition is loaded in seven popular calibers, including the 30-06 Springfield, 308 Win, 7.62x39mm, 30 Carbine and 303 British. The 45- and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are perfect for varmint hunters. Also available in 17 Remington FireBall® and 30 Remington AR.

UMC® LEADLESS HANDGUN CARTRIDGES

A must-have for shooters who frequent indoor ranges, economical UMC® LeadLess™ cartridges virtually eliminate lead exposure at the firing line. Specially designed bullet actually prevents the vaporization of lead from the bullet's base upon firing. Standard bullet weights duplicate the ballistics of conventional loads.







UMC® HANDGUN CARTRIDGES

CALIBER	INDEX/ EDI NO.	BULLET WT. (grs.)	BULLET TYPE
9mm Luger	L9MM1	115	Jacketed Hollow Point
	L9MM2	124	Metal Case
	L9MM3	115	Metal Case
	L9MM9	147	Metal Case
10mm Auto	L10MM6	180	Metal Case
25 Auto (6.35mm)	L25AP	50	Metal Case
32 Auto	L32AP	71	Metal Case
357 Magnum	L357M12	125	Jacketed Soft Point
357 Sig.	L357S1	125	Metal Case
	L357S2	125	Jacketed Hollow Point
38 Super Auto (+P)	L38SUP	130	Metal Case
38 Special (+P)	L38S2	125	Jacketed Hollow Point
38 Special	L38S5	158	Lead Round Nose
	L38S11	130	Metal Case
380 Auto	L380AP	95	Metal Case
40 S & W	L40SW2	180	Jacketed Hollow Point
	L40SW3	180	Metal Case
	L40SW4	165	Metal Case
44 Remington Mag	L44MG7	180	Jacketed Soft Point
45 Auto	L45AP1	185	Metal Case
	L45AP4	230	Metal Case
	L45AP7	230	Jacketed Hollow Point
45 GAP	L45GAP4	230	Metal Case

+P: Ammunition with "+P" on the headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

For more information on ballistics, see pages 158-161.

UMC® LEADLESS™ HANDGUN CARTRIDGES

CALIBER	INDEX/ EDI NO.	BULLET WT. (grs.)	BULLET TYPE
9mm Luger	LL9MM11	115	Flat Nose Enclosed Base
	LL9MM2	124	Flat Nose Enclosed Base
	LL9MM9	147	Flat Nose Enclosed Base
38 Special	LL38S17	125	Flat Nose Enclosed Base
38 Special+P	LL38S2	125	Flat Nose Enclosed Base
380 Auto	LL380AP2	95	Flat Nose Enclosed Base
40 S & W	LL40SW5	180	Flat Nose Enclosed Base
45 Auto	LL45AP8	230	Flat Nose Enclosed Base

UMC® RIFLE CARTRIDGES

CALIBER	INDEX/ EDI NO.	BULLET WT. (grs.)	BULLET TYPE
17 Remington FireBall	L17FBV	25	Jacketed Hollow Point
223 Remington	L223R3	55	Metal Case
	L223R7	45	Jacketed Hollow Point
	L223R8	50	Jacketed Hollow Point
	L223R9	62	Closed Tip Flat Base
22-250 Remington	L22503	45	Jacketed Hollow Point
	L22504	50	Jacketed Hollow Point
6.8 Remington SPC	L68R1	115	Metal Case
7.62x39mm	L762391	123	Metal Case
30 Carbine	L30CR1	110	Metal Case
30 Remington AR	L30RAR1	123	Metal Case
308 Win.	L308W4	150	Metal Case
308 Win.	L308W4B	150	Metal Case
30-06 Springfield	L30062	150	Metal Case
303 British	L303B1	174	Metal Case

FINE-TUNED RELIABILITY AND PRECISION FOR EVERY APPLICATION.



PEAK PERFORMANCE IN EVERY BOX.

We're proud to offer one of the broadest selections of high-performance rimfire ammunition available today, and even prouder of the fact we continue to set the standard for accuracy and dependability industry-wide. To achieve this, every round is produced with the same tight tolerances and high level of care we apply to our centerfire ammo. From tin cans to small game to serious competitive pursuits, count on Remington to keep your rimfire dead-center.



PREMIER® GOLD BOX

Loaded with AccuTip-V™ polymer-tipped bullets to deliver unrivaled shot-to-shot consistency, laser-flat trajectory and explosive expansion. One shot and you'll see upgrading your rimfire is as simple as choosing superior ammunition.

COMPETITION/TARGET

Remington teamed with Eley Ltd. – a company with a reputation for producing the world's most accurate and reliable rimfire ammunition – to create one of the most formidable alliances in the competitive rimfire scene. Choose from three grades of premier 22 long rifle ammunition crafted for the serious target shooter: Target Rifle, Club XTRA and the elite Match EPS.





CALIBER	INDEX/ EDI NO.	WEIGHT (grs.)	BULLET STYLE	VELOCITY (ft/sec)			ENERGY (ft.-lbs.)			TRAJECTORY (in.)*		
				Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.
22 RIMFIRE MAGNUM												
Remington 22 Magnum	R22M1	40	Jacketed Hollow Point	1910	1610	1350	324	230	162	0.9	0.0	-5.7
Remington 22 Magnum	R22M2	40	Pointed Soft Point	1910	1600	1340	324	227	159	1.0	0.0	-5.8
22 LR HYPER VELOCITY												
Yellow Jacket®	1722/1700 †	33	Truncated Cone Hollow Point	1500	1247	1075	165	114	85	-0.2	0.0	-4.1
Viper®	1922/1900 †	36	Truncated Cone Solid	1410	1198	1056	159	115	89	-0.1	0.0	-4.7
22 LR SHORT HIGH VELOCITY												
Remington Golden Bullet	1022/1000 †	29	Plated Lead Round Nose	1095	982	903	77	62	52	0.3	0.0	-7.4
22 LR HIGH VELOCITY												
Remington Golden Bullet	1522/1500 †	40	Plated Lead Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-5.6
Remington Golden Bullet	1622+/1600 ††	36	Plated Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
Thunderbolt®	TB-22A †††	40	Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-5.6
Cyclone®	CY-22HP †††	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
Game Load	GL-22HP	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
22 LR STANDARD VELOCITY												
Target	6122/6100 †††	40	Round Nose	1150	1048	976	117	98	85	0.2	0.0	-6.4
22 LR SUBSONIC												
Subsonic	SUB22HP/ SUB22HP1†	38	Hollow Point	1050	965	901	93	79	69	0.3	0.0	-7.7
22 LR LOW NOISE												
CBee	CB-22LI00 †	33	Hollow Point	740	687	638	40	35	30	-1.5	0.0	-16.9
PREMIER® GOLD BOX RIMFIRE (RIMFIRE MAGNUM)												
CALIBER	INDEX/ EDI NO.	WEIGHT (grs.)	BULLET STYLE	VELOCITY (ft/sec)			ENERGY (ft.-lbs.)			TRAJECTORY (in.)*		
				Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.
Premier® 17HMR	PR17HM1	17	AccuTip-V™	2550	2212	1901	245	185	136	0.1	0.0	-2.6
Premier® 22 Win Mag	PR22M1	33	AccuTip-V™	2000	1730	1495	293	219	164	0.6	0.0	-4.5
COMPETITION / TARGET RIMFIRE (22 LR REMINGTON/ELEY)												
Match EPS	RE22EPS	40	Lead Flat Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1
Club Xtra	RE22CX	40	Lead Round Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1
Target Rifle	RE22T	40	Lead Round Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1

*Sight height 1.5" above axis of bore. †These 22s available in slide-open plastic packs of 100. ††Available in 525-round and 550-round bulk packs. †††Available in 500-round bulk pack.


Brite Bore

EQUIPPED FOR EXCELLENCE.

ADVANCING EVERY FACET OF THE GAME, WITH ONE UNWAVERING GOAL IN MIND: MAKING YOU BETTER.

It has been this way since we first put out our sign nearly 200 years ago. Every knife, every stock, every product that bears our name – all made with a passion for excellence worthy of the noble sporting tradition we represent. And you. By making our products better, we're improving your effectiveness and time in the outdoors. That goal will never change.

120	CLEANERS AND LUBRICANTS
126	CLEANING KITS
128	SECURITY
129	GUN STORAGE
130	MOUNTS
131	CHOKE TUBES
132	BARRELS
134	STOCKS
136	GUN PARTS
137	MAGAZINES
138	MODEL 1911 PARTS AND ACCESSORIES
139	CUTLERY
146	CAMO









TODAY'S MOST ADVANCED

BY AMERICA'S MOST TRUSTED GUNMAKER.





REM® OIL

Quick, easy way to keep your firearms performing to their full potential. REM® Oil cleans dirt and grim from exposed metal surfaces, while displacing non-visible moisture from metal pores. It also protects internal and external metal parts from rust and corrosion. And the exclusive teflon® formula creates a thin, long-lasting film that keeps actions working smoothly by reducing metal-to-metal wear. Available in:

- 10-oz. aerosol can – *#24037*
- 6-oz. spray pump (MoistureGuard®) – *#18378*
- 4-oz. aerosol can – *#26610*
- 2-oz. bottle with child-resistant cap – *#18366*
- 1-oz. squeeze bottle with child-resistant cap – *#26617*

GUN CARE.



REM® OIL WIPES

Rem® Oil Wipes are an efficient way to protect your firearms and gear. Each wipe is treated with Rem Oil, for a quick and easy application of one of the world's most trusted cleaners and lubricants. The individually packaged Rem Oil Wipes are convenient for travel or in your field pack, while the sixty count canister is a perfect companion for everyone's workbench. Available in:

- 12 individually wrapped 6"x8" wipes – *#18411*
- 60-count pop-up canister – *#18384*
- Single packs in counter display – *#18473*







VOLUME VALUE PACK

Includes: Shotgun Cleaner (18 oz.) to blast away dirt, grease and grime with high pressure and Rem® Oil (10 oz.), to lubricate and protect after cleaning.

#18131



CLEAN ACTION VALUE PACK

Includes: Rem® Action Cleaner (10.5 oz.) to easily remove powder residue and dirt plus, Rem® Oil (10 oz.), to lubricate and protect after cleaning.

#18154



3-STEP STARTER VALUE PACK

Includes: Brite Bore,™ Rem® Action Cleaner and Rem® Oil in 2 oz. squeeze bottles with child safety lids. Great for complete firearm care that fits nicely into a travel pack.

#18161



3-STEP VALUE PACK

Includes three aerosol cans: Brite Bore™ (6 oz.), Rem® Action Cleaner (10.5 oz.) and Rem® Oil (10 oz.) for complete firearm care and is a necessity for every hunter's and shooter's workbench.

#18156

CLEANERS AND LUBRICANTS



REM® DRILUBE

- Formulated for superior lubricity without leaving any dust collecting residue behind and is perfect for protecting your firearm in sub-zero temperatures
- Teflon®-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes
- Keeps firearms functioning dependably to -40°F
- Available in:
  – 4-oz. aerosol can – *#18396*



SHOTGUN CLEANER

- Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes
- Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk
- Blasts away gummy caked-on grime from hard-to-reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses
- Available in:
  – 18-oz. aerosol can – *#18472*



REM® ACTION CLEANER

- Easily cleans dirt, powder residue and caked-on lubricants from disassembled actions and fire-control mechanisms
- Dries quickly and leaves no residue
- Available in:
  – 2 oz. squeeze bottle with child safe lid – *#19924*
  – 4 oz. aerosol can – *#19925*
  – 10.5 oz. aerosol can – *#18395*



BRITE BORE™ SOLVENT

- Dissolves carbon and powder fouling, removes copper, lead and plastic deposits
- Handy size for field range use
- Low odor – contains no CFCs
- Available in:
  – 6-oz. aerosol can – *#18367*
  – 2 oz. squeeze bottle with child safe lid – *#18394*



40-X™ BORE CLEANER

- Formerly Remington® Bore Cleaner
- 40-X name ties into the product's origins in Precision Benchrest Shooting
- Formulated for rifles to improve cleaning, accuracy and performance
- Fast and easy to use – no soaking or foul odors
- Contains polishing compounds to make your bore mirror-clean
- Available in:
  – 4 oz. squeeze bottle with child safe lid – *#18397*


Remington
CLEANING CHEMICAL
Rem Oil
DANGER!
NET WT 10 OZ
BORE SOLVENT
Remington
Brite Bore
DANGER!
NET WT 6 OZ (170 g)
Remington
Rem Wipes
Contains Sixty
Premoistened, Disposa
Over 20% More Wipes Than
Large 7"x 8" Wipes
Over 250% Larger Than
CAUTION: COMBUS
ACTION DEGREASER
Remington
Rem Action Cleaner
DANGER!
Remington
RIFLE
Remington
Remington 3
Remington 2
Remington 1

CLEANERS AND LUBRICANTS



REM® SQUEEG-E™

NEW

- Designed for pull-through flex rods
- Eliminates need for mops and patches
- Exclusive product made from modern polymers
- Quickly cleans lands and grooves with one pull
- Available for the following calibers and gauges:

.22 / .223 / 5.56mm .... *#17123*	.40 / 10 mm ..... *#17127*
.243 / .25 ..... *#17125*	.44 / .45 ..... *#17128*
.270 / 7mm ..... *#17122*	.50 Cal. / .410 Gauge ... *#17129*
.30 / 7.62mm *17124*	12 / 16 Gauge ..... *#17120*
.357 / .380 / .38 / 9mm .. *#17126*	20 / 28 Gauge ..... *#17121*

REM® SQUEEG-E™ UNIVERSAL GUN CLEANING SYSTEM AND RANGE BAG

NEW

- Rem® Squeeg-e™ pull through barrel cleaners (10 sizes)
- Medium Rem®-Pad Mat (12"x28")
- 2 nylon and brass brushes, 10 multiple-caliber bronze bore brushes
- Rem® All-In-One bore cleaner (½ oz.), Rem® Oil (1 oz.)
- Green canvas range bag with shoulder strap
- Patented Fast Snap™ T-Handle™
- Rem® flex rod cables
- Yellow gun cloth

#17096











REM® FLEX ROD WITH T-HANDLE™

- Designed to ensure thorough bore cleaning in all your rifles, shotguns and handguns (22 caliber to 12 gauge)
- Patented T-handle™ for quick adaptability
- Available in:

12" ..... *#19955*	32" ..... *#19957*
26" ..... *#19956*	39" ..... *#19958*



REM® MOP

- 100% cotton
- Thick nap
- #8-32 standard threads
- Available for the following gauges and calibers:

10 gauge . . . . . *#18463*
12 / 16 gauge. . . . . *#19035*
20 gauge . . . . . *#19034*
28 / .410 gauge . . . . . *#19033*
.22 / .223 / 5.56mm . . . . . *#19030*
.30 / 7.62mm . . . . . *#18456*
.357 / .380 / .38 / 9mm . . *#19031*
.40 / 10mm . . . . . *#19032*
.44 / .45 . . . . . *#18458*
.50 . . . . . *#19228*



REM® BRUSH

- #8-32 standard threads
- Bronze bristles resist corrosion
- Cleans without excessive abrasion
- Available for the following gauges and calibers:

10 gauge . . . . . *#19926*
12 / 16 gauge. . . . . *#19028*
20 gauge . . . . . *#19026*
28 / .410 gauge . . . . . *#19025*
.17 HMR / .204 / .17. . . . . . *#18407*
.22 / .223 / 5.56mm . . . . . *#19017*
.243 / .25 . . . . . *#19018*
.30 / 7.62mm . . . . . *#19020*
.357 / .380 / .38 / 9mm . . *#19014*
.375 . . . . . *#18409*
.270 / 7mm . . . . . *#19019*
.40 / 10mm . . . . . *#19015*
.44 / .45 . . . . . *#19023*
.50 . . . . . *#19225*

VCI TECHNOLOGY **Volatile Corrosion Inhibitor Technology** (VCI) is the most scientifically advanced formula for protecting all metals from rust and corrosion.

VCI Technology coats the metal's surface and deactivates the humidity surrounding the metal components. Scientifically, the VCI molecules actually use the same mechanism that accelerates corrosion to speed up the release of protection molecules, creating a built-in defense mechanism. This revolutionary formula is designed to give your firearms the ultimate in protection, from the harshest of elements and long term storage to everyday use. Nothing works stronger or as effective.

- Protects all metal surfaces
- Displaces water and keeps on protecting
- Field tested and approved

CLEANING PATCHES AND REM® PATCH PULLER

- For all shotguns, black powder guns, rifles and rimfire rifles
- 100% cotton
- Enclosed in polybag for easy carrying in the field
- Presized for optimum cleaning
- Rem® Patch Puller
- #8-32 standard threads
- Patch Pullers available in:
  10 gauge. . . . . *#18477*
  12 / 16 gauge . . . . . *#18480*
  20 gauge. . . . . *#18478*
  28 / .410 gauge. . . . . *#19008*
  .17 HMR / .204 / .17 . . . *#19007*
  .22 / .223 / 5.56mm . . . *#18475*
  .30 / 7.62mm. . . . . *#18476*
  .50. . . . . *#19260*
- Patches available in:
  Rimfire: 7/8" x 7/8" (400 count) – *#19039*
  Centerfire: 2" x 2" (100 count) – *#19041*
  Shotgun: 2 3/4" x 2 3/4" (100 count) – *#19042*
  Black Powder: 2 1/2" x 2 1/2" (100 count) – *#19038*







MOISTUREGUARD REMCLOTH®

- Uses Volatile Corrosion Inhibitor Technology
- 10" x 10" non-abrasive cloth
- Instantly protects metal surfaces
- Safe on blued, and all metal finishes
- Reusable - includes zip seal pouch
- Washable and can be re-energized by retreating with Rem® Oil with MoistureGuard®

#19902



BORE LIGHT

- Ideal for inspecting used firearms, cleaning firearms and inspecting bore for obstructions
- Features a flexible neck for hard to see and reach places
- LED light emits an intense illuminating glow for detailed inspections
- Batteries included

#19495



REM® PAD GUN CLEANING MATS

- Surface material won't scratch guns or tabletops
- Absorbent top material traps and holds up to eight times its weight in fluids
- Available in three sizes:
  10" x 12" – *#17268*
  12" x 28" – *#18812*
  16" x 54" – *#18813*

CLEANING KITS



UNIVERSAL FAST SNAP 2.0

All you need to clean any firearm, from a 22 pistol or revolver to a 12-gauge shotgun.

- Contains 38 pieces plus 75 patches
- Version 2.0 upgrade includes Brite Bore™
- Flex Rod System with patented T-handle for quick adaptability
- Cleaner and lubricant included

#19185


ALL-A-ROUND 2.0 UNIVERSAL KIT

- Cleans all your shotguns, rifles and pistols (22 caliber to 12 gauge)
- Contains an assortment of brushes, 3-piece brass rod, patches, patch puller and waterproof/stain-resistant Rem® Pad
- Bore light
- Portable cleaning station with carry sack for easy transporting wherever you need it

#19546



BORE LIGHT INCLUDED





SPORTSMAN UNIVERSAL KIT

- 27-piece (true count) cleaning kit – includes 50 patches (22 caliber to 12 gauge)
- 3-piece aluminum rod accepts standard #8-32

#19054



MINI FAST SNAP CLEANING KITS.

The ultimate choice for portability and convenience. They fit easily into your pack during extended hunts and are ideal for a quick, thorough cleaning. Available in individual kits tailored for your rifle, shotgun and handgun.

MINI FAST SNAP – SHOTGUN

- Flex rod with patented T-handle™
- 2 oz. Brite Bore
- Bore Brush, Patch Puller and Patches
- Available in:
  – 12 / 16 gauge – *#19934*
  – 20 gauge – *#19935*





MINI FAST SNAP – RIFLE

- Flex rod with patented T-handle™
- 2 oz. Brite Bore
- Bore Brush, Patch Puller and Patches
- Available in:
  – .22 / .223 / 5.56mm – *#19936*
  – .30 / 7.62mm – *#19937*

MINI FAST SNAP – PISTOL/REVOLVER

- Flex rod with patented T-handle™
- 2 oz. Brite Bore
- Bore Brush, Patch Puller and Patches
- Available in:
  – .44 / .45 – *#19938*
  – .357 / .380 / .38 / 9mm – *#19939*



SECURITY

THE RAC™

NEW

- Reliable, dependable, anti-theft firearms storage device
- Tempered steel construction can withstand 4,700 pounds of force
- Hidden mounting system makes it tamper-proof
- Versatile – Install in a vehicle trunk or within the vehicle compartment
- Can be mounted to any structural foundation (hidden or visible)
- Secures 97% of firearms with a trigger guard
- Available in:
  – 1 gun (3") – *#17842*
  – 2 gun (5") – *#17843*







GUN LOCKS

- Fits most shotguns, rifles and handguns
- California-approved versions available



Single Trigger Lock
#18941

Cable Lock
#18364



3 Pack Trigger Locks
#19439



GUN SACKS

- Thick 100% polyester fabric protects against dirt and scratches
- Drawstring closure
- Treated with silicon to help protect from rust
- Two sizes available (12" and 52" long)



12" Gun Sack
#17269





52" Gun Sack
#18494

GUN STORAGE

MODEL 365 DEHUMIDIFIER

- Protects up to 60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Protects 333 cubic feet

#19950






MODEL 500 DEHUMIDIFIER

- Works in a 500-cubic-foot area
- No battery or cord needed
- Works up to 10 years
- Non-toxic, child and pet safe
- Eco-friendly

#19946



REM® DRI® 35 DESICCANT

- Removes moisture to prevent rust corrosion and eliminates odors in gun safes and cabinets
- No electricity required
- Rechargeable for multiple uses

#19952



MOISTUREGUARD SUPER-SAFE PLUG

- Uses Volatile Corrosion Inhibitor Technology
- Protects all metals from rust and corrosion
- Place or hang in gun cabinet/safe
- Superior storage protection
- Leaves no scent residue
- 216 cubic feet of protection for up to one year

VCI TECHNOLOGY

#19954



MOISTUREGUARD GUN PLUGS

- Uses Volatile Corrosion Inhibitor Technology
- Protects all metals from rust and corrosion
- Place in chamber to protect guns
- Leaves no scent or residue
- 30 cubic feet of protection
- Available in the following gauges and calibers:
  - 12 gauge (1 plug) – *#19463*
  - 20 gauge (1 plug) – *#19464*
  - Universal Pistol (1 plug) – *#19468*
  - .22 Pistol (1 plug) – *#19467*
  - .222-.223; .243, .308, 7mm-08; .270-.30-06 (3 plugs) – *#19465*

MOUNTS



SHOTGUN MOUNT

- Saddle style mount allows use for Remington Model 870™, 1100™ and 11-87™
- Made in the USA

#19440



597 SCOPE RAIL

- One-piece scope mount rail
- Allows use of Weaver-type rings
- Lightweight and easy to install
- Made in the USA

#18635



AR ½" PICATINNY RISER

- Full Advantage Max-1 HD®
- Fits any Picatinny rail
- Larger screw for more clamping power
- Made from aircraft-quality aluminum and hardcoated to mil. specs.
- 1.3" long
- Available in black and camo
- Made in the USA

#19448 (Camo), #19496 (Black)





AR MINI RISER

- Full Advantage Max-1 HD®
- ¾" long
- Available in black and camo
- Made in the USA

#19447 (Camo), #19498 (Black)

AR 4" PICATINNY RAIL

- Full Advantage Max-1 HD®
- Made from aircraft-quality aluminum and hardcoated to mil. specs.
- Co-witness with flat-top upper receiver
- Mounting screws included
- ¼" tall
- Available in black and camo
- Made in the USA

#19449 (Camo), #19497 (Black)



INTEGRAL SCOPE MOUNTS – HIGH

- Available for Remington Model 700™ and Model 783™ rifles
- Fits 30mm scope tube without inserts or 1" with inserts
- Z-2 alloy construction – 50% stronger than aluminum
- Super strong design – base & lower ring all in one
- Available in black and silver
- Made in the USA

Model 700: #19477 (Black), #19476 (Silver)
NEW *Model 783: #19729 (Black), #19728 (Silver)*



INTEGRAL SCOPE MOUNTS – MEDIUM

- Available for Remington Model 700™ and Model 783™ rifles
- Fits 1" scope tube only
- Z-2 alloy construction – 50% stronger than aluminum
- Available in black and silver
- Made in the USA

Model 700: #19425 (Black), #19424 (Silver)
NEW *Model 783: #19731 (Black), #19730 (Silver)*



CHOKE TUBES



REM® CHOKE



PRO BORE®



REM® CHOKE WINGMASTER HD®



REM® CHOKE TACTICAL

CHOKE TUBE BAG

- Holds six flush or extended chokes
- Pocket with zipper for wrench
- Heavy-duty zippered Cordura® pouch
- Belt loop for carry convenience

#19172



Choke tubes and wrench not included



CHOKE TUBE SPEED WRENCH

- Available in 12 and 20 gauge

#19173 (12 ga), #19174 (20 ga)



12 GAUGE REM® CHOKE UPGRADE KIT

- Improved Cylinder Rem® Choke
- Full Rem® Choke
- Magazine Cap
- Swivel Stud
- Speed wrench



CHOKE TUBES				
ORDER NO.	CHOKE TUBES	TYPE		SHOT TYPE
19154	Rem® Choke 12 gauge	Modified	Flush	Steel or Lead
19155	Rem® Choke 12 gauge	Improved Cylinder	Flush	Steel or Lead
19607	Rem® Choke 12 gauge	Skeet	Flush	Steel or Lead
19608	Rem® Choke 12 gauge	Improved Skeet	Flush	Steel or Lead
19609	Rem® Choke 12 gauge	Turkey Extra Full	Extended	Lead Only
19156	Rem® Choke 12 gauge	Turkey Super Full	Extended	Lead Only
19153	Rem® Choke 12 gauge	Full	Flush	Steel or Lead
19612	Rem® Choke 12 gauge	Rifled	Flush	Slugs
19616	Rem® Choke 12 gauge	Rifled	Extended	Slugs
19157	Rem® Choke 20 gauge	Full	Flush	Lead Only
19158	Rem® Choke 20 gauge	Modified	Flush	Steel or Lead
19159	Rem® Choke 20 gauge	Improved Cylinder	Flush	Steel or Lead
19621	Rem® Choke 20 gauge	Skeet	Flush	Steel or Lead
19625	Rem® Choke 20 gauge	Turkey Super Full	Extended	Lead Only
19626	Rem® Choke Wingmaster® HD 12 gauge	Flooded Timber Improved Cylinder	Extended	Steel or Lead
19627	Rem® Choke Wingmaster® HD 12 gauge	Pass Shooting Full	Extended	Steel or Lead
19629	Rem® Choke Wingmaster® HD 12 gauge	Over Decoys Modified	Extended	Steel or Lead
19631	Rem® Choke Wingmaster® HD 12 gauge	Turkey/Predator Ex. Full	Extended	Steel or Lead
19791	Rem® Choke Tactical 12 Gauge	Tactical Ported	Extended	Lead Only
19163	**NEW** Pro Bore® Choke 12 Gauge	Full	Extended	Steel or Lead
19160	**NEW** Pro Bore® Choke 12 Gauge	Full	Flush	Steel or Lead
19166	**NEW** Pro Bore® Choke 12 Gauge	Improved Cylinder	Extended	Steel or Lead
19162	**NEW** Pro Bore® Choke 12 Gauge	Improved Cylinder	Flush	Steel or Lead
19165	**NEW** Pro Bore® Choke 12 Gauge	Light Modified	Extended	Steel or Lead
19164	**NEW** Pro Bore® Choke 12 Gauge	Modified	Extended	Steel or Lead
19161	**NEW** Pro Bore® Choke 12 Gauge	Modified	Flush	Steel or Lead
19167	**NEW** Pro Bore® Choke 12 Gauge	Skeet	Extended	Steel or Lead
19792	**NEW** Pro Bore® Choke Tactical 12 Gauge	Tactical Ported	Extended	Lead Only
19423	Rem® Choke Upgrade Kit 12 gauge	IC, Mod, Speed Wrench, Universal Magazine Cap, Swivel	Flush	Steel or Lead

BARRELS

The only fitting choice for your Remington shotgun. Whether you want your Remington shotgun to perform like two, or you're restoring "an old friend," never compromise on our superb craftsmanship and dependability.





MODEL 870™ EXPRESS®
28" Vent Rib



MODEL 870™ WINGMASTER®
26" Vent Rib




MODEL 870™
20" Cantilever Camo

GAS SYSTEM KIT



- Stainless steel piston/piston seal
- Teflon®-coated barrel seals
- Fits all Model 1100™ and Model 11-87™ 12 gauge shotguns

#19258



BARREL SEAL O-RINGS

- Three per pack
- Synthetic DuPont® o-ring


#19264

MODEL 870™ EXTRA BARRELS

LENGTH & CHOKE	12 GAUGE	20 GAUGE[1]
Field Grade, Vent Rib, Wingmaster®		
28" Rem® Choke	24580	—
26" Rem® Choke	24582	—
Deer Barrel, Cantilever Scope Mount, Wingmaster®		
20" Fully Rifled	24557	—
Turkey Super Mag (23")	24555	—
Deer Barrel, Cantilever, Rifle Sights		
18 1/2" Fully Rifled	—	27599
23" Fully Rifled	27597	—
Deer Barrel, Rifle Sights		
20" Rem® Choke	24545[2]	—
20" Fully Rifled	24558	—
20" Imp. Cyl.	—	24578
SP™ Deer Barrel, Cantilever, Rifle Sights		
18 1/2" Fully Rifled	—	27595
23" Rem® Choke	24553	—
Express® Bead Sights	24620	—
Express® Vent Rib		
30" Rem® Choke	24589	—
28" Rem® Choke	26314	—
26" Rem® Choke	26312	—
Express® Deer, Rifle Sights (20"), Imp. Cyl.	24622	—
Express® Deer, Fully Rifled, Rifle Sights (20")	24611[6]	24609[5]

Model 870™ extra barrels with 3" chambers used on Super Magnum™ and Magnum receivers will handle both 2 3/4" and 3" shells only. Use only 2 3/4" shells when these barrels are used on non-Magnum receivers. **1** *20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns.* **2** *Rifle-sighted Rem® Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes.* **3** *Rifle-sighted Rem® Choke Deer barrels supplied with Improved Cylinder Choke tube.* **4** *Camo Mossy Oak® Break-Up® Pattern.* **5** *Cantilever Rem® Choke Deer barrels supplied with Improved Cylinder and Extended Rifled Choke tubes.* **6** *Express® 20-ga. Fully Rifled Deer barrel has 2 3/4" chamber. Model 870™ extra barrels with 2 3/4" chambers will fit both Magnum and 2 3/4" receivers. Use only 2 3/4" shells in these barrels.*





GUN PARTS



MODEL 11-87™ PREMIER®
Rifled Sights



MODEL 11-87™
Cantilever Deer



MODEL 887™ NITRO MAG® CAMO
20" Cantilever Camo

MODEL 11-87™ EXTRA BARRELS / 3" CHAMBERS

LENGTH & CHOKE	12 GAUGE	20 GAUGE[1]
Deer Barrel, Cantilever Scope Mount[2]		
21" Fully Rifled	29615	—
SP™ Deer Barrel, Cantilever Scope Mount[2]		
21" Fully Rifled	24645	—
SP™ Deer Barrel, Rifle Sights[2]		
21" Fully Rifled	29609	
Sportsman® Deer Barrel, Rifle Sights[2]		
21" Fully Rifled	—	27591
SUPER MAGNUM™		
SP™ Super Magnum™ Deer Barrel, Cantilever Scope Mount		
23" Fully Rifled (3" chamber)	80500	—

Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. **1** *20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns.* **2** *Model 11-87™ Deer barrels are compatible with Model 1100™ G3 shotguns. Fitting Standard Barrels on Light Contour Shotguns – The fore-ends on our Light Contour Model 11-87™ shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker; or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700 or visit our website at: www.remington.com.* **3** *Cantilever Rem® Choke Deer barrels supplied with Improved Cylinder and Extended Rifled Choke tubes.*
4 *Rifle-sighted Rem® Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes.*

MODEL 887™ EXTRA BARRELS / 3" CHAMBERS

LENGTH & CHOKE	12 GAUGE
Nitro Mag® Deer Barrel, FR-RS, HiViz® Fiber Optic Rifle Sights	
22" Fully Rifled	80200


MODEL 1100™ EXTRA BARRELS / 2 3/4" CHAMBERS

LENGTH & CHOKE	12 GAUGE	20 GAUGE LT-20[1]
Field Grade Deer, Cantilever Scope Mount		
21" Fully Rifled	26595	—
Field Grade Deer, Rifle Sights		
21" Fully Rifled	29570	—
21" Rem® Choke[2]	29565	—
21" Imp. Cyl.	—	24438
Steel Shot Barrel, Vent Rib[3] (See ammunition note below)		
30" Rem® Choke	29505	—
26" Rem® Choke	29509	—
Field Grade, Vent Rib		
30" Rem® Choke	24488	—
28" Rem® Choke	24464	—
26" Rem® Choke	24466	—

1 *NOTE: LT-20, 20-gauge Lightweight barrels (4000 Series) will not fit pre-1977 20-gauge Lightweight or standard 20-gauge Model 1100™ shotguns. (Refer to parts list for pre-1977 barrels.)* **2** *Rifle-sighted Rem® Choke Deer barrels supplied with Rifled and Imp. Cyl. Choke tubes.*
3 *Supplied with Full Choke only.*
Please note the following ammunition recommendations for use with the Model 1100™ steel shot barrel. When used with Model 1100™ Magnum shotguns, use 2 3/4" magnum or 3" magnum steel shotshells. When used with Model 1100™ non-Magnum shotguns, use 2 3/4" magnum or 3" magnum steel shotshells. Or use 2 3/4" magnum lead shotshells. Do not use 3" magnum lead shotshells in non-Magnum Model 1100™ shotguns, as this will cause extra wear and decrease the life of the gun.

STOCKS

Ensure the continued comfort, durability and peak performance of your firearm with Remington replacement stocks. Each is constructed of high-strength, fiberglass-reinforced, lightweight synthetic material that maintains integrity in even the harshest weather conditions and use.





MODEL 783™
Mossy Oak® Break-Up™ Infinity



MODEL 700™ BDL



MODEL 700™ XCR
Realtree® Hardwood® HD™



MODEL 1100™
Mossy Oak® Break-Up™



MODEL 870™ CANTILEVER



MODEL 870™ COMPACT
Realtree® Hardwood® HD™



MODEL 870™ COMPACT
Mossy Oak® Pink Camo



MODEL 870™ COMPACT YOUTH



MODEL 870,™ 1100™ & 11-87™ SHURSHOT®
(Camo and black versions available)



STOCKS

ORDER NO.	STOCKS	TYPE	COLOR	MATERIALS
19508	**NEW** Rifle - 783™	Long Action/Long Action Magnum	Mossy Oak® Break-Up™ Infinity	Synthetic
19507	**NEW** Rifle - 783™	Short Action	Mossy Oak® Break-Up™ Infinity	Synthetic
18581	Rifle - 700™ ADL	Long Action Stock	Black	Synthetic
19455	Rifle - 700™ ADL	Short Action	Realtree® Hardwood® APG™ Camo	Synthetic
19454	Rifle - 700™ ADL	Long Action	Realtree® Hardwood® APG™ Camo	Synthetic
18584	Rifle - 700™ BDL	Long Action Stock	Black	Synthetic
18586	Rifle - 700™ BDL	Long Action Magnum Stock	Black	Synthetic
19456	Rifle - 700™ BDL	Long Action	Realtree® Hardwood® APG™ Camo	Synthetic
19457	Rifle - 700™ BDL	Long Action Magnum	Realtree® Hardwood® APG™ Camo	Synthetic
19500	Rifle - 700™ XCR™	Short Action	Black	Synthetic
19501	Rifle - 700™ XCR™	Long Action	Black	Synthetic
19502	Rifle - 700™ XCR™	Long Action Magnum	Black	Synthetic
19503	Rifle - 700™ XCR™	Short Action	Realtree® Hardwood® HD™ Camo	Synthetic
19504	Rifle - 700™ XCR™	Long Action	Realtree® Hardwood® HD™ Camo	Synthetic
19505	Rifle - 700™ XCR™	Long Action Magnum	Realtree® Hardwood® HD™ Camo	Synthetic
19512	**NEW** Rifle - 700™ SPS™	Short Action	Black	Synthetic
19515	**NEW** Rifle - 700™ SPS™	Short Action	Mossy Oak® Break-Up™ Camo	Synthetic
19513	**NEW** Rifle - 700™ SPS™	Long Action	Black	Synthetic
19516	**NEW** Rifle - 700™ SPS™	Long Action	Mossy Oak® Break-Up™ Camo	Synthetic
19514	**NEW** Rifle - 700™ SPS™	Long Action Magnum	Black	Synthetic
19517	**NEW** Rifle - 700™ SPS™	Long Action Magnum	Mossy Oak® Break-Up™ Camo	Synthetic
18597	Rifle - Seven™	Short Action Stock	Black	Synthetic
19466	Rifle - Seven™	Short Action	Realtree® Hardwood® APG™ Camo	Synthetic
19491	Rifle - 7400™	Monte Carlo Stock & Fore-end	Black	Synthetic
19492	Rifle - 7600™	Monte Carlo Stock & Fore-end	Black	Synthetic
18614	Shotgun - 870™	12 Gauge Stock & Fore-end	Black	Synthetic
19487	Shotgun - 870™	12 Gauge Monte Carlo Stock & Fore-end with SuperCell™ Recoil Pad	Black	Synthetic
18613	Shotgun - 870™	12 Gauge Stock & Fore-end	Mossy Oak® Break-Up™ Camo	Synthetic
19525	Shotgun - 870™	12 Gauge S/FE with Supercell	Mossy Oak® Obsession™ Camo	Synthetic
18612	Shotgun - 870™	12 Gauge S/FE with Supercell	Realtree® Hardwood® APG™ Camo	Synthetic
19458	Shotgun - 870™	12 Gauge S/FE with Supercell	Advantage® Wetlands™	Synthetic
18611	Shotgun - 870™ Youth	12 Gauge 1"" Short LOP Stock & Fore-end	Black	Synthetic
19544	Shotgun - 870™ ShurShot®	12 Gauge Stock & Fore-end with SuperCell™ Recoil Pad	Black	Synthetic
19545	Shotgun - 870™ ShurShot®	12 Gauge Stock & Fore-end with SuperCell™ Recoil Pad	Mossy Oak® Obsession™ Camo	Synthetic
19526	Shotgun - 870™ SMAG	12 Gauge S/FE with Supercell	Mossy Oak® Obsession™ Camo	Synthetic
19488	**NEW** Shotgun - 870™	20 Ga Monte Carlo Stock & Fore-end with SuperCell™ Recoil Pad	Black	Synthetic
19527	**NEW** Shotgun - 870™ Compact	20 ga Compact with SuperCell™ Recoil Pad (13" LOP)	Black	Synthetic
19530	**NEW** Shotgun - 870™ Compact	20 ga Compact with SuperCell™ Recoil Pad (13" LOP)	Realtree® Hardwood™ HD Camo	Synthetic
19529	**NEW** Shotgun - 870™ Compact	20 ga Compact with SuperCell™ Recoil Pad (13" LOP)	Mossy Oak® Pink Camo	Synthetic
19528	**NEW** Shotgun - 870™ Compact Jr.	20 ga Compact Jr. with SuperCell™ Recoil Pad (12"" LOP)	Black	Synthetic
19533	**NEW** Shotgun - 870™ ShurShot®	20 ga ShurShot™ Stock and Fore-end	Black	Synthetic
18610	Shotgun - 1100™, 11-87™	12 Gauge Stock & Fore-end	Black	Synthetic
19485	Shotgun - 1100™, 11-87™	12 Gauge Monte Carlo Stock & Fore-end with SuperCell™ Recoil Pad	Black	Synthetic
18609	Shotgun - 1100™, 11-87™	12 Gauge Stock & Fore-end	Mossy Oak® Break-Up™ Camo	Synthetic
18608	Shotgun - 1100™, 11-87™	12 Gauge S/FE with SuperCell™ Recoil Pad	Realtree® Hardwood® APG™ Camo	Synthetic
19459	Shotgun - 1100™, 11-87™	12 Gauge S/FE with SuperCell™ Recoil Pad	Advantage® Wetlands™	Synthetic
19548	Shotgun - 1100™, 11-87™ ShurShot®	12 Gauge Stock & Fore-end with SuperCell™ Recoil Pad	Black	Synthetic
19550	Shotgun - 1100™, 11-87™ ShurShot®	12 Gauge Stock & Fore-end with SuperCell™ Recoil Pad	Realtree® Hardwood® APG™ Camo	Synthetic
19549	**NEW** Shotgun - 1100™, 11-87™	20 ga Sportsman™	Black	Synthetic
19553	**NEW** Shotgun - 1100™, 11-87™	20 ga Sportsman™	Mossy Oak® Break-Up™ New	Synthetic
19551	**NEW** Shotgun - 1100™, 11-87™ Compact	20 ga Sportsman™ Compact (13" LOP)	Black	Synthetic
19552	**NEW** Shotgun - 1100™, 11-87™ Compact	20 ga Sportsman™ Compact (13" LOP)	Mossy Oak® Break-Up™ New	Synthetic

GUN PARTS



SuperCell recoil pad not included

ADJUSTABLE LENGTH OF PULL KIT *#19481*

With a full 1" of adjustment, easily customize the fit of your firearm all the way to standard size. Perfect for young shooters or shooters of smaller stature. Also ideal for different hunting seasons – adjusting from thin clothing for turkeys in the spring, to thick coats for deer in the fall.

KIT INCLUDES

- Two ¼" LOP spacers
- One ½" LOP spacer
- Corresponding screw lengths to accommodate three different lengths



SUPERCELL™ RECOIL PAD.

OUR PUMP BEATS THEIR SEMI-AUTOS.

The world's most effective recoil pad. So potent, in fact, it single-handedly helped our Model 870™ generate up to 54 percent less recoil than our leading competitors' autoloading shotguns with factory pads. Its millions of tiny super cells absorb and release energy over a longer time period to create a more comfortable shooting experience than was ever before possible with conventional materials.

Shotguns: #19471 (Wood), #19472 (Synthetic)
Rifles: #19483 (Wood), #19484 (Synthetic)





MAGAZINE CAP WITH SWIVEL STUD

- Fits all Model 870, 1100, and 11-87 12-, 20- and 16-gauge shotguns
- Swivel stud attached for sling
- Swivel stud for rear stock included

#19462 (12 and 16 ga), #19461 (20 ga)

VERSA MAX® COMB INSERT

NEW

- Made of same tested cellular polyurethene as our SuperCell recoil pad
- Provides comfort and elevation

#19478 (Raised), #19479 (Extra High)



RAISED
3/8" Higher Comb

EXTRA HIGH
5/8" Higher Comb





SHOTGUN PLUG

- Standard plug fits most Remington 12 gauge shotguns

#19451

MAGAZINES

Spend more time shooting, less time reloading. Extra mags made to highest standards of quality to work seamlessly with their particular firearm.

MODEL 700™



MODEL 783™ NEW



MODEL 770™





MODEL R-15





MODEL 1911

MODEL 597™





MODEL 870™ MAGAZINE EXTENSION KIT

- Add more rounds to your shotgun's capacity
- Extends magazine chamber:
  – 18" Extension adds 2 extra shots
  – 20" Extension adds 3 extra shots
- Available in Blued or Parkerized finish
- Package includes tube assembly, swivel assembly with screw, magazine extension spring and coupling

MAGAZINES

ORDER NO.	MAGAZINES	CALIBER	CAPACITY	MATERIALS
19623	Any 1911 Handgun	45 Auto	7	All Steel
19624	Any 1911 Handgun	45 Auto	8	All Steel
19660	Any 1911 Handgun	45 Auto	7	All Steel
19661	Any 1911 Handgun	45 Auto	8	All Steel
19645	Model 700™ BDL Boxes – BLUED	Short Action - 6mm, .243, 7mm-08, .308	4	All Steel
19650	Model 700™ BDL Boxes – BLUED	Long Action - .25-06, .270, .280, .30-06	4	All Steel
19651	Model 700™ BDL Boxes – BLUED	Long Action Magnum - 7mm Rem® Mag., .300 Win. Mag., .338 Win. Mag.		All Steel
19635	Model 770™/ 710™	.30-06, .270, 7mm REM Mag, .300 Win. Mag.	3 to 4	Steel/Plastic
19633	Model 770™/ 710™	.243 Win., .308 Win., 7mm-08 REM	4	Steel/Plastic
19524	**NEW** Model 783™	Long Action Magnum	3	Steel Polymer
19523	**NEW** Model 783™	Long Action	4	Steel Polymer
19522	**NEW** Model 783™	Short Action - .308	4	Steel Polymer
19636	Models Six™, 7600™, 760™, 76™	7mm-08, .308, 6mm, .243, .257 Roberts	4	All Steel
19637	Models Six™, 7600™, 760™, 76™	.25-06, .30-06, .270, .35 Whelen, .280 Rem™	4	All Steel
19638	Models Four™, 7400™, 742™, 740™, 74™, 750™ Woodmaster®	.308, 6mm, .243	4	All Steel
19642	Models Four™, 7400™, 742™, 740™, 74™, 750™ Woodmaster®	.30-06, .270, .35 Whelen, .280 Rem™	4	All Steel
19452	Model R-15 VTR™ – Camo	223 Rem	5	Metal
19499	Model R-15 VTR™ – Black	223 Rem	5	Metal
19453	Model R-15 VTR™	450 Bushmaster®	4	Metal
19653	Model 597™ – Magnum	.17 HMR, .22 WMR	8	Metal
19654	Model 597™ LR	.22	10	Metal
19667	Model 597™ LR Clear	.22	30	Polymer
19668	Model 597™ LR Black	.22	30	Polymer
19655	Models 581-S™, 541™	.22	10	Metal
19656	Model Nylon 77™	.22	10	Metal
19419	Model 870™ 18" Mag. Extension Kit	Adds 2 Extra shots	Blued	Stainless Steel
19420	Model 870™ 18" Mag. Extension Kit	Adds 2 Extra shots	Parkerized	Stainless Steel
19421	Model 870™ 20" Mag. Extension Kit	Adds 3 Extra shots	Blued	Stainless Steel
19422	Model 870™ 20" Mag. Extension Kit	Adds 3 Extra shots	Parkerized	Stainless Steel

MODEL 1911 PARTS AND ACCESSORIES

GRIPS



#19556 *#19557* *#19554* *#19928* *#19929* *#19922* *#19559* *#19558* *#19555*

1911 MULTI-TOOL

See page 146 for more details.





7-ROUND MAGAZINE

See page 137 for more details.



8-ROUND MAGAZINE

See page 137 for more details.



1911 KNIVES

See page 142 for more details.



COLLECTIBLE KNIVES

2013 BULLET® KNIFE "THE FORESTER"


NEW

- R1303 Limited-Edition single blade lockback trapper
- Blade material/options – 440A modified stainless steel single blade lockback or Ladder Damascus blade (limited offering)
- Blade measurements – 3 ½" lockback blade
- Closed measurement – 4 ½"
- Handle material/points of interest – auburn bone with bullet shield
- Made in the USA

#19145
#19146 (Damascus)



Ladder Damascus Bade (Limited Offering)



Remington Cutlery Collector's Club Est. 2009

REMINGTON CUTLERY COLLECTOR'S CLUB

In 2009, Remington introduced the Remington Cutlery Collector's Club. With the introduction of the Club, we have experienced a renewed interest of knife collectors worldwide in expanding their Remington collections. To learn how you can join, visit us at **remingtoncutlery.com**

2013 BOY SCOUTS OF AMERICA® KNIFE

- 5th-year knife of a 5-year program
- BSA® Officially Licensed Product
- Original scout pattern created in 1928
- Made with tooling from the original Remington Bridgeport, Connecticut factory
- Made in the USA

#19899

NEW











Boy Scouts of America,® the Universal Emblem, and Be Prepared® are either registered trademarks or trademarks of the Boy Scouts of America in the United States and/or other countries.

THE HERITAGE LINE KNIVES

NEW



BIRD AND TROUT
(6 3/4" Overall)
(Clip Point)
#19970

MODEL 870™ SERIES

- Handle material – American walnut wood made from authentic Model 870 Wingmaster stock
- Blade material – 440A modified stainless steel
- Signature "R" laser-etched into every knife
- Made in the USA



Leather sheath included for Bird and Trout.



MINI PEN
(2 7/8" Closed)
(Clip and Pen)
#19972



TINI TRAPPER
(3" Closed)
(Clip Point and Spey)
#19974



WATERFOWL
(4 1/2" Closed)
(Clip, Serrated, Choke Tube Tool and Pin Pinch)
#19976



GENTLEMAN'S
(3" Closed)
(Drop Point)
#19971



MINI TRAPPER
(3 1/2" Closed)
(Clip Point and Spey)
#19973



UPLAND
(3 7/8" Closed)
(Clip, Choke Tube Tool and Bird Hook)
#19975



MODEL 700™ SERIES

NEW

- Handle material – American walnut wood, made from authentic Model 700 stock
- Blade material – 440A modified stainless steel
- Signature "R" laser-etched into every knife
- Made in the USA





Leather sheath included with all Big Game knives.



BIG GAME - CLIP POINT
(7 3/4" Overall)
#19980



BIG GAME - DROP POINT
(8 1/4" Overall)
#19981



BIG GAME - GUT HOOK
(7 1/2" Overall)
#19982



LARGE LOCKBACK
(5" Closed)
(Clip Point)
#19979

Leather sheath included.



MEDIUM LOCKBACK
(3 3/4" Closed)
(Clip Point)
#19978



TRAPPER
(4 1/8" Closed)
(Clip Point and Spey)
#19977

BOWIE
(11 1/2" Overall)
(Clip Point)
#19989



Leather sheath included.

MODEL 1911 RI™ KNIVES

- Overall Length – 8.2" (Standard), 7.5" (Officers)
- Blade length – 3.5" (Standard), 2.9" (Officers)
- Blade material – 440 high carbon stainless steel
- Handle material – Rosewood or G-10
- Features patent-pending ergonomic Hammerhead Lock™
- Sheath, pocket clip and hex key included
- Made in Canada




Black sheath

ROSEWOOD

STANDARD
#17555

OFFICERS
#17553





Hex Key

G-10

STANDARD
#17556

OFFICERS
#17554



PREMIER® SERIES KNIVES

- Overall length – 6 3/4" (Caping & Skinner) and 8 7/8" (Drop Point)
- Blade length – 2 5/8" (Caping), 2 3/4" (Skinner) and 4" (Drop Point)
- Blade material – 440C stainless steel with satin finish
- Blade options – Caping, Skinner, Drop Point
- Handle options – Ebony Wood, Bocote Wood and Ram's Horn
- Custom leather sheath included, with snap enclosure on Skinner and Drop Point
- Made in Spain

NEW

BOCOTE WOOD



CAPING
#19890

DROP POINT
#19893

SKINNER
#19896

Brown leather sheaths included.

EBONY WOOD



CAPING
#19891

DROP POINT
#19894

SKINNER
#19897

Black leather sheaths included.

RAM'S HORN



CAPING
#19892

DROP POINT
#19895

SKINNER
#19898

Brown leather sheaths included.

Caping sheath



Drop Point sheath



Skinner sheath



SPORTSMAN® SERIES INSIGNIA EDITION® KNIVES

FIXED

- Overall length – 8"
- Blade material – 440 stainless steel, 3 ½" long
- Blade options – Drop Point and Gut Hook
- Handle material – Black Laminate and Burl Wood with Sportsman™ Series medallion inlaid in handle
- Sheath – Black leather



Sheath included

BLACK LAMINATE



DROP POINT
#19311

GUT HOOK
#19312

BURL WOOD



DROP POINT
#19313

GUT HOOK
#19314

FOLDER

- Handle options – Black Laminate and Burl Wood with Sportsman Series medallion inlaid in handle
- Blade materials – 440 stainless steel
- Sheath – Black leather available for Mid-Folding Hunter only

Remington SPORTSMAN SERIES
INSIGNIA EDITION



BLACK LAMINATE



LARGE STOCKMAN
(4 ¼" Closed)
(Clip, Spey and Sheepsfoot)
#19320



WHITTLER
(3 ½" Closed)
(Clip, Short Clip and Pen)
#19323



MEDIUM STOCKMAN
(3 ⅝" Closed)
(Clip, Spey and Sheepsfoot)
#19321



MID-FOLDING HUNTER
Large (4" Closed)
Small (3 ½" Closed)
(Clip with Thumb Stud)
Large: *#19315*
Small: *#19316*



PEANUT
(2 ⅞" Closed)
(Clip and Pen)
#19322



CANOE
(3 ⅝" Closed)
(Spear and Pen)
#19324

BURL WOOD



LARGE STOCKMAN
(4 ¼" Closed)
(Clip, Spey and Sheepsfoot)
#19325



WHITTLER
(3 ½" Closed)
(Clip, Short Clip and Pen)
#19328



MEDIUM STOCKMAN
(3 ⅝" Closed)
(Clip, Spey and Sheepsfoot)
#19326



MID-FOLDING HUNTER
Large (4" Closed)
Small (3 ½" Closed)
(Clip with Thumb Stud)
Large: *#19317*
Small: *#19318*



PEANUT
(2 ⅞" Closed)
(Clip and Pen)
#19327



CANOE
(3 ⅝" Closed)
(Spear and Pen)
#19329

SPORTSMAN® SERIES KNIVES

SPORTSMAN® SERIES NON-SLIP

- Blade material – 420HC high carbon stainless steel with etched Sportsman Series logo
- Handle material – Black synthetic non-slip
- Sheath – Black leather

HANDLE	OVERALL LENGTH	BLADE LENGTH
Gut Hook	9 3/16"	4 3/4"
Drop Point	9 3/4"	4 3/4"
Skinner	9 3/4"	4 9/16"
Clip Point	9 3/8"	4 1/4"
Skinner Clip Point	9 3/4"	3 11/16"

Sheath included





DROP POINT
#18191



CLIP
#18195



GUT HOOK
#18193



SKINNER CLIP
#18192



SKINNER
#18194

BIG GAME SKINNER SET

- Knife material – one-piece 440 stainless steel knives with mirror finish have a finger ring for easy carry and grip
- Gut hook – Easy to sharpen hook measures 7 1/4"
- Skinner – overall length: 7 3/8"
- Caping blade – overall length: 6 1/2"
- All three knives fit snugly in a heavy-duty black nylon sheath with belt loop

#18645




DUCK/PHEASANT CLEANING SET

- Caping knife – 440 stainless steel with bead blast finish and measures 6 3/4" long
- Hook – overall length 7"
- Scissors – bone notch cutout for clipping wings with ease and measures 6"
- All three tools fit into a black nylon sheath with belt loop

#18644



1911 MULTI-TOOL



- G-10 handles
- Black oxide finish
- Dual bushing wrench/plier head (Standard and Officer)
- Mainspring housing punch
- File
- Bottle opener/screwdriver
- Can opener
- 8Cr13MoV steel drop/serrated blade
- Bit driver system with 5 double-sided bits
- Liner lock and thumb stud
- Belt case included

#18507

WINGMASTER® MULTI-TOOL

- The ultimate waterfowl/ upland multi-tool
- Scissor head with bone notch cut-out and lock
- 3" saw
- 1 3/4" blade
- Gut Hook
- Choke tube wrench (12 and 20 gauge)
- LED push-button light
- Ergonomic handles with rubber inserts for easy grip
- Heavy-duty nylon sheath with belt loop included

#18368





SPORTSMAN® SERIES KNIVES

SPORTSMAN® SERIES F.A.S.T.® – FIXED

- Blade material/options – 440 stainless steel with bead blast finish or black oxidized coating with a serrated/straight combo edge
- Blade Length – 5 ¾", 3.9mm thick
- Handle material – Anodized aluminum scales with rubberized coating riveted to a solid one-piece 3.9mm-thick tang with lanyard hole
- Handle options – Black, Mossy Oak® Obsession,® Mossy Oak® Blaze Orange or Realtree® Advantage® MAX-4 HD™
- Overall length – 10 ½"
- Sheath – Heavy-duty black nylon sheath with belt loop



STAINLESS STEEL BLADE
MOSSY OAK® BLAZE ORANGE HANDLE
#19762

STAINLESS STEEL BLACK BLADE
MOSSY OAK® BLAZE ORANGE HANDLE
#19761



STAINLESS STEEL BLADE
MATTE BLACK HANDLE
#19785



STAINLESS STEEL BLADE
MOSSY OAK® OBSESSION® HANDLE
#19788



STAINLESS STEEL BLADE
ADVANTAGE® MAX-4 HD™ HANDLE
#19789



STAINLESS STEEL BLACK BLADE
MATTE BLACK HANDLE
#19784



STAINLESS STEEL BLACK BLADE
MOSSY OAK® OBSESSION® HANDLE
#19786



STAINLESS STEEL BLACK BLADE
ADVANTAGE® MAX-4 HD™ HANDLE
#19787

SPORTSMAN® SERIES F.A.S.T.® – FOLDER

- Fast Action opening with a Soft Touch handle
- Blade material/options – 440 stainless steel with bead blast finish or black oxidized coating with a serrated/straight combo edge
- Blade lengths – Large: 3 ⅝" I Medium: 3 ⅛" I Small: 2 ½"
- Handle material – Anodized aluminum scales with rubberized coating; includes pocket clip and lanyard hole
- Handle options – Black, Mossy Oak® Obsession,® Mossy Oak® Blaze Orange, Mossy Oak® Pink Camo or Realtree® Advantage® MAX-4 HD™
- Closed measurement – Large: 5" I Medium: 4 ⅛" I Small: 3 ¼"



STAINLESS STEEL BLADE
MOSSY OAK® BLAZE ORANGE HANDLE
Large #19768
Medium #19772



STAINLESS STEEL BLACK BLADE
MOSSY OAK® BLAZE ORANGE HANDLE
Large #19767
Medium #19771

STAINLESS STEEL BLADE
MOSSY OAK® PINK CAMO HANDLE
Small #19287

NEW



STAINLESS STEEL BLADE
MATTE BLACK HANDLE
Large #18220
Medium #19072



STAINLESS STEEL BLADE
MOSSY OAK® OBSESSION® HANDLE
Large #18216
Medium #19070



STAINLESS STEEL BLADE
ADVANTAGE® MAX-4 HD™ HANDLE
Large #18218
Medium #19071



STAINLESS STEEL BLACK BLADE
MOSSY OAK® PINK CAMO HANDLE
Small #19288

NEW



STAINLESS STEEL BLACK BLADE
MATTE BLACK HANDLE
Large #18219
Medium #19073



STAINLESS STEEL BLACK BLADE
MOSSY OAK® OBSESSION® HANDLE
Large #18214
Medium #19068



Stainless Steel Black Blade
Advantage® MAX-4 HD™ Handle
Large #18215
Medium #19069



NEW

REM® SKIN

- Breathable camo adhesive. No need to wear face mask
- Easy to apply. Peel and stick pre-cut shapes that conform to curved surfaces
- Hypoallergenic. Made from 3M® breathable medical tape that's safe on skin

REM® SKIN	
ORDER NO.	CAMO PATTERN
17848	Mossy Oak® Obsession™
17849	Mossy Oak® Shadow Grass™
17844	Mossy Oak® Break-Up™
17863	Mossy Oak® Brush™
17845	REALTREE® Hardwoods Green HD™
17846	REALTREE® Hardwoods HD™
17847	REALTREE® MAX-4™
17862	REALTREE® MAX-1™
17864	REALTREE® AP Snow™





CAMO PATTERNS AVAILABLE FOR REM® SKIN AND REM® WRAP



















NEW

REM® WRAP

- Versatile. Safe to use on all firearms or gear
- More pliable than camo tape. Cut, peel and stick, without sticky residue
- Breathable, allowing moisture to escape before rust or corrosion can form
- Conforms to curved surfaces and dampens noise













REM® WRAP – FIREARMS		
ORDER NO.	CAMO PATTERN	SIZE
17462	Mossy Oak® Obsession™	Covers up to a 52" gun – 10 sheets
17464	Mossy Oak® Shadow Grass™	Covers up to a 52" gun – 10 sheets
17466	Mossy Oak® Break-Up™	Covers up to a 52" gun – 10 sheets
17355	Mossy Oak® Brush™	Covers up to a 52" gun – 10 sheets
17468	REALTREE® Hardwoods Green HD™	Covers up to a 52" gun – 10 sheets
17472	REALTREE® Hardwoods HD™	Covers up to a 52" gun – 10 sheets
17474	REALTREE® MAX-4™	Covers up to a 52" gun – 10 sheets
17353	REALTREE® MAX-1™	Covers up to a 52" gun – 10 sheets
17356	REALTREE® AP Snow™	Covers up to a 52" gun – 10 sheets

REM® WRAP – GEAR		
ORDER NO.	CAMO PATTERN	SIZE
17463	Mossy Oak® Obsession™	4 1/2" x 6 3/4" – 3 sheets
17465	Mossy Oak® Shadow Grass™	4 1/2" x 6 3/4" – 3 sheets
17467	Mossy Oak® Break-Up™	4 1/2" x 6 3/4" – 3 sheets
17359	Mossy Oak® Brush™	4 1/2" x 6 3/4" – 3 sheets
17469	REALTREE® Hardwoods Green HD™	4 1/2" x 6 3/4" – 3 sheets
17473	REALTREE® Hardwoods HD™	4 1/2" x 6 3/4" – 3 sheets
17475	REALTREE® MAX-4™	4 1/2" x 6 3/4" – 3 sheets
17354	REALTREE® MAX-1™	4 1/2" x 6 3/4" – 3 sheets
17357	REALTREE® AP Snow™	4 1/2" x 6 3/4" – 3 sheets



SHOTGUN SPECIFICATIONS

VERSA MAX® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL[4]	DROP (COMB)[4]	DROP (HEEL)[4]	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
Versa Max® Black Synthetic[1]	12/28"	3 (2 ¾" or 3" shells) 2 (3 ½" shells)	81042	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	49 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	7 ¾	$1,399
Versa Max® Black Synthetic[1]	12/26"	3 (2 ¾" or 3" shells) 2 (3 ½" shells)	81043	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	47 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	7 ¾	$1,399
Versa Max® Tactical[3]	12/22"	8 (2 ¾" shells) 7 (3" shells)	81059	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	43 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	7 ¾	$1,399
NEW Versa Max® Tactical Zombie Gargoyle Green	12/22"	8 (2 ¾" shells) 7 (3" shells)	81025	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	43 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Reaper 2 Camo Green	7 ¾	$1,599
NEW Versa Max® Tactical Zombie Explosion Pink	12/22"	8 (2 ¾" shells) 7 (3" shells)	81026	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	43 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Reaper 2 Camo Pink	7 ¾	$1,599
Versa Max® Mossy Oak® Duck Blind Camo[2]	12/28"	3 (2 ¾" or 3" shells) 2 (3 ½" shells)	81048	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	49 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak Duck Blind® Camo	7 ¾	$1,599
Versa Max® Realtree® AP™ Camo[2]	12/26"	3 (2 ¾" or 3" shells) 2 (3 ½" shells)	81054	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	47 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Realtree® AP™ Camo	7 ¾	$1,599

1 *Supplied with Flush Mount ProBore® Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full.* **2** *Supplied with Extended ProBore® Choke Tubes – Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator.*
3 *Supplied with Flush Mount ProBore® Improved Cylinder choke tube, and ProBore® Extended Tactical choke tube.* **4** *Adjustable*

VERSA MAX® SPORTSMAN® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW Versa Max® Sportsman® Black Synthetic[1]	12/28"	3 (2 ¾" or 3" shells) 2 (3 ½" shells)	81045	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	49 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic	Black Synthetic	7 ¾	$1,025
NEW Versa Max® Sportsman® Black Synthetic[1]	12/26"	3 (2 ¾" or 3" shells) 2 (3 ½" shells)	81046	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum	47 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic	Black Synthetic	7 ¾	$1,025
NEW Versa Max® Sportsman® Mossy Oak® Duck Blind Camo[2]	12/28"	3 (2 ¾" or 3" shells) 2 (3 ½" shells)	81049	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	49 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic	Mossy Oak® Duck Blind® Camo	7 ¾	$1,175
NEW Versa Max® Sportsman® Realtree® AP™ Camo[2]	12/26"	3 (2 ¾" or 3" shells) 2 (3 ½" shells)	81027	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	47 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic	Realtree® AP™ Camo	7 ¾	$1,175
NEW Versa Max® Sportsman® Mossy Oak® Obsession Camo	12/22"	3 (2 ¾" or 3" shells) 2 (3 ½" shells)	81028	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	43 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic	Mossy Oak® Obsession® Camo	7 ¾	$1,175
NEW Versa Max® Sportsman® Mossy Oak® Shadow Grass Blades Camo	12/28"	3 (2 ¾" or 3" shells) 2 (3 ½" shells)	81056	Vent Rib	HiViz®/ Interchangeable	Anodized Aluminum w/Camo	49 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic	Mossy Oak® Shadow Grass Blades Camo	7 ¾	$1,175

1 *Supplied with Flush Mount Pro Bore® Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full.* **2** *Supplied with Extended Pro Bore® Choke Tubes – Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator.*

MODEL 11-87™ SPORTSMAN® MAGNUM SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE[3]	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
11-87™ Sportsman® Field Walnut w/Fleur-De-Lis Checkering	12/28" 20/26"	4	83700 83704	Vent Rib Rem® Choke Mod[4]	Dual Bead	Matte Black, Non-Reflective	48 ½" 46"	14"	1 ½"	2 ½"	American Walnut	Satin	8 ¼ 7 ¼	$845
11-87™ Sportsman®	12/28" 12/26" 20/28" 20/26"	4	29879 29881 29825 29827	Vent Rib Rem® Choke Mod[4]	Single Bead	Matte Black, Non-Reflective	48" 46" 48" 46"	14"	1 ½"	2 ½"	Synthetic	Matte Black	8 ¼ 8 ¼ 7 ¼ 7 1/8	$804
11-87™ Sportsman® Camo	12/28" 20/26"	4	29895 29917	Vent Rib Rem® Choke Mod[4]	Single Bead	Mossy Oak® New-Breakup®	48" 46"	14"	1 ½"	1 7/8"	Synthetic	Mossy Oak® New-Breakup®	8 ¼ 7 ¼	$915
11-87™ Sportsman® Synthetic Deer[1]	12/21" 20/21"	4	29858 29877	Fully Rifled	Cantilever Scope Mount	Matte Black, Non-Reflective	41"	14"	1 ½"	1 7/8"	Synthetic	Matte Black	8 ½ 7 ½	$929
11-87™ Sportsman® Compact Synthetic[2]	20/21"	4	83626	Vent Rib Rem® Choke Mod[4]	Single Bead	Matte Black, Non-Reflective	40 ¼"	Adj.	1 ½"	2 ½"	Synthetic	Matte Black	6 ½	$804
11-87™ Sportsman® Compact Camo[2]	20/21"	4	83630	Vent Rib Rem® Choke Mod[4]	Single Bead	Mossy Oak® New-Breakup®	40 ¼"	Adj.	1 ½"	2 ½"	Synthetic	Mossy Oak® New-Breakup®	6 ½	$915

1 *Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.* **2** *Includes new adjustable LOP kit for up to 1" of extra adjustment.* **3** *Model 11-87™ Sportsman shotguns have 3" chambers and will cycle 2 3/4" and 3" shotshells.* **4** *NOTE: All Model 11-87™ Sportsman shotguns with a Rem® Choke barrel come equipped with Modified Rem® Choke tubes.*

TACTICAL / HOME DEFENSE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 870™ Express® Tactical Magpul®	12/18 ½"	6	81209	Rifle Sight Rem® Choke[1]	XS® Ghost Ring	A-TACS™ Camo	38 ½" 40 ½" (choke)	13 ¾"	1 ½"	2"	Synthetic	Matte Black	7 ½	$1,871
870™ Express® Tactical Camo (w/2 Shot Extension, XS Ghost Ring Sights)	12/18 ½"	6	81204	Rifle Sight Rem® Choke[1]	XS® Ghost Ring	A-TACS™ Camo	38 ½" 40 ½" (choke)	13 ¾"	1 ½"	2"	Synthetic	A-TACS® Camo	7 ½	$699
870™ Express® Tactical Camo (w/XS Ghost Ring Sights)	12/18 ½"	6	81198	Rem® Choke[1]	XS® Ghost Ring	Blasted Black Oxide	38 ½" 40 ½" (choke)	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$583
870™ Express® Synthetic Tactical	12/18 ½"	4	25549	Fixed Cylinder Choke	Single Bead	Blasted Black Oxide	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$407
870™ Express® Synthetic Tactical (7-Round Capacity)	12/18 ½"	6	25077	Fixed Cylinder Choke	Single Bead	Blasted Black Oxide	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$437
870™ Express® Synthetic Tactical (7-Round Capacity)	20/18 ½"	6	81100	Fixed Cylinder Choke	Single Bead	Blasted Black Oxide	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	6	$445
870™ Tactical Blackhawk® Spec Ops II (w/2 Shot Extension)	12/18"	6	81404	Fixed Cylinder Choke	Single Bead	Blasted Black Oxide	Adj.	Adj.	1 ½"	2 ½"	Synthetic	Matte Black	7	$638
870™ TAC-2 Folding Stock	12/18"	6	81402	Fixed Cylinder Choke	Single Bead	Blasted Black Oxide	Adj.	Adj.	—	—	Synthetic	Matte Black	6 7/8	$750
1100™ TAC-2 SFIV Stock	12/18"	6	82800	Fixed Imp. Cylinder	Single Bead	Blasted Black Oxide	38 ½"	13 ¾"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$943
1100™ TAC-4	12/22"	8	82801	Rem® Choke	HiViz®	Blasted Black Oxide	42 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¾	$1,015
870™ Express® Synthetic 18"	12/23"	4	25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼	$407
870™ Express® Synthetic 2-Shot w/Knoxx® SpecOps Stock	20/18"	6	81180	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	Adj.	Adj.	1 ½	2 ½"	Synthetic	Matte Black	7 ½	$539
870™ Express® Synthetic w/7-Round Capacity[2]	12/18" 20/18"	6	25077 81100	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½ 6 ½	$437 $445

1 *Note: Supplied with Extended Rem® Choke Tactical Tube.*

SHOTGUN SPECIFICATIONS

MODEL 887™ NITRO MAGNUM® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
887™ Nitro Magnum® SPS	12/26"	4 (2 ¾" or 3" shells) 3 (3 ½" shells)	82501	Solid Rib Rem® Choke Mod	HiViz®/ Interchangeable	ArmorLokt®	46"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼	$436
887™ Nitro Magnum® SPS	12/28"	4 (2 ¾" or 3" shells) 3 (3 ½" shells)	82500	Solid Rib Rem® Choke Mod	HiViz®/ Interchangeable	ArmorLokt®	48"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 3/8	$436
887™ Nitro Waterfowl Camo	12/28"	4 (2 ¾" or 3" shells) 3 (3 ½" shells)	82502	Solid Rib Rem® Choke WF	HiViz®/ Interchangeable	ArmorLokt®	48"	14"	1 ½"	2 ½"	Synthetic	Realtree® Max™ 4	7 ½	$582
887™ Nitro Magnum® Tactical 2-Shot Ext. w/Picatinny Rail	12/18 ½"	6 (2 ¾" shells)	82540	Fixed Cylinder Choke	HiViz®/ Interchangeable	ArmorLokt®	39"	14"	1 ½"	2 ½"	Synthetic	Matte Black	6 7/8	$524

MODEL 870™ WINGMASTER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BORE[1] BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
Wingmaster®	12/28" 12/26"	4	26927 26929	Light Contour Vent Rib Rem® Choke[2]	Twin Bead	High Polish Blued	48 ½" 46 ½"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 6 ¾	$818
Wingmaster®	20/28" 20/26"	4	26947 26949	Vent Rib Rem® Choke[2]	Twin Bead	High Polish Blued	48 ½" 46 ½"	14"	1 ½"	2 ½"	American Walnut	Satin (28") Hi-Gloss (26")	6 ¼ 6 1/8	$818
Wingmaster®	28 (2 ¾") 25"	4	24983	Vent Rib Rem® Choke[2]	Twin Bead	High Polish Blued	45 ½"	14"	1 ½"	2 ½"	American Walnut	Satin	6	$929
Wingmaster®	410 Bore (3") 25"	4	24991	Vent Rib Modified	Twin Bead	High Polish Blued	45 ½"	14"	1 ½"	2 ½"	American Walnut	Satin	5 ¾	$873

1 *NOTE: All Model 870™ Wingmaster® and Model 870™ Wingmaster® Super Magnum™ shotguns with a Rem® Choke barrel come equipped with Improved Cylinder, Modified and Full Rem® Choke tubes.* **2** *Model 870™ Wingmaster® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. 410 bore will cycle both 2 ½" and 3" shotshells.*

MODEL 870™ EXPRESS® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870™ Express®	12/28" 12/26"	4	25568 25569	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½ 7 ¼	$411
870™ Express® Magnum w/ShurShot®	12/21"	4	81114	Vent Rib Rem® Choke (Turkey Extra Full)	Single Bead	Mossy Oak® Obsession®	42 ½"	13 ¾"	1 ½"	2"	Synthetic	Mossy Oak® Obsession®	7 3/8	$528
870™ Express®	20/28" 20/26"	4	25583 25582	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 ½"	2 ½"	Laminate	Satin	6 ½ 6 ¼	$411
870™ Express® Lam. Compact [4]	20/21"	4	25561	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 ½"	13"	1 ½"	2 ¼"	Laminate	Satin	6 ½	$411
870™ Express® Synthetic	12/28" or 26"	4	25587 25589	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½ 7 ¼	$411
870™ Express® Turkey Camo	12/21"	4	81115	Vent Rib Rem® Choke (Turkey Extra Full)	Single Bead w/HiViz®	Mossy Oak® New Break-Up®	41 ½"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® New Break-Up®	7 ¼	$485
870™ Express® Compact [1]	20/21"	4	81148	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 ½"	13" Adj.	1 ½"	2 ½"	Synthetic	Matte Black	6	$411
870™ Express® Compact Camo [1]	20/21"	4	81166	Vent Rib Rem® Choke (Mod)	Single Bead	Realtree® Hardwoods HD™	40 ½	13" Adj.	1 ½"	2 ½"	Synthetic	Realtree® Hardwoods HD™	6	$461
870™ Express® Compact Jr.[1]	20/18 ¾"	4	81161	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	37 ¼"	12" Adj.	1 ½"	2"	Synthetic	Matte Black	5 ¾	$411
870™ Express® Compact Pink Blaze Camo [1]	20/21"	4	81150	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 ½"	13" Adj.	1 ½"	2 ½"	Synthetic	Mossy Oak® Pink Blaze Camo	6	$461
870™ Express® Synthetic Fully Rifled Deer	12/20"	4	25097	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 ½"	1 7/8"	Monte Carlo Synthetic	Matte Black	7	$457
870™ Express® Deer	12/20"	4	25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 ½"	1 7/8"	Monte Carlo Laminate	Satin	7 ¼	$411
870™ Express® Fully Rifled Deer	12/20"	4	25575	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1½"	1 7/8"	Monte Carlo Laminate	Satin	7 ¼	$457
870™ Express® Synthetic Fully Rifled Cantilever	12/23" 20/18 ½"	4	25090 25183	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	43 ¼" 38 ¾"	14"	1 ½"	1 7/8"	Monte Carlo Synthetic	Matte Black	8 7 ¼	$537
870™ Express® Left Hand	12/28"	4	25577	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½	$439

1 *Includes new adjustable LOP kit for up to 1" of extra adjustment.* **2** *Supplied with sling swivel studs.* **3** *Model 870™ Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells.* **4** *Wood laminate stock model does not include Length of Pull Kit.*

MODEL 870™ EXPRESS® SUPER MAG® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[2]/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870™ Express® Super Mag® Turkey/Waterfowl Camo	12 (3 ½")/26"	3 (3 ½") 4 (2 ¾" & 3")	81125	Vent Rib Rem® Choke[3,4]	HiViz®	Mossy Oak® Bottomland™	46"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Bottomland™	7 ¼	$620
870™ Express® Super Mag® Waterfowl Camo[1]	12 (3 ½")/28"	3 (3 ½") 4 (2 ¾" & 3")	81111	Vent Rib Rem® Choke[3]	HiViz®	Mossy Oak Duck Blind®	48"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak Duck Blind®	7 ½	$620
870™ Express® Super Mag®	12 (3 ½")/28"	3 (3 ½") 4 (2 ¾" & 3")	25100	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½	$462
870™ Express® Super Mag® Synthetic	12/28" 12/26"	3 (3 ½") 4 (2 ¾" & 3")	25103 25102	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	48" 46"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼ 7 ½	$462
870™ Express® Super Mag® Extra Barrel Combo	12/26" 12/20"	3 (3 ½") 4 (2 ¾" & 3")	25114 -----	Vent Rib Rem® Choke (Mod) Fully Rifled (Deer)[5]	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect	46" (VR) 40 ½" (Deer)	14"	1 ½"	2 ½"	Laminate	Satin	7 ¼	$620

1 *Supplied with sling swivel studs.* **2** *Model 870™ Express® Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells.* **3** *Supplied with Rem® Choke "Over-Decoys" choke tube.* **4** *Turkey Extra Full Rem® Choke tube.* **5** *Combo Deer barrel has 3" chamber.*

SHOTGUN SPECIFICATIONS

MODEL 870™ EXPRESS® EXTRA BARREL COMBO SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[1]/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870™ Express® Combo	12/26" (Vent Rib) 12/20" (Fully Rifled Deer)	4	25578	Vent Rib Rem® Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	46 ¼" (Vent Rib) 40 ½" (Deer BBL)	14"	1 ½"	2 ½"	Laminate	Satin	7 ¼	$597
870™ Express® Combo	20/26" (Vent Rib) 20/20" (Fully Rifled Deer)	4	25597	Vent Rib Rem® Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	46 ½" (Vent Rib) 40 ½" (Deer BBL)	14"	1 ½"	2 ½"	Laminate	Satin	6 ½	$600
870™ Express® Synthetic Compact Combo	20/21"(Vent Rib) 20/20" (Fully Rifled)	4	25659	Vent Rib Rem® Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	40 ½" (Vent Rib) 39 ½" (Deer BBL)	13"	1 ½"	2 ¼"	Synthetic	Matte Black	6	$600
870™ Express® Black Synthetic Combo	12/23"(Fully Rifled) 12/28" (Vent Rib)	4	81280	Vent Rib Rem® Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Cantilever (Deer BBL)	Matte Black Non-Reflect	48 ½" (Vent Rib) 43 ½" (Deer BBL)	14"	1 ½"	2 ¼"	Synthetic	Matte Black	6	$657

1 *Supplied with sling swivel studs.* **2** *Model 870™ Express® Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells.* **3** *Supplied with Rem® Choke "Over-Decoys" choke tube.* **4** *Turkey Extra Full Rem® Choke tube. 5 Combo Deer barrel has 3" chamber.*

MODEL 870™ SPECIAL PURPOSE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[1]/BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870™ SPS Super Slug®	12 (3") 25 ½"	4 (2 ¾" & 3)	82101	Fully Rifled Extra Heavy (Fluted)	Drilled & Tapped	Black	47"	13 ¾"	1 ½"	2"	Synthetic	Mossy Oak® Treestand	7 7/8	$829
870™ SPS Super Mag® Turkey/Predator w/Scope w/Overmolded Grips	12 (3 ½") 20"	3 (3½"), 4 (2 ¾" & 3)	81062	Clean Barrel Bead Sight Rem® Choke	TruGlo® Red Dot	Mossy Oak® Obsession®	40 ½"	13 ¾"	1 ½"	2"	Synthetic	Mossy Oak® Obsession®	7 1/8	$700
870™ SPS Super Mag® Turkey w/ShurShot® Stock	12 (3 ½") 23"	4 (2 ¾" & 3)	81061	Wingmaster HD® Extended Rem® Choke	TruGlo® Rifle Sights	Realtree® APG™	44 ½"	13 ¾"	1 ½"	2"	Synthetic	Realtree® APG™	7 ½	$671
870™ Marine Magnum™[2]	12/18"	6	25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$829

1 *All 3" and 3 ½" chambers also handle 2 ¾" shells.* **2** *Will not accept certain law enforcement accessories.*

COMPETITION SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE/BORE BBL LENGTH	MAG. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
870™ Wingmaster® Classic Trap	12/30"	4	24857	Lt. Contour Rib Rem® Choke[2]	Twin Bead	High Polish Blued	50 ½"	14 ½"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 ¼	$1,081
NEW 1100™ 50th Anniversary Limited Edition	12/28"	4	82908	Vent Rib Rem® Choke[2]	Twin Bead	High Polish Blued	50 ½"	14"	1 ½"	2 ½"	B-Grade Walnut	Hi-Gloss	8 ¼	$1,999
1100™ Classic Trap	12/30"	4	25333	Lt. Contour Rib Rem® Choke[2]	Twin Bead	High Polish Blued	50 ½"	14 ½"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 ¼	$1,270
1100™ Competition Synthetic	12/30"	4	82821	Vent Rib Pro Bore	Twin Bead	Nickel	50 ½"	Not Adj.	Adj.	Adj.	Synthetic	C. Graphite	8 ¼	$1,242
1100™ Sporting 12	12/28"	4	25315	Lt. Contour Rib Rem® Choke[3]	Twin Bead	High Polish Blued	49"	14 3/16"	1 ½"	2 ¼"	Semi-Fancy Amer. Walnut	Hi-Gloss	8	$1,211
1100™ Sporting 20 (LT)	20/28"	4	25399	Lt. Contour Rib Rem® Choke[3]	Twin Bead	High Polish Blued	49"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	7	$1,211
1100™ Sporting 28	28/27"	4	29583	Vent Rib Rem® Choke[3]	Twin Bead	High Polish Blued	47 ¾"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 ½	$1,270
1100™ Sporting 410	410 bore/27"	4	29549	Vent Rib Rem® Choke[1]	Twin Bead	High Polish Blued	47 ¾"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 ¼	$1,270

1 Model 1100™ Sporting 410 shotguns have 3" chambers and will cycle 2 1/2" and 3" shotshells. **2** *These guns are supplied with special Rem® Chokes, Mid Handicap (.034"), Singles (.027"), and Long Handicap (.041").* **3** *NOTE: Model 1100™ Sporting Shotguns are equipped with four extended Briley Rem® Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.)* **4** *Model 1100™ shotguns have 2 3/4" chambers, unless otherwise noted.* **5** *Model 1100™ Competition Synthetic shotgun is supplied with Pro Bore® chokes (Skeet, Improved Cylinder, Light Modified, Modified and Full). It has approximately 14 1/4" Length of Pull and is not adjustable.*

RIFLE SPECIFICATIONS

MODEL 783™

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 85834	270 Win	4	22"	10"	41 5/8"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte	7 ¼	$451
NEW 85837	308 Win	4	22"	10"	42 ½"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte	7 3/8	$451
NEW 85836	30-06 Springfield	3	22"	10"	44 ½"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte	7 ½	$451
NEW 85838	7mm Remington Mag	4	24"	9 ¼"	42 ½"	13 3/8"	1"	1 5/8"	Carbon Steel	Matte Blue	Synthetic	Matte	7 3/8	$451

MODEL 700™ XCR II

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW 84545 (R)	257 Weatherby	4	26"	10"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	Camo Synthetic w/ Overmold	Realtree AP™	7 3/8	$1,095
84521	270 Win	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte OD Green	7 3/8	$1,005
84524	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte OD Green	7 5/8	$1,034
84523	30-06 Springfield	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte OD Green	7 3/8	$1,005
84525	300 WSM	3	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte OD Green	7 3/8	$1,085
84526	300 Win Mag	3	26"	10"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte OD Green	7 5/8	$1,034
84528	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte OD Green	7 5/8	$1,034
84530	338 Remington Ultra Mag	3	26"	10"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte OD Green	7 5/8	$1,034
84529	338 Win Mag	3	26"	10"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte OD Green	7 5/8	$1,034
84531	375 H&H	3	24"	12"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte OD Green	7 5/8	$1,034

1 *Equipped with Iron Sights. (R) RMEF Rocky Mountain Elk Foundation*

MODEL 700™ BDL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
25787	243 Win	4	22"	9 1/8"	41 5/8"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ¼	$985
25791	270 Win	4	22"	10"	42 ½"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 3/8	$985
25803	7mm Remington Mag	3	24"	9 ¼"	44 ½"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ½	$1,014
25793	30-06 Springfield	4	22"	10"	42 ½"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 3/8	$985
26410	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 5/8	$1,014

RIFLE SPECIFICATIONS

MODEL 700™ CDL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27009	25-06 Remington	4	24"	9 1/8"	43 5/8"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	$1,019
27007	243 Win	4	24"	9 1/8"	43 5/8"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	$1,019
27011	270 Win	4	24"	10"	44 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$1,019
27105 (LH)	270 Win	4	24"	10"	44 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$1,048
27015	7mm-08 Remington	4	24"	9 ¼"	43 5/8"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	$1,019
27047	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 5/8	$1,048
27109 (LH)	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 5/8	$1,077
27017	30-06 Springfield	4	24"	10"	44 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$1,018
27107 (LH)	30-06 Springfield	4	24"	10"	44 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$1,048
27049	300 Win Mag	3	26"	10"	46 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 5/8	$1,048
27053	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 5/8	$1,048
27111 (LH)	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 5/8	$1,077

MODEL 700™ CDL DM

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84074	243 Win.	4	24"	9 1/8"	43 5/8"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	$1,041
84075	7mm-08 Remington	4	24"	9 ¼"	43 5/8"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8	$1,041
84076	270 Win	4	24"	10"	44 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$1,041
84077	30-06 Springfield	4	24"	10"	44 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$1,041
84078	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 5/8	$1,070
84079	300 Win Mag	3	26"	10"	46 ½"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 5/8	$1,070

MODEL 700™ CDL SF

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84019	257 Weatherby Mag	3	26"	10"	46 ½"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 5/8	$1,197
84014	270 Win	4	24"	10"	45 ½"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ½	$1,169
84013	270 WSM	3	24"	10"	43 5/8"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 3/8	$1,259
84012	7mm-08 Remington	4	24"	9 ¼"	43 5/8"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 3/8	$1,169
84016	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 5/8	$1,197
84015	30-06 Springfield	4	24"	10"	44 ½"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ½	$1,169
84017	300 WSM	3	24"	10"	43 5/8"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 3/8	$1,259
NEW 84026 (LTD)[1]	300 Win Mag	3	24"	9 ¼"	43 5/8"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 3/8	$1,250

1 *(LTD) 2013 Model 700 CDL SF Limited Edition*

MODEL 700™ SPS

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27351	223 Remington	5	24"	12"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	$709
27475 (Compact)	243 Win	4	20"	9 1/8"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	$709
84150 (Compact) (LH)	243 Win	4	20"	9 1/8"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	$709
27355	243 Win	4	24"	9 1/8"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ¼	$709
NEW 84193	270 Win	4	22"	10"	42 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Wood Tech	Wood Tech	7 3/8	$800
27361	270 Win	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	$709
84177 (LH)	270 Win	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	$709
27331	270 WSM	3	24"	10"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	$709
27391 (Compact)	7mm-08 Remington	4	20"	9 ¼"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	$709
84151 (Compact) (LH)	7mm-08 Remington	4	20"	9 ¼"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7	$709
27357	7mm-08 Remington	4	24"	9 ¼"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ¼	$709
NEW 84197	7mm Remington Mag	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Wood Tech	Wood Tech	7 5/8	$800
27385	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 5/8	$709
84179 (LH)	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 5/8	$709
NEW 84195	30-06 Springfield	4	22"	10"	42 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Wood Tech	Wood Tech	7 3/8	$800
27363	30-06 Springfield	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	$709
84178 (LH)	30-06 Springfield	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	$709
27333	300 WSM	3	24"	10"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 3/8	$709
NEW 84199	300 Win Mag	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Wood Tech	Wood Tech	7 5/8	$800
27387	300 Win Mag	3	26"	10"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 5/8	$709
84180 (LH)	300 Win Mag	3	26"	10"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 5/8	$709
27359	300 Win	4	24"	10"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ¼	$709
27389	300 Remington Ultra Mag	3	24"	10"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 5/8	$709

(LH) Left-hand model

MODEL 700™ SPS CAMO – MOSSY OAK® BREAK-UP™ INFINITY™

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84183	243 Win.	4	22"	9 1/8"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 ¼	$785
84184	7mm-08 Remington	4	22"	9 ¼"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 3/8	$785
84185	270 Win	4	22"	10"	42 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 3/8	$785
84186	30-06 Springfield	4	22"	10"	42 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 3/8	$785
84187	7mm Remington Mag	3	24"	9 ¼"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 3/8	$785
84188	300 Win Mag	3	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 3/8	$785
84189 (Compact)	223 Remington	5	20"	12"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7	$785
84190 (Compact)	243 Win	4	20"	9 1/8"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7	$785
84191 (Compact)	7mm-08 Remington	4	20"	9 ¼"	39 5/8"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7	$785

RIFLE SPECIFICATIONS

MODEL 700™ SPS STAINLESS

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27133	223 Remington	5	24"	12"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 ¼	$813
27135	22-250 Remington	4	24"	14"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 ¼	$813
27263	243 Win	4	24"	9 1/8"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 ¼	$813
27251	25-06 Remington	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 3/8	$813
27267	270 Win	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 3/8	$813
27253	270 WSM	3	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 3/8	$813
27265	7mm-08 Remington	4	24"	9 ¼"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 ¼	$813
27271	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 5/8	$813
84300	7mm Remington Ultra Mag	3	26"	9 ¼"	46 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 5/8	$813
27269	30-06 Springfield	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 3/8	$813
27255	300 WSM	3	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 3/8	$813
27273	300 Win Mag	3	26"	10"	46 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 5/8	$813
27136	308 Win	4	24"	10"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 ¼	$813
27140	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Synthetic	Matte Black	7 5/8	$813

MODEL 700™ SPS LONG RANGE

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84154	25-06 Remington	4	26"	10"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Grey Overmold	Matte Black	8 ¾	$739
84155	7mm Remington Mag	3	26"	9 1/4"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Grey Overmold	Matte Black	8 ¾	$739
84156	300 Win Mag	3	26"	9 1/8"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Grey Overmold	Matte Black	8 ¾	$739
84157	300 Remington Ultra Mag	3	26"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Grey Overmold	Matte Black	8 ¾	$739

MODEL 700™ SPS TACTICAL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84203 (A)[1]	308 Win	4	20"	10"	39 ¾"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Hogue® Overmold Synthetic	Ghillie Green™	7 ½	$817
84206	223 Remington	5	20"	9"	39 ¾"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Hogue® Overmold Synthetic	Matte Black	7 ½	$765
NEW 85549	223 Remington	5	16 ½"	9"	39 ¾"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Hogue® Overmold Synthetic	Matte Black	7 ½	$834
NEW 84205	300 AAC Blackout	5	16 ½"	9"	39 ¾"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Hogue® Overmold Synthetic	Matte Black	7 ½	$834
84207	308 Win	4	20"	12"	39 ¾"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Hogue® Overmold Synthetic	Matte Black	7 ½	$765
NEW 85538	308 Win	4	16 ½"	9"	39 ¾"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Hogue® Overmold Synthetic	Matte Black	7 ½	$834

1 *(A) AAC®-SD™ with 5/8x24 Threaded Muzzle*

MODEL 700™ TARGET TACTICAL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84456	308 Win	4	26"	11 ¼"	47 ½"	13 3/8" - 15 3/8"	1 ½"	1 ½"	Carbon Steel	Matte Blue	Aramid Fiber Reinf.	OD Green	11 ¾	$2,117

Adjustable Length of Pull and Comb

MODEL 700™ XCR COMPACT TACTICAL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84466	223 Remington	5	20"	9"	39 ¾"	13 3/8"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	7 ½	$1,510
84467	308 Win	4	20"	12"	39 ¾"	13 3/8"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	7 ½	$1,510

MODEL 700™ XCR TACTICAL LONG RANGE

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84460	223 Remington	5	26"	9"	45 ¾"	13 3/8"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 ½	$1,510
84461	308 Win	4	26"	12"	45 ¾"	13 3/8"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 ½	$1,510
84462	300 Win Mag	3	26"	10"	45 ¾"	13 3/8"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 ½	$1,510
84463	338 Lapua Magnum	5	26"	10"	45 ¾"	13 3/8"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 ½	$2,468

MODEL 700™ SPS VARMINT

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84214	204 Ruger	5	26"	12"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	$739
84216	22-250 Remington	4	26"	14"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	$739
84226 (LH)	22-250 Remington	4	26"	14"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	$769
84215	223 Remington	5	26"	12"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	$739
84227 (LH)	223 Remington	5	26"	12"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	$769
84217	243 Win	4	26"	9 1/8"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	$739
84228 (LH)	243 Win	4	26"	9 1/8"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	$769
84218	308 Win	4	26"	12"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	$739
84229 (LH)	308 Win	4	26"	12"	46 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Matte Black	8 ½	$769

(LH) Left-hand model

RIFLE SPECIFICATIONS

MODEL 700™ MOUNTAIN SS (STAINLESS STEEL)

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84272	25-06 Remington	4	22"	10"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Stainless	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 ½	$1,123
84273	270 Win	4	22"	10"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Stainless	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 ½	$1,123
84274	280 Remington	4	22"	9 ¼"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Stainless	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 ½	$1,123
84276	7mm-08 Remington	4	22"	9 ¼"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Stainless	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 ½	$1,123
84275	30-06 Springfield	4	22"	10"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Stainless	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 ½	$1,123
84277	308 Win	4	22"	10"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Stainless	Satin Stainless	Bell & Carlson Aramid Fiber	Matte	6 ½	$1,123

MODEL 700™ VTR (VARMINT TARGET RIFLE)

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84362	223 Remington	5	22"	9"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	A-TACS™ Digital Camo	Camo	7 ½	$959
84370	223 Remington	5	22"	9"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Matte OD Green	7 ½	$908
84373	22-250 Remington	4	22"	14"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Matte OD Green	7 ½	$908
84368	243 Win	4	22"	9 1/8"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Matte OD Green	7 ½	$908
84364	308 Win	4	22"	12"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	A-TACS™ Digital Camo	Camo	7 ½	$959
84371	308 Win	4	22"	12"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Matte OD Green	7 ½	$908

MODEL 700™ VLS (LAMINATED STOCK)

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27467	204 Ruger	5	26"	12"	45 ¾"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8	$1,045
27491	223 Remington	5	26"	12"	45 ¾"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8	$1,045
27489	22-250 Remington	4	26"	14"	45 ¾"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8	$1,045
27495	243 Win	4	26"	9 1/8"	45 ¾"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8	$1,045
27499	308 Win	4	26"	12"	45 ¾"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8	$1,045

MODEL 700™ SENDERO® SF II

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
27311	7mm Remington Mag	3	26"	9 ¼"	45 ¾"	13 3/8"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,451
27313	300 Win Mag	3	26"	10"	45 ¾"	13 3/8"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,451
27318	300 Remington Ultra Mag	3	26"	10"	45 ¾"	13 3/8"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,451

MODEL 700™ VARMINT SF

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
84342	22-250 Remington	5	26"	14"	45 ¾"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Polished Stainless	Synthetic w/Overmold Grip Panels	Matte	8 ½	$981
84343	223 Remington	5	26"	12"	45 ¾"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Polished Stainless	Synthetic w/Overmold Grip Panels	Matte	8 ½	$981
84344	220 Swift	4	26"	14"	45 ¾"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Polished Stainless	Synthetic w/Overmold Grip Panels	Matte	8 ½	$981
84345	308 Win	4	26"	14"	45 ¾"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Polished Stainless	Synthetic w/Overmold Grip Panels	Matte	8 ½	$981

MODEL SEVEN™ CDL

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
26417	243 Win	4	20"	9 1/8"	39 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Satin	Walnut	Satin	6 ½	$1,029
26419	260 Remington	4	20"	9"	39 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Satin	Walnut	Satin	6 ½	$1,029
23421	7mm-08 Remington	4	20"	9 ¼"	39 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Satin	Walnut	Satin	6 ½	$1,029
26423	308 Win	4	20"	10"	39 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Satin	Walnut	Satin	6 ½	$1,029

MODEL SEVEN™ PREDATOR

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85952	223 Remington	5	22"	12"	41 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7	$886
85953	22-250 Remington	4	22"	14"	41 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7	$886
85954	243 Win	4	22"	9 1/8"	41 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Mossy Oak® Brush®	Synthetic	Mossy Oak® Brush®	7	$886

MODEL SEVEN™ SYNTHETIC BOLT-ACTION

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85910	223 Remington	5	20"	12"	39 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte	Synthetic	Matte Black	6 ½	$709
85911	243 Win	4	20"	9 1/8"	39 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte	Synthetic	Matte Black	6 ½	$709
85912	260 Remington	4	20"	9"	39 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte	Synthetic	Matte Black	6 ½	$709
85913	7mm-08 Remington	4	20"	9 ¼"	39 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte	Synthetic	Matte Black	6 ½	$709
85914	308 Win	4	20"	10"	39 ¼"	13 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte	Synthetic	Matte Black	6 ½	$709
85915 (Compact)	243 Win	4	18 ½"	9 1/8"	36 ¼"	12 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte	Synthetic	Matte Black	6 1/8	$709
85916 (Compact)	7mm-08 Remington	4	18 ½"	9 ¼"	36 ¼"	12 3/8"	1 ¼"	1 ½"	Carbon Steel	Matte	Synthetic	Matte Black	6 1/8	$709

RIFLE SPECIFICATIONS

MODEL 770™ BOLT-ACTION

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85630	243 Win	4	22"	9 1/8"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Matte Black	8 1/2	$375
85637 (Compact)	243 Win	4	20"	9 1/8"	39 1/2"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Matte Black	8 1/4	$375
85632	270 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Matte Black	8 1/2	$375
85631	7mm-08 Remington	4	22"	9 1/4"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Matte Black	8 1/2	$375
85635	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Matte Black	8 5/8	$375
85633	30-06 Springfield	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Matte Black	8 1/2	$375
85636	300 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Matte Black	8 5/8	$375
85634	308 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Matte Black	8 1/2	$375

1 *Average weight includes scope*

MODEL 770™ STAINLESS BOLT-ACTION

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
85655	270 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™	8 1/2	$458
85657	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™	8 1/2	$458
85656	30-06 Springfield	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™	8 1/2	$458
85658	300 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™	8 1/2	$458

1 *Average weight includes scope*

MODEL 7600™ PUMP-ACTION

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
7600™	24653	243 Win	4	22"	9 1/8"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/2	$900
7600™	24655	270 Win	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/2	$900
7600™	24667	270 Win	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	High Gloss	7 1/2	$900
7600™ Carbine	24661	30-06 Springfield	4	18 1/2"	10"	39 1/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/4	$900
7600™	24657	30-06 Springfield	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/2	$900
7600™	24671	30-06 Springfield	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	High Gloss	7 1/2	$900
7600™	24659	308 Win	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/2	$900
7600™ Synthetic	25143	243 Win	4	22"	9 1/8"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2	$756
7600™ Synthetic	25145	270 Win	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2	$756
7600™ Synthetic	25149	30-06 Springfield	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2	$756
7600™ Synthetic	25151	308 Win	4	22"	10"	42 5/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2	$756
7600™ Synthetic Carbine	25153	30-06 Springfield	4	18 1/2"	10"	39 1/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4	$756

Equipped with iron sights.

MODEL R-15 VTR PREDATOR WITH MAGPUL® MOE STOCK & FORE-END MODULAR REPEATING

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
NEW R-15 VTR Predator Carbine Magpul® Collapsible Stock	60018	223 Remington	5	16 1/2"	9"	40 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Brush™	7 3/4	$1,327
NEW R-15 VTR Predator Carbine Magpul® Collapsible Stock	60019	223 Remington	5	18"	9"	36 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Brush™	6 3/4	$1,327
NEW R-15 VTR Predator Carbine Magpul® Fixed Stock	60010	223 Remington	5	18"	9"	36 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Brush™	6 3/4	$1,327
NEW R-15 VTR Predator Carbine Magpul® Fixed Stock	60011	223 Remington	5	22"	9"	36 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Brush™	6 3/4	$1,327

MODEL R-15 MODULAR REPEATING

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
R-15 VTR Predator	60001	223 Remington	5	22"	9"	40 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 3/4	$1,327
R-15 VTR Predator Carbine	60003	223 Remington	5	18"	9"	36 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	6 3/4	$1,327
R-15 VTR Predator Carbine - CS (Collapsible Stock)	60005	223 Remington	5	18"	9"	33 1/4" - 36 1/4"	11 3/8" - 14 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	6 3/4	$1,327
R-15 VTR Predator FMB	60020	223 Remington	5	18"	9"	36 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	6 3/4	$1,327
R-15 VTR Predator Carbine FMB	60022	223 Remington	5	18"	9"	36 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	6 3/4	$1,327
R-15 VTR SS Varmint	60007	223 Remington	5	24"	9"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte	Synthetic	Advantage® MAX-1 HD™	7 3/4	$1,529
R-15 Hunter	60100	30 Remington AR	4	22"	10"	40 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Realtree® AP™ HD™	7 3/4	$1,327

MODEL R-25 MODULAR REPEATING

MODEL	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
R-25	60030	243 Win	4	20"	10"	38 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 3/4	$1,697
R-25	60031	7mm-08 Remington	4	20"	9 1/4"	38 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 3/4	$1,697
R-25	60032	308 Win	4	20"	10"	38 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 3/4	$1,697
R-25 FMB	60040	308 Win	4	20"	10"	38 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 3/4	$1,697

MODEL 750™ WOODSMASTER®

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
750™ Woodsmaster®	27055	243 Win	22"	9 1/8"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2	$1,004
750™ Woodsmaster®	27059	270 Win	22"	10"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2	$1,004
750™ Woodsmaster®	27061	30-06 Springfield	22"	10"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2	$1,004
750™ Woodsmaster®	27057	308 Win	22"	10"	42 5/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2	$1,004
750™ Woodsmaster® Carbine	27077	30-06 Springfield	18 1/2"	10"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4	$1,004
750™ Woodsmaster® Carbine	27075	308 Win	18 1/2"	10"	39 1/8"	13 1/2"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4	$1,004

RIFLE SPECIFICATIONS

MODEL 750™ AUTOLOADING CENTERFIRE

MODEL	ORDER NO.	CALIBER	BARREL LENGTH	TWIST-R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
750™ Synthetic	85682	243 Win	22"	9 1/8"	42 5/8"	13 ½"	1 5/8"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	$884
750™ Synthetic	85686	30-06 Springfield	22"	10"	42 5/8"	13 ½"	1 5/8"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	$884
750™ Synthetic Carbine	85687	30-06 Springfield	18 ½"	10"	39 1/8"	13 ½"	1 5/8"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ¼	$884
750™ Synthetic	85683	308 Win	22"	10"	42 5/8"	13 ½"	1 5/8"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	$884
750™ Synthetic Carbine	85684	308 Win	18 ½"	10"	39 1/8"	13 ½"	1 5/8"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ¼	$884

MODEL 597™

MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
597™ TVP	80852	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Stainless Steel	Matte	Shady Camo Laminate	Satin	5 ½	$595
597™ FLX	80864	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Synthetic	Next Digital FLX	5 ½	$300
597™ Blaze Camo	80853	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Synthetic	Mossy Oak® Blaze	5 ½	$300
597™ Pink Camo	80854	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Synthetic	Mossy Oak® Pink	5 ½	$300
597™	26550	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Gray Synthetic	Matte	5 ½	$208
597™ Scope Combo	26513	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Gray Synthetic	Matte	5 ¾	$252
NEW 597™ Heavy Barrel	80877	Auto (22 LR)	10	16 ½"	36 ½"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Synthetic	Matte OD Green	5 ¾	$249
NEW 597™ Heavy Barrel A-TACS™ Camo	80912	Auto (22 LR)	10	16 ½"	36 ½"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Synthetic	A-TACS™ Digital Camo	5 ¾	$349
597™ Magnum	26560	Auto (22 WMR)	8	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Synthetic	Matte Black	5 ½	$530
597™ HB LS Magnum	26581	Auto (22 WMR)	8	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Brown Laminate	Satin	6	$633
597™ AAC®-SD™	80910	Auto 22 LR	10	16 ½"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Synthetic	Matte Black	5 ½	$252

MODEL 552™/572™

MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)	MSRP
552™ BDL Deluxe Speedmaster®	25594	Auto (22, S, L, LR)	15[1]	21"	40"	13 5/8"	1 3/8"	2 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5 ¾	$667
572™ BDL Deluxe Fieldmaster®	25624	Pump (22, S, L, LR)	15[1]	21"	40"	13 5/8"	1 3/8"	2 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5 ¾	$682

1 *Capacity is 15 on 22 Long Rifle, 17 on 22 Long, and 20 on 22 Short.*

HANDGUN SPECIFICATIONS

MODEL 1911 R1™

MODEL	ORDER NO.	CALIBER	MAGAZINE	BARREL LENGTH	TWIST-L-H 1 TURN IN	OVERALL LENGTH	OVERALL HEIGHT	TRIGGER PULL (LB.)	BARREL MATERIAL	GRIP MATERIAL	FRAME MATERIAL	SLIDE MATERIAL	AVG. WT. (OZ.)	MSRP
1911 R1™	96323	45 ACP	7-round	5"	16"	8 1/2"	5 ½"	3 1/2 - 5	Stainless Steel	Walnut	Carbon Steel	Carbon Steel	38 ½	$729
1911 R1™ Stainless	96324	45 ACP	7-round	5"	16"	8 1/2"	5 ½"	3 1/2 - 5	Stainless Steel	Walnut	Stainless Steel	Stainless Steel	38 ½	$789
1911 R1™ Enhanced	96328	45 ACP	8-round	5"	16"	8 1/2"	5 ½"	3 1/2 - 5	Stainless Steel	Black Laminate	Carbon Steel	Carbon Steel	40	$940
1911 R1™ Enhanced Stainless	96329	45 ACP	8-round	5"	16"	8 1/2"	5 ½"	3 1/2 - 5	Stainless Steel	Black Laminate	Stainless Steel	Stainless Steel	40	$940
1911 R1™ Enhanced Threaded	96339	45 ACP	8-round	5 3/4"	16"	9 1/4"	5 3/4"	3 1/2 - 5	Stainless Steel	Black Laminate	Carbon Steel	Carbon Steel	40	$1,140
1911 R1™ Carry	96332	45 ACP	7-round & 8-round	5"	16"	8 1/2"	5 ½"	3 1/2 - 5	Stainless Steel	Cocobolo	Carbon Steel	Carbon Steel	38 ½	$1,299

INTERCHANGEABILITY CHART. CARTRIDGES WITHIN GROUPS SHOWN ARE INTERCHANGEABLE.

Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

CENTERFIRE

- 25-20 Remington
- 25-20 W.C.F.
- 25-20 Win
- 25-20 Win High Speed
- 25-20 Marlin
- 25 W.C.F.
- 6mm Remington
- 244 Remington
- 25 Automatic
- 5 Auto. Colt Pistol (ACP)
- 25 (6.35mm) Automatic
- 6.35mm Browning
- 7mm Express, Remington
- 280 Remington
- 30-30 Sav.
- 30-30 Win
- 30-30 Win Accelerator (SEE NOTE A)
- 30-30 Marlin
- 30-30 Win High Speed
- 30 W.C.F.
- 32 Colt Automatic
- 32 Auto. Colt Pistol (ACP)
- 32 (7.65mm) Automatic
- 7.65mm Automatic Pistol
- 7.65mm Browning (not interchangeable with 7.65mm Luger)
- 32 Short Colt in 32 Long Colt but not conversely (SEE NOTE C)
- 32 S&W in 32 S&W Long but not conversely
- 32 S&W Long
- 32 Colt New Police
- 32 Colt Police Positive
- 32 W.C.F. (SEE NOTE A)
- 2 Win (SEE NOTE A)
- 32-20 Win. High Speed (SEE NOTE A)
- 32-20 Colt L.M.R (SEE NOTE G)
- 32-20 W.C.F. (SEE NOTE G)
- 32-20 Win (SEE NOTE G)
- 32-20 Marlin (SEE NOTE G)
- 38 S&W
- 38 Colt New Police
- 380 Webley
- 38 Colt Special (SEE NOTE B & D)
- 38 S&W Special (SEE NOTE B & D)
- 8 S&W Special Mid-Range (SEE NOTE B & D)
- 38 Special Targetmaster® (SEE NOTE B & D)
- 38 Special +P (SEE NOTE B & D)
- 38-44 Special +P (SEE NOTE B & D)
- 38 Special (SEE NOTE B & D)
- 38 Special Flat Point (SEE NOTE B & D)
- 38 Short Colt in 38 Long Colt but not conversely. Both can be used in 38 Special.
- 38 Marlin (SEE NOTE A)
- 38 Win (SEE NOTE A)
- 38 Remington (SEE NOTE A)
- 38-40 Win (SEE NOTE A)
- 38 W.C.F. (SEE NOTE A)
- 38 Automatic in 38 Super +P – but not conversely
- 380 Automatic
- 9mm Browning Short (Corto Kurz)
- 9mm Luger (SEE NOTE E)
- 9mm Parabellum (SEE NOTE E)
- 44 S&W Special (SEE NOTE F)
- 44 Marlin
- 44 Win
- 44 Remington
- 44-40 Win
- 44 W.C.F.
- 45-70 Government
- 45-70 Marlin
- 45-70 Win
- 45-70-405

RIMFIRE

- 22 W.R.F.
- 22 Remington Special
- 22 Win. Model 1890 in a 22 Win. Mag. Rimfire – but not conversely

NOTE A: *High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them.* **NOTE B:** *Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.* **NOTE C:** *Not for use in revolvers chambered for 32 S&W or 32 S&W Long.* **NOTE D:** *All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.* **NOTE E:** *9mm sub machine gun cartridges should not be used in handguns.* **NOTE F:** *44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely.* **NOTE G:** *Not to be used in Win. M-66 and M-73.*

RIFLE CHAMBERING

MODEL 700™ BOLT CALIBER LISTINGS

CALIBERS	MAG. CAPACITY	BARREL LENGTH	TWIST - R-H 1 TURN IN	BDL	CDL	CDL DM	CDL SF	TARGET TACTICAL	SPS	SPS CAMO	SPS STAINLESS	SPS LONG RANGE	SPS TACTICAL	SPS VARMINT	MOUNTAIN SS	VARMINT SF	VLS	SENDERO SF II	VTR	XCR II	XCR TACTICAL	XCR II TACTICAL LONG RANGE
204 Ruger	5	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	24"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	26"	12"	—	—	—	—	—	—	—	—	—	—	84214	—	—	27467	—	—	—	—	—
220 Swift	4	26"	14"	—	—	—	—	—	—	—	—	—	—	—	—	84344	—	—	—	—	—	—
223 Remington	5	16 ½"	9"	—	—	—	—	—	—	—	—	—	85549	—	—	—		—	—	—	—	—
	5	20"	9"	—	—	—	—	—	—	84189 (C)	—	—	84206	—	—	—	—	—	—	—	84466 (C)	—
	5	22"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84362 (AT)	—	—	—
	5	22"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84370	—	—	—
	5	24"	12"	—	—	—	—	—	27351	—	27133	—	—	—	—	—	—	—	—	—	—	—
	5	26"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84460
	5	26"	12"	—	—	—	—	—	—	—	—	—	—	84215	—	84343	27491	—	—	—	—	—
	5	26"	12"	—	—	—	—	—	—	—	—	—	—	84227 (L)	—	—	—	—	—	—	—	—
22-250 Remington	4	22"	14"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84373	—	—	—
	4	24"	14"	—	—	—	—	—	—	—	27135	—	—	—	—	—	—	—	—	—	—	—
	4	26"	14"	—	—	—	—	—	—	—	—	—	—	84216	—	84342	27489	—	—	—	—	—
	4	26"	14"	—	—	—	—	—	—	—	—	—	—	84226 (L)	—	—	—	—	—	—	—	—
243 Win	4	20"	9 ⅛"	—	—	—	—	—	27475 (C)	84190 (C)	—	—	—	—	—	—	—	—	—	—	—	—
	4	20"	9 ⅛"	—	—	—	—	—	84150 (CL)	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	9 ⅛"	25787	—	—	—	—	—	84183	—	—	—	—	—	—	—	—	84368	—	—	—
	4	24"	9 ⅛"	—	27007	84074	—	—	27355	—	27263	—	—	—	—	—	—	—	—	—	—	—
	4	24"	9 ⅛"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	9 ⅛"	—	—	—	—	—	—	—	—	—	—	84217	—	—	27495	—	—	—	—	—
	4	26"	9 ⅛"	—	—	—	—	—	—	—	—	—	—	84228 (L)	—	—	—	—	—	—	—	—
25-06 Remington	4	22"	9 ⅛"	—	—	—	—	—	—	—	—	—	—	—	84272	—	—	—	—	—	—	—
	4	24"	10"	—	27009	—	—	—	—	—	27251	—	—	—	—	—	—	—	—	—	—	—
	4	26"	10"	—	—	—	—	—	—	—	—	84154	—	—	—	—	—	—	—	—	—	—
257 Weatherby Mag	3	26"	10"	—	—	—	84019	—	—	—	—	—	—	—	—	—	—	—	—	84545	—	—
264 Win Mag	3	26"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
270 Win	4	22"	10"	25791	—	—	—	—	84193 (WT)	84185	—	—	—	—	84273	—	—	—	—	—	—	—
	4	24"	10"	—	27011	—	84014	—	27361	—	27267	—	—	—	—	—	—	—	—	84521	—	—
	4	24"	10"	—	27105 (L)	—	—	—	84177 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	—	84076	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
270 WSM	3	24"	10"	—	—	—	84013	—	27331	—	27253	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
280 Remington	4	22"	10"	—	—	—	—	—	—	—	—	—	—	—	84274	—	—	—	—	—	—	—
	4	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7mm-08 Remington	4	20"	9 ¼"	—	—	—	—	—	27391 (C)	84191 (C)	—	—	—	—	—	—	—	—	—	—	—	—
	4	20"	9 ¼"	—	—	—	—	—	84151 (CL)	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	9 ¼"	—	—	—	—	—	—	84184	—	—	—	—	84276	—	—	—	—	—	—	—
	4	24"	9 ¼"	—	27015	84075	84012	—	27357	—	27265	—	—	—	—	—	—	—	—	—	—	—
7mm Remington Mag	3	24"	9 ¼"	—	—	—	—	—	84197 (WT)	84187	—	—	—	—	—	—	—	—	—	84524	—	—
	3	26"	9 ¼"	—	27047	—	84016	—	27385	—	27271	—	—	—	—	—	—	27311	—	—	—	—
	3	26"	9 ¼"	25803	27109 (L)	84078	—	—	84179 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	26"	9 ¼"	—	—	—	—	—	—	—	—	84155	—	—	—	—	—	—	—	—	—	—
7mm Remington Ultra Mag	3	26"	9 ¼"	—	—	—	—	—	—	—	84300	—	—	—	—	—	—	—	—	—	—	—
	3	26"	9 ½"	—	27051	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300 AAC Blackout	5	16 ½"	7"	—	—	—	—	—	—	—	—	—	84205	—	—	—	—	—	—	—	—	—
30-06 Springfield	4	22"	10"	25793	—	—	—	—	84195 (WT)	84186	—	—	—	—	84275	—	—	—	—	—	—	—
	4	24"	10"	—	27017	84077	84015	—	27363	—	27269	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	27107 (L)	—	—	—	84178 (L)	—	—	—	—	—	—	—	—	—	—	84523	—	—
	4	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300 Win Mag	3	24"	10"	—	—	—	—	—	—	84188	—	—	—	—	—	—	—	—	—	84526	—	—
	3	26"	10"	—	27049	84079	—	—	27387	—	27273	84156	—	—	—	—	—	27313	—	—	—	84462
	4	24"	10"	—	—	—	—	—	84199 (WT)	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	10"	—	—	—	—	—	84180 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—
300 WMR	4	26"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300 WSM	3	24"	10"	—	—	—	84017	—	27333	—	27255	—	—	—	—	—	—	—	—	84525	—	—
	4	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
308 Win	4	16 ½"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	—	—	—	—	27359	—	27136	—	—	—	—	—	—	—	—	—	—	—
	4	20"	12"	—	—	—	—	—	—	—	—	—	84207	—	—	—	—	—	—	—	84467	—
	4	22"	12"	—	—	—	—	—	—	—	—	—	—	—	84277	—	—	—	84364 (AT)	—	—	—
	4	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84371	—	—	—
	4	26"	11 ¼"	—	—	—	—	84456	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	12"	—	—	—	—	—	—	—	—	—	—	84218	—	84345	27499	—	—	—	—	84461
	4	26"	12"	—	—	—	—	—	—	—	—	—	—	84229 (L)	—	—	—	—	—	—	—	—
300 Remington Ultra Mag	3	24"	10"	26410	27053	—	—	—	27389	—	27140	—	—	—	—	—	—	—	—	—	—	—
	3	26"	10"	—	27111 (L)	—	—	—	—	—	—	—	—	—	—	—	—	27318	—	84528	—	—
	3	26"	10"	—	—	—	—	—	—	—	—	84157	—	—	—	—	—	—	—	—	—	—
338 Win Mag	3	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84530	—	—
	3	26"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
338 Remington Ultra Mag	3	26"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84529	—	—
375 H&H[1]	3	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	24"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84531	—	—
Stock Dimensions		Length of Pull		13 ⅜"	13 ½"	13 ½"	13 ½"	13 ½"	13 ⅜"	13 ⅜"	13 ⅜"	13 ⅜"	13 ⅜"	13 ⅜"	13 ⅜"	13 ⅜"	13 ½"	13 ⅜"	13 ⅜"	13 ⅜"	13 ⅜"	13 ⅜"
		Drop at Comb		1"	1 ⅛"	1 ⅛"	1 ⅛"	1 ⅛"	1 ⅛"	1 ⅛"	1 ⅛"	1 ⅛"	1 ⅛"	1 ⅛"	1 ⅛"	1 ⅛"	1"	1 ¼"	1 ⅛"	1 ¼"	1 ¼"	1 ¼"
		Drop at Heel		1 ⅝"	1 ⅜"	1 ⅜"	1 ⅜"	1 ⅜"	1 ⅜"	1 ⅜"	1 ⅜"	1 ⅜"	1 ⅜"	1 ⅜"	1 ⅛"	1 ⅜"	1 ⅜"	1 ½"	1 ⅜"	1 ½"	1 ½"	1 ½"

(L) Left-hand model (C) Compact model (AT) A-TACS (BC) Bone Collector (LT) Limited Edition (HP) Polished Blued (R) Rocky Mountain Elk Foundation (WT) Wood Tech **1** *Equipped with Iron Sights.*

CENTERFIRE RIFLE BALLISTICS

17 REMINGTON FIREBALL® – 7MM-08 REMINGTON

CALIBER	INDEX/ EDI NO.	WT (GR)	BULLET STYLE	PRIMER NO.	VELOCITY (FTPS)						ENERGY (FT-LB)						SHORT-RANGE[4] TRAJECTORY[1]						LONG-RANGE[5] TRAJECTORY[1]						BALLISTIC COEFFICIENT
					MUZZLE	100	200	300	400	500	MUZZLE	100	200	300	400	500	50	100	150	200	250	300	100	150	200	250	300	400	500	
17 Remington FireBall®	PRA17FB	20	AccuTip-V™	7 ½	4000	3380	2840	2360	1930	1555	710	507	358	247	165	107	-0.3	0.2	0.0	-1.1	-3.3	-6.8	1.6	2.0	1.5	0.0	-2.8	-13.5	-33.8	0.185
	L17FBV	25	UMC® Jacketed Hollow Point	7 ½	3850	3280	2780	2330	1925	1569	823	597	429	301	206	137	0.0	0.9	0.9	zero	-2.0	-5.4	1.7	2.1	1.6	zero	-3.0	-14.1	-34.7	0.193
17 Remington	PRA17RA	20	AccuTip-V™	7 ½	4250	3594	3028	2529	2081	1684	802	574	407	284	192	126	-0.4	0.1	zero	-0.9	-2.8	-5.9	1.3	1.7	1.3	zero	-2.5	-11.8	-29.2	0.185
	R17R2	25	Hollow Point	7 ½	4040	3428	2895	2420	1993	1617	906	652	465	325	221	145	-0.1	0.8	0.8	zero	-1.9	-5.0	1.5	1.9	1.5	zero	-2.7	-12.9	-32.0	0.187
204 Ruger	PRA204A	32	AccuTip-V™	7 ½	4225	3632	3114	2652	2234	1856	1268	937	689	500	355	245	-0.4	0.1	zero	-0.9	-2.7	-5.5	0.6	0.7	zero	-1.5	-4.1	-13.1	-28.9	0.210
	PRA204B	40	AccuTip-V™ Boat Tail	7 ½	3900	3451	3046	2677	2336	2021	1351	1058	824	636	485	363	-0.3	0.2	zero	-1.0	-2.9	-5.8	0.7	0.7	zero	-1.6	-4.3	-13.2	-28.1	0.275
22 Hornet	PRA22HNA	35	AccuTip-V™	6 ½	3100	2271	1591	1127	924	806	747	401	197	99	66	51	-1.5	zero	-1.6	-5.5	-13.0	-25.5	-1.5	zero	-3.5	-10.4	-22.3	-68.4	-155.3	0.109
	R22HN1	45	Pointed Soft Point	6 ½	2690	2042	1502	1128	948	840	723	417	225	127	90	70	0.0	zero	-2.1	-7.1	-16.0	-30.0	1.4	zero	-4.3	-12.4	-25.8	-74.2	-162.0	0.130
	R22HN2	45	Hollow Point	6 ½	2690	2042	1502	1128	948	840	723	417	225	127	90	70	0.0	zero	-2.1	-7.1	-16.0	-30.0	1.4	zero	-4.3	-12.4	-25.8	-74.2	-162.0	0.130
220 Swift	R220S1	50	Pointed Soft Point	9 ½	3780	3158	2617	2135	1710	1357	1586	1107	760	506	325	204	0.0	0.3	zero	-1.4	-4.0	-8.2	0.4	1.0	zero	-2.3	-6.2	-20.1	-46.1	0.175
221 Remington Fireball	PRA221FB	50	AccuTip-V™ Boat Tail	7 ½	2995	2605	2247	1918	1622	1368	996	753	560	408	292	208	0.2	0.7	zero	-2.2	-6.1	-12.1	1.8	1.7	zero	-3.4	-8.8	-27.1	-58.8	0.238
222 Remington	R222R1	50	Pointed Soft Point	7 ½	3140	2602	2123	1700	1350	1107	1094	752	500	321	202	136	0.1	0.7	zero	-2.3	-6.5	-13.1	1.9	1.7	zero	-3.6	-9.7	-31.7	-72.8	0.175
	R222R3	50	Power-Lokt® Hollow Point	7 ½	3140	2635	2182	1777	1432	1172	1094	771	529	351	228	152	0.1	0.7	zero	-2.2	-6.2	-12.5	1.8	1.6	zero	-3.5	-9.2	-29.6	-67.1	0.188
	PRA222RB	50	AccuTip-V™ Boat Tail	7 ½	3140	2744	2380	2045	1740	1471	1094	836	629	464	336	240	0.1	0.6	zero	-1.9	-5.4	-10.7	1.6	1.5	zero	-3.0	-7.8	-23.9	-51.7	0.242
223 Remington	DV223RA	45	Jacketed Iron-Tin Core HP	7 ½	3550	2911	2355	1865	1451	1150	1259	847	554	347	210	132	-0.1	0.5	zero	-1.7	-5.0	-10.3	2.5	3.0	2.3	zero	-4.3	-21.1	-54.7	0.161
	L223R3	55	UMC® Metal Case	7 ½	3240	2759	2326	1933	1587	1301	1282	929	660	456	307	207	0.0	0.6	zero	-1.9	-5.5	-11.0	1.6	1.5	zero	-3.1	-8.1	-25.5	-57.0	0.202
	L223R7	45	UMC® Jacketed	7 ½	3550	2953	2430	1964	1559	1241	1259	871	590	385	243	154	-0.1	0.4	zero	-1.7	-4.8	-9.7	2.4	2.9	2.2	zero	-4.0	-19.3	-49.3	0.173
	L223R8	50	UMC® Jacketed	7 ½	3425	2899	2430	2007	1633	1324	1302	933	655	447	296	195	-0.1	0.5	zero	-1.7	-4.9	-9.9	1.3	1.3	zero	-2.8	-7.3	-23.4	-52.7	0.192
	PRA223RB	50	AccuTip-V™ Boat Tail	7 ½	3410	2989	2605	2252	1928	1635	1291	992	753	563	413	297	-0.1	0.4	zero	-1.5	-4.4	-8.7	2.2	2.6	2.0	zero	-3.4	-15.7	-37.5	0.242
	PRA223RC	55	AccuTip-V™	7 ½	3240	2854	2500	2172	1871	1598	1282	995	763	576	427	312	0.2	0.6	zero	-1.8	-5.1	-9.9	1.5	1.4	zero	-2.8	-7.1	-21.7	-46.3	0.255
	R223R1	55	Pointed Soft Point	7 ½	3240	2747	2304	1905	1554	1270	1282	921	648	443	295	197	0.0	0.6	zero	-2.0	-5.6	-11.2	1.6	1.5	zero	-3.1	-8.2	-26.2	-58.6	0.197
	R223R2	55	Power-Lokt® Hollow Point	7 ½	3240	2773	2352	1969	1627	1341	1282	939	675	473	323	220	0.0	0.6	zero	-1.9	-5.4	-10.7	1.5	1.4	zero	-3.0	-7.9	-24.8	-55.1	0.209
	R223R3	55	Metal Case	7 ½	3240	2759	2326	1933	1587	1301	1282	929	660	456	307	207	0.0	0.6	zero	-1.9	-5.5	-11.0	1.6	1.5	zero	-3.1	-8.1	-25.5	-57.0	0.202
	PRC223R4	62	Core-Lokt® Ultra Bonded®	7 ½	3100	2695	2324	1983	1676	1409	1323	1000	743	541	386	273	0.1	0.6	zero	-2.0	-5.7	-11.2	1.7	1.5	zero	-3.1	-8.2	-25.2	-54.8	0.234
	PRH223R4	62	Hypersonic® Centerfire	7 ½	3,262	2,841	2,458	2,105	1,784	1,501	1,465	1,111	831	610	438	310	0.4	0.7	zero	-2.0	-5.4	-10.5	1.7	1.5	zero	-2.9	-7.5	-23.0	-49.4	0.234
	PRHH223R4	62	Barnes TSX®	7 ½	3100	2766	2456	2167	1898	1651	1323	1053	830	646	496	375	0.1	0.6	zero	-1.9	-5.2	-10.1	1.5	1.4	zero	-2.8	-7.3	-22.1	-46.6	0.287
	R223R6	62	Hollow Point Match	7 ½	3025	2572	2162	1792	1471	1217	1260	911	643	442	298	204	0.2	0.7	zero	-2.3	-6.5	-12.9	1.9	1.7	zero	-3.6	-9.4	-29.9	-66.4	0.205
	L223R9	62	Closed-Tip Flat Base	7 ½	3100	2734	2396	2083	1795	1537	1323	1029	790	597	444	325	0.1	0.6	zero	-1.9	-5.4	-10.6	1.6	1.5	zero	-3.0	-7.7	-23.5	-50.1	0.261
	RM223R1	69	MatchKing® BTHP	7 ½	3000	2720	2457	2209	1975	1758	1379	1133	925	747	598	473	0.1	0.6	zero	-1.9	-5.3	-10.3	1.6	1.5	zero	-2.9	-7.4	-21.9	-45.4	0.336
	RM223R3	77	MatchKing® BTHP	7 ½	2788	2539	2303	2081	1871	1675	1329	1102	907	740	598	480	0.3	0.8	zero	-2.3	-6.2	-12.0	2.0	1.7	zero	-3.4	-8.5	-25.1	-51.7	0.362
22-250 Remington	L22503	45	UMC® Jacketed Hollow Point	9 ½	4000	3340	2770	2266	1819	1440	1598	1114	767	513	331	207	-0.3	0.2	zero	-1.2	-3.5	-7.2	1.6	2.1	1.6	zero	-3.0	-14.5	-36.7	0.173
	L22504	50	UMC® Jacketed Hollow Point	9 ½	3820	3245	2739	2286	1878	1523	1620	1169	833	580	392	258	0.1	0.9	0.9	zero	-2.1	-5.6	1.8	2.2	1.7	zero	-3.1	-14.6	-36.1	0.192
	DV22250RA	45	Jacketed Iron-Tin Core HP	9 ½	4000	3293	2690	2159	1696	1320	1598	1084	723	466	287	174	0.0	0.9	0.9	zero	-2.1	-5.8	1.7	2.2	1.7	zero	-3.2	-15.7	-40.6	0.161
	PRA2250RB	50	AccuTip-V™ Boat Tail	9 ½	3800	3339	2925	2546	2198	1878	1603	1238	949	720	536	392	0.0	0.8	0.9	0.0	-1.9	-4.9	1.6	2.0	1.5	zero	-2.7	-12.2	-29.1	0.242
	R22501	55	Pointed Soft Point	9 ½	3680	3137	2656	2222	1832	1493	1654	1201	861	603	410	272	0.0	0.3	zero	-1.4	-4.0	-8.1	1.9	2.4	1.8	zero	-3.3	-15.5	-38.3	0.197
6mm Remington	R6MM4	100	Core-Lokt® Pointed Soft Point	9 ½	3100	2829	2573	2332	2104	1889	2133	1777	1470	1207	983	792	0.0	0.6	zero	-1.8	-4.8	-9.3	1.4	1.3	zero	-2.6	-6.7	-19.8	-40.8	0.356
243 Win	PRA243WB	75	AccuTip-V™ Boat Tail	9 ½	3375	3065	2775	2504	2248	2008	1897	1564	1282	1044	842	671	0.0	0.4	zero	-1.4	-4.0	-7.8	2.0	2.4	1.8	zero	-3.0	-13.3	-30.6	0.330
	R243W1	80	Pointed Soft Point	9 ½	3350	2955	2593	2259	1951	1670	1993	1551	1194	906	676	495	0.0	0.5	zero	-1.6	-4.5	-8.8	2.2	2.7	2.0	zero	-3.5	-15.8	-37.3	0.255
	R243W2	80	Power-Lokt® Hollow Point	9 ½	3350	2955	2593	2259	1951	1670	1993	1551	1194	906	676	495	0.0	0.5	zero	-1.6	-4.5	-8.8	2.2	2.7	2.0	zero	-3.5	-15.8	-37.3	0.255
	PCS243WB	80	Copper Solid® Tipped	9 ½	3350	3011	2696	2403	2128	1872	1993	1610	1291	1025	804	622	-0.1	0.4	zero	-1.5	-4.2	-8.2	2.1	2.5	1.9	zero	-3.2	-14.3	-33.1	0.299
	PRSC243WA	90	Swift Scirocco® Bonded	9 ½	3120	2871	2635	2411	2199	1997	1946	1647	1388	1162	966	797	0.0	0.5	zero	-1.7	-4.5	-8.9	1.4	1.3	zero	-2.5	-6.4	-18.8	-38.3	0.390
	PRA243WA	95	AccuTip™	9 ½	3120	2847	2590	2347	2118	1902	2053	1710	1415	1162	946	763	0.0	0.5	zero	-1.7	-4.6	-9.2	0.5	1.3	zero	-2.7	-6.6	-19.5	-40.2	0.355
	PRC243WC	100	Core-Lokt® Ultra Bonded®	9 ½	2960	2709	2471	2246	2033	1832	1945	1629	1356	1120	917	745	0.0	0.5	zero	-2.0	-5.3	-10.3	1.6	1.5	zero	-2.9	-7.3	-21.6	-44.3	0.373
	PRH243WC	100	Hypersonic® Centerfire	9 ½	3,010	2,756	2,516	2,289	2,073	1,869	2,011	1,686	1,406	1,163	954	776	0.5	0.8	zero	-2.1	-5.5	-10.4	1.8	1.5	zero	-2.9	-7.4	-21.4	-43.5	0.373
	R243W3	100	Core-Lokt® Pointed Soft Point	9 ½	2960	2697	2449	2215	1993	1786	1945	1615	1332	1089	882	708	0.1	0.7	zero	-2.0	-5.4	-10.4	1.6	1.5	zero	-2.9	-7.5	-22.1	-45.4	0.356
25-06 Remington	R25062	100	Core-Lokt® Pointed Soft Point	9 ½	3230	2893	2580	2287	2014	1762	2316	1858	1478	1161	901	689	0.0	0.5	zero	-1.7	-4.6	-9.1	1.3	1.3	zero	-2.6	-6.6	-19.8	-41.7	0.292
	PRC2506RA	115	Core-Lokt® Ultra Bonded®	9 ½	3000	2751	2516	2293	2081	1881	2298	1933	1616	1342	1106	903	0.1	0.6	zero	-1.9	-5.1	-9.9	1.6	1.4	zero	-2.8	-7.1	-20.7	-42.5	0.380
	R25063	120	Core-Lokt® Pointed Soft Point	9 ½	2990	2730	2484	2252	2032	1825	2382	1985	1644	1351	1100	887	0.1	0.6	zero	-1.9	-5.2	-10.1	1.6	1.4	zero	-2.8	-7.2	-21.4	-44.1	0.362
25-20 Win	R25202	86	Soft Point	6 ½	1460	1194	1030	931	858	797	407	272	203	165	141	121	zero	-3.5	-13.2	-30.0	-54.7	-89.1	zero	-7.9	-22.9	-45.8	-78.5	-173.0	-315.5	0.190
250 Savage	R250SV	100	Pointed Soft Point	9 ½	2820	2504	2210	1936	1684	1461	1765	1392	1084	832	630	474	0.0	zero	-1.3	-4.1	-8.7	-15.3	2.0	1.8	zero	-3.6	-9.2	-27.7	-58.6	0.285
257 Roberts	R257	117	Core-Lokt® Soft Point	9 ½	2650	2291	1961	1663	1404	1199	1824	1363	999	718	512	373	0.0	zero	-1.6	-5.2	-10.5	-19.5	2.6	2.3	zero	-4.1	-11.7	-36.1	-78.2	0.240
6.5x55 Swedish	R65SWE1	140	Core-Lokt® Pointed Soft Point	9 ½	2550	2353	2164	1984	1814	1654	2021	1720	1456	1224	1023	850	0.0	zero	-1.5	-4.8	-9.9	-17.0	2.4	2.1	zero	-3.9	-9.8	-27.0	-57.8	0.435
260 Remington	PRA260RA	120	AccuTip™ Boat Tail	9 ½	2890	2697	2512	2334	2163	2000	2392	2083	1807	1560	1340	1146	0.1	0.7	zero	-1.8	-4.9	-9.5	1.6	1.5	zero	-2.8	-7.2	-20.7	-41.7	0.480
	R260R1	140	Core-Lokt® Pointed Soft Point	9 ½	2750	2544	2347	2158	1979	1812	2351	2011	1712	1448	1217	1021	0.3	0.8	zero	-2.3	-6.1	-11.7	1.9	1.7	zero	-3.3	-8.3	-24.0	-47.2	0.435
	PRC260RB	140	Core-Lokt® Ultra Bonded®	9 ½	2750	2554	2365	2185	2013	1849	2351	2027	1739	1484	1260	1063	0.3	0.8	zero	-2.2	-6.0	-11.5	1.9	1.7	zero	-3.2	-8.1	-23.6	-47.6	0.457
	RL2601	140	Core-Lokt® Pointed Soft Point	9 ½	2360	2171	1991	1820	1660	1511	1731	1465	1232	1029	856	710	0.1	zero	-1.9	-5.9	-12.0	-20.6	2.9	2.5	zero	-4.7	-11.7	-34.0	-68.9	0.435
264 Win Mag	R264W2	140	Core-Lokt® Pointed Soft Point	9 ½ M	3030	2782	2548	2326	2114	1914	2854	2406	2018	1682	1389	1139	0.1	0.6	zero	-1.8	-5.0	-9.6	1.5	1.4	zero	-2.7	-6.9	-20.2	-41.3	0.384
6.8mm Remington SPC	R68R1	115	Open Tip Match (OTM)	9 ½	2625	2373	2135	1911	1702	1513	1759	1437	1163	932	740	584	0.4	1.0	zero	2.7	-7.3	-14.1	2.3	2.0	zero	-3.9	-10.0	-29.6	-61.2	0.344
	L68R2	115	UMC® Metal Case	9 ½	2625	2329	2053	1797	1565	1363	1759	1385	1076	825	625	474	0.5	1.0	zero	-2.9	-7.8	-15.1	2.5	2.1	zero	-4.2	-10.6	-32.4	-68.3	0.292
	RM68R1	115	MatchKing® BTHP	9 ½	2625	2365	2119	1889	1676	1484	1759	1428	1147	911	717	562	0.5	1.0	zero	-2.7	-7.4	-14.3	2.4	2.1	zero	-4.0	-10.1	-30.1	-62.5	0.333
	PRC68R4	115	Core-Lokt® Ultra Bonded®	9 ½	2625	2332	2058	1805	1574	1372	1759	1389	1082	832	633	481	0.5	1.0	zero	-2.8	-7.8	-15.0	2.5	2.1	zero	-4.2	-10.7	-32.2	-67.8	0.295
270 Win	R270W1	100	Pointed Soft Point	9 ½	3320	2924	2561	2225	1916	1636	2448	1898	1456	1099	815	594	0.0	0.5	zero	-1.6	-4.6	-9.1	2.3	2.8	2.0	zero	-3.6	-16.2	-38.5	0.252
	RL270W2	115	Core-Lokt® Pointed Soft Point	9 ½	2710	2412	2133	1873	1636	1425	1875	1485	1161	896	683	519	0.1	zero	-1.6	-4.8	-10.0	-17.8	1.0	zero	-2.7	-7.4	-14.2	-35.6	-70.1	0.295
	PRA270WA	130	AccuTip™ Boat Tail	9 ½	3060	2845	2639	2442	2254	2076	2702	2335	2009	1721	1467	1243	0.0	0.5	zero	-1.7	-4.7	-9.0	1.4	1.3	zero	-2.4	-6.4	-18.6	-37.7	0.447
	PRSC270WA	130	Swift Scirocco Bonded	9 ½	3060	2838	2627	2425	2232	2048	2702	2325	1991	1697	1438	1211	0.0	0.6	zero	-1.7	-4.7	-9.0	1.4	1.3	zero	-2.5	-6.5	-18.8	-38.2	0.433
	R270W2	130	Core-Lokt® Pointed Soft Point	9 ½	3060	2776	2510	2259	2022	1801	2702	2225	1818	1472	1180	936	0.1	0.6	zero	-1.8	-5.1	-9.8	1.5	1.4	zero	-2.8	-7.0	-20.9	-43.3	0.336
	R270W3	130	Bronze Point	9 ½	3060	2802	2559	2329	2110	1904	2702	2267	1890	1565	1285	1046	0.0	0.6	zero	-1.8	-4.9	-9.5	1.5	1.3	zero	-2.7	-6.8	-20.0	-41.1	0.372
	PCS270WA	130	Copper Solid® Tipped	9 ½	3060	2837	2625	2422	2229	2044	2702	2323	1988	1693	1434	1206	0.0	0.6	zero	-1.7	-4.7	-9.1	2.4	2.8	2.0	zero	-3.4	-14.8	-33.2	0.431
	PRC270WB	140	Core-Lokt® Ultra Bonded®	9 ½	2925	2667	2424	2193	1975	1771	2659	2211	1826	1495	1212	975	0.1	0.7	zero	-2.0	-5.5	-10.7	1.7	1.5	zero	-3.0	-7.6	-22.5	-46.4	0.360
	PRH270WB	140	Hypersonic® Centerfire	9 ½	2,973	2,713	2,467	2,234	2,014	1,807	2,748	2,287	1,891	1,551	1,260	1,015	0.5	0.8	zero	-2.1	-5.7	-10.9	1.9	1.6	zero	-3.0	-7.7	-22.3	-45.5	0.360
	RS270WA	140	Swift A-Frame® PSP	9 ½	2925	2652	2394	2152	1923	1711	2659	2186	1782	1439	1150	910	0.2	0.7	zero	-2.1	-5.6	-10.9	1.7	1.5	zero	-3.1	-7.8	-23.2	-48.0	0.339
	R270W4	150	Core-Lokt® Soft Point	9 ½	2850	2504	2183	1886	1618	1385	2705	2087	1587	1185	872	639	0.3	0.8	zero	-2.4	-6.7	-13.0	2.0	1.8	zero	-3.6	-9.4	-28.6	-61.2	0.261
270 WSM	R270WSM1	130	Core-Lokt® Soft Point	9 ½ M	3285	2986	2707	2444	2196	1963	3114	2573	2114	1724	1392	1112	-0.1	0.4	zero	-1.5	-4.2	-8.2	2.1	2.5	1.9	zero	-3.2	-14.1	-32.2	0.336
280 Remington[4]	PRA280RA	140	AccuTip™	9 ½	3000	2804	2617	2437	2265	2099	2797	2444	2129	1846	1594	1369	0.1	0.6	zero	-1.8	-4.8	-9.2	2.5	2.9	2.1	zero	-3.4	-14.8	-33.0	0.486
	R280R3	140	Core-Lokt® Pointed Soft Point	9 ½	3000	2758	2528	2309	2102	1905	2797	2363	1986	1657	1373	1128	0.1	0.6	zero	-1.9	-5.1	-9.8	1.5	1.4	zero	-2.8	-7.0	-20.5	-42.0	0.390
	R280R1	150	Core-Lokt® Pointed Soft Point	9 ½	2890	2624	2373	2135	1912	1705	2781	2293	1875	1518	1217	968	0.2	0.7	zero	-2.1	-5.8	-11.2	1.8	1.6	zero	-3.1	-8.0	-23.6	-48.8	0.346
	R280R2	165	Core-Lokt® Soft Point	9 ½	2820	2510	2220	1950	1701	1479	2913	2308	1805	1393	1060	801	0.0	zero	-1.3	-4.1	-8.6	-15.2	2.0	1.8	zero	-3.6	-9.1	-27.4	-57.8	0.290
7mm-08 Remington	R7M082	120	Hollow Point	9 ½	3000	2725	2467	2223	1992	1778	2398	1979	1621	1316	1058	842	0.1	0.6	zero	-1.9	-5.3	-10.2	1.6	1.4	zero	-2.9	-7.3	-21.7	-44.9	0.343
	R7M081	140	Core-Lokt® Pointed Soft Point	9 ½	2860	2625	2402	2189	1988	1798	2542	2142	1793	1490	1228	1005	0.2	0.7	zero	-2.1	-5.7	-11.0	1.8	1.6	zero	-3.1	-7.8	-22.9	-46.8	0.390
	PRA7M08RB	140	AccuTip™ Boat Tail	9 ½	2860	2670	2489	2314	2146	1986	2542	2216	1925	1664	1432	1225	0.2	0.7	zero	-2.0	-5.4	-10.3	1.7	1.5	zero	-2.9	-7.3	-21.1	-42.5	0.486
	RL7M081	140	Core-Lokt® Pointed Soft Point	9 ½	2360	2150	1951	1763	1590	1433	1731	1436	1183	966	786	638	0.1	zero	-2.0	-6.0	-12.4	-21.3	1.5	zero	-3.6	-9.5	-17.9	-43.4	-82.7	0.390

CENTERFIRE RIFLE BALLISTICS

7MM REM MAGNUM – 300 WIN MAG

CALIBER	INDEX/ EDI NO.	WT (GR)	BULLET STYLE	PRIMER NO.	VELOCITY (FTPS)						ENERGY (FT-LB)						SHORT-RANGE[4] TRAJECTORY[1]						LONG-RANGE[5] TRAJECTORY[1]							BALLISTIC COEFFICIENT
					MUZZLE	100	200	300	400	500	MUZZLE	100	200	300	400	500	50	100	150	200	250	300	100	150	200	250	300	400	500	
7mm Rem Magnum	PRC7MMRA	140	Core-Lokt® Ultra Bonded®	9 ½ M	3175	2934	2707	2490	2283	2086	3133	2676	2277	1927	1620	1353	0.1	0.5	zero	-1.6	-4.3	-8.4	2.6	2.8	2.0	zero	-3.3	-14.3	-31.9	0.409
	R7MM4	140	Core-Lokt® Pointed Soft Point	9 ½ M	3175	2923	2684	2458	2243	2039	3133	2655	2240	1878	1564	1292	0.0	0.5	zero	-1.6	-4.4	-8.5	2.2	2.6	1.9	zero	-3.2	-14.2	-32.0	0.390
	RL7MM4	140	Core-Lokt® Pointed Soft Point	9 ½ M	2710	2482	2265	2059	1865	1683	2283	1915	1595	1318	1081	880	-0.1	zero	-1.3	-4.2	-8.7	-15.1	0.9	zero	-2.4	-6.5	-12.5	-30.8	-59.2	0.388
	PCS7MMA	140	Copper Solid® Tipped	9 ½	3175	2964	2762	2570	2385	2208	3133	2730	2372	2053	1768	1516	-0.1	0.5	zero	-1.5	-4.2	-8.1	2.1	2.5	1.8	zero	-3.1	-13.2	-29.5	0.468
	PRSC7MMB	150	Swift Scirocco® Bonded	9 ½ M	3110	2927	2751	2582	2419	2262	3221	2852	2520	2220	1948	1704	0.0	0.5	zero	-1.6	-4.3	-8.2	2.6	2.8	2.0	zero	-3.2	-13.6	-30.0	0.533
	PRA7MMRA	140	AccuTip™ Boat Tail	9 ½ M	3175	2971	2777	2591	2412	2241	3133	2744	2397	2086	1808	1560	-0.1	0.5	zero	-1.5	-4.2	-8.0	2.1	2.5	1.8	zero	-3.0	-13.0	-29.0	0.486
	PRA7MMRB	150	AccuTip™ Boat Tail	9 ½ M	3110	2926	2749	2579	2415	2258	3221	2850	2516	2215	1943	1697	0.0	0.5	zero	-1.6	-4.3	-8.2	2.6	2.8	2.0	zero	-3.2	-13.6	-30.0	0.530
	R7MM2	150	Core-Lokt® Pointed Soft Point	9 ½ M	3110	2830	2568	2320	2085	1866	3221	2667	2196	1792	1448	1160	0.0	0.6	zero	-1.7	-4.8	-9.3	1.4	1.3	zero	-2.6	-6.7	-19.9	-41.1	0.346
	RS7MMA	160	Swift A-Frame® PSP	9 ½ M	2900	2659	2430	2212	2006	1812	2987	2511	2097	1739	1430	1166	0.2	0.7	zero	-2.0	-5.5	-10.7	1.7	1.5	zero	-3.0	-7.6	-22.4	-45.8	0.382
	PRH7MMRC	160	Hypersonic® Centerfire	9 ½ M	3,002	2,773	2,556	2,349	2,152	1,964	3,201	2,732	2,321	1,961	1,645	1,371	0.5	0.8	zero	-2.0	-5.4	-10.2	1.8	1.5	zero	-2.8	-7.1	-20.6	-41.6	0.415
	PRC7MMRC	160	Core-Lokt® Ultra Bonded®	9 ½ M	2950	2724	2510	2305	2109	1924	3091	2636	2237	1887	1581	1315	0.1	0.6	zero	-1.9	-5.2	-10.0	1.6	1.4	zero	-2.8	-7.1	-20.8	-42.4	0.415
	R7MM3	175	Core-Lokt® Pointed Soft Point	9 ½ M	2860	2645	2440	2244	2057	1879	3178	2718	2313	1956	1644	1372	0.2	0.7	zero	-2.1	-5.6	-10.7	1.7	1.5	zero	-3.0	-7.6	-22.1	-44.8	0.427
7mm Mauser (7x57)	R7MSR1	140	Core-Lokt® PSP	9 ½	2660	2435	2221	2018	1827	1648	2199	1843	1533	1266	1037	844	0.0	zero	-1.4	-4.4	-9.1	-15.8	2.2	1.9	zero	-3.6	-9.2	-27.4	-55.3	0.390
7 x 64 Brenneke	R7X641	140	Core-Lokt® PSP	9 ½	2950	2710	2483	2266	2061	1867	2705	2283	1916	1597	1320	1083	0.1	0.7	zero	-1.9	-5.3	-10.2	1.6	1.5	zero	-2.9	-7.3	-21.3	-43.6	0.390
	R7X642	175	Core-Lokt® PSP	9 ½	2600	2397	2203	2018	1842	1678	2626	2232	1885	1582	1319	1093	0.4	1.0	zero	-2.6	-7.0	-13.4	2.3	2.0	zero	-3.8	-9.5	-27.5	-55.8	0.427
7mm Remington SA Ultra Mag®	PR7SM2	150	Core-Lokt® Pointed Soft Point	9 ½ M	3110	2831	2568	2321	2087	1867	3221	2669	2197	1793	1450	1161	0.0	0.6	zero	-1.7	-4.8	-9.3	2.5	2.9	2.1	zero	-3.6	-15.7	-35.9	0.346
	PR7SM4	160	Core-Lokt® Ultra Bonded®	9 ½ M	2960	2733	2518	2313	2117	1931	3112	2654	2252	1900	1592	1323	0.1	0.6	zero	-1.9	-5.2	-9.9	2.7	3.1	2.2	zero	-3.7	-16.2	-36.5	0.414
7mm Rem Ultra Mag®	PR7UM1	140	Core-Lokt® Ultra Bonded®	9 ½ M	3425	3170	2929	2701	2485	2278	3646	3123	2667	2268	1919	1613	-0.2	0.3	zero	-1.3	-3.6	-7.0	1.8	2.2	1.6	zero	-2.7	-11.7	-26.4	0.409
	PRSC7UM1	150	Swift Scirocco® Bonded	9 ½ M	3325	3132	2948	2771	2602	2438	3682	3267	2894	2558	2254	1979	-0.1	0.4	zero	-1.3	-3.6	-7.0	1.8	2.2	1.6	zero	-2.6	-11.4	-25.3	0.533
POWER LEVEL III	PR7UM5	175	Swift A-Frame® PSP	9 ½ M	3025	2831	2645	2467	2296	2212	3555	3114	2718	2364	2047	1764	0.0	0.6	zero	-1.7	-4.7	-9.0	2.4	2.8	2.0	zero	-3.4	-14.5	-32.2	0.493
POWER LEVEL II	PR7UM2-P2	160	Core-Lokt® Ultra Bonded®	9 ½ M	2950	2724	2508	2303	2108	1922	3091	2635	2235	1884	1578	1312	0.1	0.6	zero	-1.9	-5.2	-10.0	1.6	1.4	zero	-2.8	-7.1	-20.8	-42.4	0.414
POWER LEVEL I	R7UM1-P1	140	Core-Lokt® Pointed Soft Point	9 ½ M	3000	2768	2549	2339	2139	1950	2797	2382	2019	1700	1422	1181	0.1	0.6	zero	-1.8	-5.0	-9.6	2.6	3.0	2.2	zero	-3.6	-15.8	-35.6	0.409
30 Carbine	L30CR1	110	UMC® Metal Case	6 ½	1990	1567	1236	1035	923	842	967	600	373	262	208	173	0.6	zero	-4.2	-12.9	-27.2	-48.6	2.8	zero	-7.3	-20.4	-40.3	-105.6	-211.8	0.166
	R30CAR	110	Soft Point	6 ½	1990	1567	1236	1035	923	842	967	600	373	262	208	173	0.6	zero	-4.2	-12.9	-27.2	-48.6	zero	-4.2	-12.9	-27.2	-48.6	-117.1	-225.5	0.166
300 AAC Blackout	PRHH300AC1	110	Barnes TSX®	7 ½	2400	2061	1752	1479	1256	1096	1407	1037	749	534	385	293	0.1	zero	-2.2	-6.8	-14.2	-25.0	1.5	zero	-3.9	-10.6	-20.6	-53.4	-108.3	0.240
	L300AAC2	115	Closed-Tip Flat Base	7 ½	2285	2001	1740	1505	1306	1150	1332	1021	772	578	435	337	1.0	1.6	zero	-4.1	-11.0	-21.3	3.6	3.1	zero	-5.9	-15.2	-45.8	-96.9	0.285
	PRA300AAC5	125	AccuTip™ Boat Tail	7 ½	2215	1954	1713	1496	1309	1162	1360	1059	814	621	475	374	1.1	1.7	zero	-4.3	-11.5	-22.2	3.8	3.2	zero	-6.2	-15.8	-47.1	-98.9	0.300
	RM300AAC6	125	MatchKing® Flat Base	7 ½	2215	1973	1748	1543	1363	1213	1360	1079	847	660	515	408	1.1	1.7	zero	-4.2	-11.2	-21.4	3.7	3.1	zero	-6.0	-15.2	-45.0	-93.7	0.330
	R300AAC8	220	MatchKing® BTHP	7 ½	1015	985	958	933	910	890	503	473	448	425	404	387	3.6	zero	-12.6	-34.3	-65.6	-106.5	zero	-12.6	-34.3	-65.6	-106.5	-218.7	-372.9	0.700
30 Remington AR	PRA30RAR1	125	AccuTip™ Boat Tail	7 ½	2800	2531	2278	2039	1816	1610	2176	1778	1440	1153	915	719	0.3	0.8	zero	-2.3	-6.3	-12.2	2.0	1.7	zero	3.4	8.7	25.8	-53.5	0.335
	R30RAR1	125	Core-Lokt® Pointed Soft Point	7 ½	2800	2465	2154	1867	1606	1380	2176	1686	1288	967	716	529	0.3	0.9	zero	-2.5	-6.9	-13.4	2.1	1.9	zero	3.8	9.7	-29.4	-62.7	0.267
	PRHH30AR1	125	Barnes TSX®	7 ½	2800	2493	2206	1938	1692	1472	2176	1724	1350	1042	795	602	0.3	0.8	zero	-2.4	-6.6	-12.9	2.1	1.8	zero	-3.6	-9.3	-27.8	-58.6	0.292
	R30RAR2	150	Core-Lokt® Pointed Soft Point	7 ½	2575	2302	2047	1812	1591	1398	2208	1765	1395	1083	843	651	0.0	zero	-1.6	-5.1	-10.6	-18.5	2.5	2.2	zero	-4.3	-10.9	-32.5	-67.9	0.314
	L30RAR1	123	Metal Case	7 ½	2800	2464	2152	1864	1603	1376	2141	1658	1264	948	701	517	0.3	0.9	zero	-2.5	-6.9	-13.5	2.1	1.9	zero	-3.8	-9.7	-29.5	-62.9	0.266
30-30 Win	RL30301	125	Core-Lokt® Pointed Soft Point	9 ½	2175	1820	1508	1255	1082	975	1313	919	631	437	325	264	0.3	zero	-3.0	-9.1	-19.1	-33.7	2.0	zero	-5.2	-14.1	-27.8	-72.5	-146.9	0.215
	R30301	150	Core-Lokt® Soft Point	9 ½	2390	1973	1605	1303	1095	974	1902	1296	858	565	399	316	0.2	zero	-2.4	-7.6	-16.1	-28.8	1.6	zero	-4.3	-12.1	-24.0	-64.2	-133.2	0.193
	PCS3030WA	150	Copper Solid® Tipped	9 ½	2220	1806	1448	1185	1022	924	1641	1086	698	468	348	284	0.5	zero	-3.6	-10.3	-21.2	-37.3	5.2	4.2	zero	-8.3	-21.8	-68.6	-149.0	0.186
	PRHH30302	150	Barnes TSX®	9 ½	2335	1905	1532	1237	1050	941	1816	1209	782	510	367	295	0.2	zero	-2.6	-8.2	-17.6	-31.5	1.8	zero	-4.7	-13.2	-26.3	-70.6	-146.3	0.184
	R30302	170	Core-Lokt® Soft Point	9 ½	2200	1895	1619	1381	1191	1061	1827	1355	989	720	535	425	0.3	zero	-2.7	-8.3	-17.1	-29.9	1.8	zero	-4.6	-12.6	-24.5	-62.6	-125.3	0.254
	R30303	170	Core-Lokt® Hollow Point	9 ½	2200	1895	1619	1381	1191	1061	1827	1355	989	720	535	425	0.3	zero	-2.7	-8.3	-17.1	-29.9	1.8	zero	-4.6	-12.6	-24.5	-62.6	-125.3	0.254
30-40 Krag	R30402	180	Core-Lokt® Pointed Soft Point	9 ½	2430	2213	2007	1813	1632	1468	2360	1957	1610	1314	1064	861	0.1	zero	-1.8	-5.6	-11.6	-19.9	1.2	zero	-3.2	-8.5	-16.2	-39.9	-76.7	0.383
30.16 Sprg Accelerator®	R30069	55	Pointed Soft Point	9 ½	4080	3484	2964	2499	2080	1706	2033	1482	1073	763	528	355	-0.4	0.2	zero	-1.0	-3.0	-6.2	1.4	1.8	1.4	zero	-2.6	-12.2	-30.0	0.197
30-06 Springfield	R30061	125	Pointed Soft Point	9 ½	3140	2780	2447	2138	1853	1595	2736	2145	1662	1269	953	706	0.0	0.6	zero	-1.9	-5.2	-10.1	1.5	1.4	zero	-2.8	-7.4	-22.4	-47.6	0.268
	RL30062	125	Core-Lokt® Pointed Soft Point	9 ½	2660	2335	2034	1757	1509	1300	1964	1513	1148	856	632	469	-0.1	zero	-1.5	-4.9	-10.4	-18.3	1.0	zero	-2.9	-7.8	-15.2	-38.9	-78.0	0.267
	L30062	150	UMC® Metal Case	9 ½	2910	2617	2342	2084	1843	1622	2820	2281	1827	1446	1131	876	-0.2	zero	-1.1	-3.6	-7.7	-13.6	1.6	1.6	zero	-3.2	-8.2	-24.4	-50.9	0.314
	PRSC3006C	150	Swift Scirocco® Bonded	9 ½	2910	2696	2492	2298	2111	1934	2820	2421	2069	1758	1485	1246	0.1	0.7	zero	-2.0	-5.3	-10.2	1.6	1.5	zero	-2.9	-7.3	-21.1	-42.3	0.435
	PRA3006A	150	AccuTip™ Boat Tail	9 ½	2910	2686	2473	2270	2077	1893	2820	2403	2037	1716	1436	1193	0.1	0.7	zero	-2.0	-5.4	-10.3	1.7	1.5	zero	-2.9	-7.4	-21.5	-43.7	0.415
	R30062	150	Core-Lokt® Pointed Soft Point	9 ½	2910	2617	2342	2083	1843	1622	2820	2281	1827	1445	1131	876	0.2	0.7	zero	-2.2	-5.9	-11.4	1.8	1.6	zero	-3.2	-8.2	-24.4	-50.9	0.314
	R30063	150	Bronze Point	9 ½	2910	2656	2416	2189	1974	1773	2820	2349	1944	1596	1298	1047	0.2	0.7	zero	-2.0	-5.6	-10.8	1.7	1.5	zero	-3.0	-7.7	-22.7	-46.6	0.365
	PRC3006A	150	Core-Lokt® Ultra Bonded®	9 ½	2910	2631	2368	2121	1889	1674	2820	2305	1868	1498	1188	933	0.2	0.7	zero	-2.1	-5.8	-11.2	1.8	1.6	zero	-3.1	-8.0	-23.8	-49.3	0.331
	PRH3006A	150	Hypersonic® Centerfire	9 ½	3,035	2,748	2,479	2,226	1,987	1,765	3,067	2,515	2,047	1,650	1,315	1,038	0.5	0.8	zero	-2.1	-5.6	-10.7	1.9	1.6	zero	-3.0	-7.5	-22.1	-45.6	0.331
	PRHH30061	168	Barnes TSX®	9 ½	2790	2566	2353	2151	1958	1777	2903	2456	2066	1725	1430	1177	0.2	0.8	zero	-2.2	-6.0	-11.5	1.9	1.7	zero	-3.2	-8.2	-23.9	-48.7	0.404
	PCS3006A	150	Copper Solid® Tipped	9 ½	2910	2678	2458	2248	2048	1860	2820	2388	2012	1683	1397	1152	0.1	0.7	zero	-2.0	-5.4	-10.4	1.7	1.5	zero	-2.9	-7.4	-21.8	-44.5	0.400
	PCS3006B	165	Copper Solid® Tipped	9 ½	2800	2597	2403	2217	2039	1870	2872	2470	2115	1800	1523	1281	0.1	zero	-1.4	-4.3	-8.6	-14.6	2.1	1.8	zero	-3.3	-8.2	-23.4	-47.1	0.447
	PRA3006B	165	AccuTip™ Boat Tail	9 ½	2800	2597	2403	2217	2039	1870	2872	2470	2115	1800	1523	1281	0.2	0.8	zero	-2.1	-5.9	-11.1	1.8	1.6	zero	-3.2	-7.9	-22.8	-46.2	0.447
	R3006B	165	Core-Lokt® Pointed Soft Point	9 ½	2800	2534	2283	2047	1825	1621	2872	2352	1909	1534	1220	963	0.3	0.8	zero	-2.3	-6.3	-12.1	2.0	1.7	zero	-3.4	-8.7	-25.9	-53.2	0.339
	PRA3006C	180	AccuTip™ Boat Tail	9 ½	2725	2539	2360	2188	2024	1867	2967	2576	2226	1914	1637	1393	0.3	0.8	zero	-2.3	-6.1	-11.6	0.9	2.0	zero	-3.3	-8.2	-23.7	-47.7	0.480
	RS3006A	180	Swift A-Frame® PSP	9 ½	2700	2465	2243	2032	1833	1648	2913	2429	2010	1650	1343	1085	0.0	zero	-1.3	-4.2	-8.9	-15.4	2.1	1.8	zero	-3.6	-9.1	-26.6	-54.4	0.377
	PRC3006C	180	Core-Lokt® Ultra Bonded®	9 ½	2700	2480	2270	2070	1882	1704	2913	2457	2059	1713	1415	1161	0.0	zero	-1.3	-4.2	-8.7	-15.1	2.1	1.8	zero	-3.5	-8.9	-25.8	-52.7	0.402
	PRH3006C	180	Hypersonic® Centerfire	9 ½	2,832	2,605	2,389	2,184	1,988	1,804	3,204	2,711	2,281	1,905	1,580	1,301	0.1	zero	-1.4	-4.2	-8.6	-14.6	2.1	1.8	zero	-3.3	-8.2	-23.8	-48.1	0.402
	PRSC3006B	180	Swift Scirocco® Bonded	9 ½	2700	2522	2351	2186	2028	1878	2913	2542	2208	1910	1644	1409	0.0	zero	-1.3	-4.0	-8.3	-14.2	2.0	1.7	zero	-3.3	-8.3	-23.9	-47.9	0.500
	R30064	180	Core-Lokt® Soft Point	9 ½	2700	2348	2023	1727	1466	1251	2913	2203	1635	1192	859	625	0.0	zero	-1.5	-4.9	-10.3	-18.3	2.4	2.1	zero	-4.3	-11.0	-33.8	-72.8	0.248
	R30065	180	Core-Lokt® Pointed Soft Point	9 ½	2700	2469	2250	2042	1846	1663	2913	2436	2023	1666	1362	1105	0.0	zero	-1.3	-4.2	-8.8	-15.4	2.1	1.8	zero	-3.5	-9.0	-26.3	-54.0	0.383
	R30066	180	Bronze Point	9 ½	2700	2485	2280	2084	1899	1725	2913	2468	2077	1736	1441	1189	0.0	zero	-1.3	-4.2	-8.7	-15.0	2.1	1.8	zero	-3.5	-8.8	-25.5	-52.0	0.412
	R30067	220	Core-Lokt® Soft Point	9 ½	2410	2130	1870	1632	1422	1246	2837	2216	1708	1301	988	758	0.1	zero	-2.0	-6.2	-12.9	-22.4	1.3	zero	-3.5	-9.5	-18.4	-46.4	-91.6	0.294
300 Savage	R30SV2	150	Core-Lokt® Pointed Soft Point	9 ½	2630	2354	2095	1853	1631	1432	2303	1845	1462	1143	886	685	0	zero	-1.5	-4.8	-10.1	-17.6	2.4	2.1	zero	-4.1	-10.4	-30.9	-64.6	0.314
300 Win Mag	R300W1	150	Core-Lokt® Pointed Soft Point	9 ½ M	3290	2950	2634	2340	2065	1810	3605	2897	2311	1823	1420	1091	0.0	0.5	zero	-1.6	-4.4	-8.7	1.3	1.2	zero	-2.4	-6.3	-18.9	-39.8	0.294
	RL300W1	150	Core-Lokt® Pointed Soft Point	9 ½	2650	2373	2113	1870	1646	1446	2339	1875	1486	1164	902	696	-0.1	zero	-1.5	-4.7	-9.9	-17.2	1.0	zero	-2.7	-7.4	-14.3	-35.8	-70.3	0.314
	PRC300WA	150	Core-Lokt® Ultra Bonded®	9 ½ M	3290	2967	2666	2384	2120	1873	3605	2931	2366	1893	1496	1168	-0.1	0.5	zero	-1.6	-4.3	-8.5	1.2	1.2	zero	-2.4	-6.1	-18.4	-38.5	0.310
	PCS300WA	150	Copper Solid® Tipped	9 ½	3290	3037	2799	2572	2357	2152	3605	3072	2608	2204	1850	1542	-0.1	0.4	zero	-1.4	-4.0	-7.7	2.0	2.4	1.8	zero	-3.0	-12.9	-29.2	0.400
	PCS300WB	165	Copper Solid®	9 ½ M	3110	2892	2685	2487	2298	2116	3543	3064	2641	2266	1934	1641	0.0	zero	-1.1	-3.2	-6.6	-11.3	1.6	1.4	zero	-2.6	-6.5	-18.6	-37.2	0.447
	PRSC300WB	180	Swift Scirocco® Bonded	9 ½ M	2960	2274	2595	2424	2259	2100	3501	3075	2692	2348	2039	1762	0.1	0.6	zero	-1.8	-4.9	-9.4	1.5	1.4	zero	-2.6	-6.7	-19.3	-38.7	0.507

Note: These ballistics reflected a test barrel length of 24" except those for 30 Carbine and 44 Remington Magnum, which are 20" barrels. Specifications are nominal. Ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "Zero" indicates yardage at which rifle was sighted in.

1 Inches above or below line of sight. Hold low for positive numbers, high for negative numbers.
2 280 Remington and 7mm Express Remington are interchangeable.
3 6mm Remington and 244 Remington are interchangeable.
4 Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range.
5 Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.

HYPERSONIC® CENTERFIRE (Page 82)
HOG HUNTER™ (Page 84)
MANAGED-RECOIL® (Page 96)
PREMIER® COPPER SOLID® (Page 89)
PREMIER® CORE-LOKT® ULTRA BONDED® (Page 90)
PREMIER® DISINTEGRATOR® VARMINT (Page 88)
PREMIER® MATCH (Page 89)
PREMIER® ACCUTIP™ (Page 87)
PREMIER® SCIROCCO® BONDED (Page 86)
PREMIER® A-FRAME® (Page 85)
UMC® (Page 114)
CORE-LOKT® (Page 94)

CENTERFIRE RIFLE BALLISTICS

300 WIN MAG – 450 BUSHMASTER

CALIBER	INDEX/ EDI NO.	WT (GR)	BULLET STYLE	PRIMER NO.	VELOCITY (FTPS)						ENERGY (FT-LB)						SHORT-RANGE[4] TRAJECTORY[1]						LONG-RANGE[5] TRAJECTORY[1]							BALLISTIC COEFFICIENT
					MUZZLE	100	200	300	400	500	MUZZLE	100	200	300	400	500	50	100	150	200	250	300	100	150	200	250	300	400	500	
300 Win Mag (Cont.)	PRC300WC	180	Core-Lokt® Ultra Bonded®	9 ½ M	2960	2774	2505	2294	2093	1903	3501	2971	2508	2103	1751	1448	0.1	0.6	zero	-1.9	-5.2	-10.0	2.7	3.1	2.2	zero	-3.8	-16.4	-37.0	0.402
	PRH300WC	180	Hypersonic® Centerfire	9 ½ M	3,122	2,880	2,651	2,433	2,226	2,028	3,896	3,315	2,809	2,366	1,979	1,644	0.4	0.7	zero	-1.9	-5.0	-9.4	2.7	3.0	2.1	zero	-3.5	-14.9	-33.4	0.402
	PRA300WC	180	AccuTip™ Boat Tail	9 ½ M	2960	2764	2577	2397	2224	2058	3501	3053	2653	2295	1976	1693	0.1	0.6	zero	-1.8	-4.9	-9.5	1.5	1.4	zero	-2.7	-6.8	-19.6	-39.5	0.481
	R300W2	180	Core-Lokt® Pointed Soft Point	9 ½ M	2960	2715	2482	2262	2052	1856	3501	2945	2463	2044	1683	1375	0.1	0.6	zero	-1.9	-5.3	-10.2	1.7	1.5	zero	-2.9	-7.4	-21.3	-43.7	0.383
	RS300WMB	180	Swift A-Frame® PSP	9 ½ M	2960	2712	2476	2253	2042	1842	3501	2938	2451	2029	1666	1356	0.1	0.6	zero	-1.9	-5.3	-10.2	1.6	1.5	zero	-2.9	-7.3	-21.5	-44.0	0.377
	RS300WA	200	Swift A-Frame® PSP	9 ½ M	2825	2595	2377	2169	1971	1786	3544	2990	2508	2088	1726	1416	0.2	0.8	zero	-2.2	-5.9	-11.2	1.8	1.6	zero	-3.2	-8.0	-23.4	-47.8	0.395
300 WSM	R300WSM1	150	Core-Lokt® Pointed Soft Point	9 ½ M	3320	2977	2660	2364	2087	1830	3671	2952	2356	1861	1451	1116	-0.1	0.4	zero	-1.5	-4.3	-8.5	1.2	1.2	zero	-2.4	-6.2	-18.6	-39.0	0.294
	PRSC300WSMB	180	Swift Scirocco® Bonded	9 ½ M	2980	2793	2614	2442	2276	2116	3549	3118	2730	2382	2070	1790	0.1	0.6	zero	-1.8	-4.8	-9.2	2.5	2.9	2.1	zero	-3.4	-14.8	-32.9	0.507
308 Marlin Express	R308ME1	150	Soft Point	9 ½	2725	2275	1871	1519	1239	1057	2473	1724	1166	768	511	372	0.0	zero	-1.6	-5.3	-11.5	-20.7	2.7	2.3	zero	-4.8	-12.7	-40.8	-91.5	0.193
308 Win	RL308W1	125	Core-Lokt® Pointed Soft Point	9 ½	2660	2335	2034	1757	1509	1300	1964	1513	1148	856	632	469	-0.1	zero	-1.5	-4.9	-10.4	-18.3	1.0	zero	-2.9	-7.8	-15.2	-38.9	-78.0	0.267
	L308W4	150	UMC® Metal Case	9 ½	2820	2533	2263	2009	1774	1560	2648	2137	1705	1344	1048	810	0.0	zero	-1.2	-3.9	-8.4	-14.7	2.0	1.7	zero	-3.4	-8.8	-26.2	-54.8	0.314
	PRC308WA	150	Core-Lokt® Ultra Bonded®	9 ½	2820	2546	2288	2046	1819	1611	2648	2159	1744	1394	1102	864	0.2	zero	-1.2	-3.9	-8.2	-14.4	1.9	1.7	zero	-3.4	-8.6	-25.5	-53.0	0.331
	PRH308WA	150	Hypersonic® Centerfire	9 ½	2,924	2,645	2,382	2,134	1,901	1,686	2,848	2,329	1,889	1,516	1,204	947	0.1	zero	-1.4	-4.1	-8.4	-14.3	2.0	1.7	zero	-3.2	-8.2	-24.1	-49.6	0.331
	R308W1	150	Core-Lokt® Pointed Soft Point	9 ½	2820	2533	2263	2009	1774	1560	2648	2137	1705	1344	1048	810	0.0	zero	-1.2	-3.9	-8.4	-14.7	2.0	1.7	zero	-3.4	-8.8	-26.2	-54.8	0.314
	PCS308WA	150	Copper Solid® Tipped	9 ½	2820	2593	2376	2171	1975	1791	2648	2238	1881	1569	1299	1068	0.2	0.8	zero	-2.2	-5.9	-11.3	1.8	1.6	zero	-3.2	-8.0	-23.4	-47.8	0.400
	PRA308WB	165	AccuTip™ Boat Tail	9 ½	2700	2501	2311	2129	1956	1792	2670	2292	1957	1661	1401	1176	-0.1	zero	-1.3	-4.1	-8.5	-14.7	2.0	1.8	zero	-3.4	-8.6	-24.8	-50.1	0.447
	PRSC308WB	165	Swift Scirocco® Bonded	9 ½	2700	2513	2333	2161	1996	1839	2670	2313	1994	1711	1459	1239	0.0	zero	-1.3	-4.0	-8.4	-14.4	2.0	1.7	zero	-3.3	-8.4	-24.3	-48.9	0.475
	PRHH308W2	168	Barnes® TSX	9 ½	2750	2528	2317	2116	1925	1746	2821	2384	2003	1670	1383	1137	0.3	0.8	zero	-2.3	-6.2	-11.9	2.0	1.7	zero	-3.3	-8.5	-24.7	-50.4	0.404
	RM308W7	168	MatchKing® BTHP	9 ½	2680	2493	2314	2143	1979	1823	2678	2318	1998	1713	1460	1239	0.0	zero	-1.3	-4.1	-8.5	-14.7	2.1	1.8	zero	-3.4	-8.6	-24.7	-49.9	0.475
	RM308W8	175	MatchKing® BTHP	9 ½	2610	2433	2264	2102	1946	1798	2644	2300	1992	1716	1472	1256	0.4	0.9	zero	-2.5	-6.7	-12.8	2.2	1.9	zero	-3.6	-9.0	-25.9	-51.9	0.496
	PRC308WC	180	Core-Lokt® Ultra Bonded®	9 ½	2620	2404	2198	2002	1818	1644	2743	2309	1930	1601	1320	1080	0.0	zero	-1.4	-4.5	-9.4	-16.3	2.3	2.0	zero	-3.8	-9.5	-27.7	-56.4	0.402
	PRH308WC	180	Hypersonic® Centerfire	9 ½	2681	2462	2253	2054	1866	1690	2873	2422	2028	1686	1391	1141	0.2	zero	-1.6	-4.9	-9.8	-16.6	2.4	2	zero	-3.7	-9.3	-26.9	-54.4	0.402
	R308W2	180	Core-Lokt® Soft Point	9 ½	2620	2274	1955	1666	1414	1212	2743	2066	1527	1109	799	587	0.0	zero	-1.7	-5.3	-11.2	-19.7	2.6	2.3	zero	-4.6	-11.8	-36.3	-78.2	0.248
	R308W3	180	Core-Lokt® Pointed Soft Point	9 ½	2620	2393	2178	1974	1782	1604	2743	2288	1896	1557	1269	1028	0.0	zero	-1.5	-4.6	-9.5	-16.5	2.3	2.0	zero	-3.8	-9.7	-28.3	-57.8	0.383
300 Weatherby Mag.	R300WB1	180	Core-Lokt® Pointed Soft Point	9 ½ M	3120	2866	2627	2399	2184	1979	3890	3283	2757	2301	1905	1565	0.0	0.5	zero	-1.7	-4.6	-9.0	2.4	2.8	2.0	zero	-3.4	-14.9	-33.7	0.383
303 British	L303B1	174	UMC® Metal Case	9 ½	2475	2209	1960	1729	1520	1338	2366	1885	1484	1155	893	692	0.1	zero	-1.9	-5.9	-12.2	-21.4	2.8	2.4	zero	-4.7	-11.9	-35.6	-74.3	0.315
	R303B1	180	Core-Lokt® Soft Point	9 ½	2460	2124	1817	1542	1311	1137	2418	1803	1319	950	687	517	0.1	zero	-2.0	-6.3	-13.2	-23.1	1.3	zero	-3.6	-9.8	-19.1	-49.4	-99.9	0.247
7.62 x 39mm	L762391	123	UMC® Metal Case	9 ½	2365	2060	1780	1529	1315	1150	1527	1159	865	638	472	361	0.1	zero	-2.2	-6.8	-14.1	-24.5	1.5	zero	-3.8	-10.4	-20.2	-51.5	-103.0	0.266
	R762391	125	Pointed Soft Point	9 ½	2365	2062	1783	1533	1320	1154	1552	1180	882	652	483	370	0.1	zero	-2.2	-6.7	-14.0	-24.5	1.5	zero	-3.8	-10.4	-20.1	-51.3	-102.5	0.267
300 Remington SA Ultra Mag®	PR300SM2	165	Core-Lokt® Pointed Soft Point	9 ½ M	3075	2792	2527	2276	2040	1819	3464	2856	2339	1898	1525	1213	0.1	0.6	zero	-1.8	-5.0	-9.7	1.5	1.4	zero	-2.7	-7.0	-20.7	-42.1	0.339
	PR300SM4	180	Core-Lokt® Ultra Bonded®	9 ½ M	2960	2727	2506	2295	2094	1904	3501	2972	2509	2105	1753	1449	0.1	0.6	zero	-1.9	-5.2	-10.0	1.6	1.4	zero	-2.8	-7.1	-20.9	-42.6	0.403
300 Remington Ultra Mag®	PR300UM5	150	Swift Scirocco® Bonded	9 ½ M	3450	3208	2980	2762	2556	2358	3964	3427	2956	2541	2175	1852	0.0	0.3	zero	-1.2	-3.4	-6.7	1.7	2.1	1.5	zero	-2.6	-11.2	-25.3	0.435
POWER LEVEL III	PR300UM3	180	Swift Scirocco® Bonded	9 ½ M	3250	3048	2856	2672	2495	2325	4221	3714	3260	2853	2487	2160	0.0	0.4	zero	-1.4	-3.9	-7.5	2.0	2.3	1.7	zero	-2.8	-12.3	-27.3	0.500
	PCS300UMB	165	Copper Solid® Tipped	9 ½ M	3200	2978	2767	2565	2372	2188	3751	3248	2804	2410	2061	1753	0.0	zero	-1.0	-3.0	-6.1	-10.5	1.5	1.3	zero	-2.4	-6.1	-17.4	-35.0	0.447
	PR300UM4	180	Core-Lokt® Ultra Bonded®	9 ½ M	3250	2988	2742	2508	2287	2076	4221	3568	3003	2513	2088	1721	0.0	0.4	zero	-1.5	-4.2	-8.1	2.1	2.5	1.8	zero	-3.1	-13.6	-30.7	0.382
	RS300UM1	180	Swift A-Frame® PSP	9 ½ M	3250	2985	2735	2499	2274	2061	4221	3560	2989	2495	2067	1698	-0.1	0.4	zero	-1.5	-4.2	-8.1	2.1	2.5	1.8	zero	-3.1	-13.6	-30.9	0.377
	RS300UM2	200	Swift A-Frame® PSP	9 ½ M	3035	2794	2565	2347	2140	1944	4090	3465	2921	2446	2034	1678	0.1	0.6	zero	-1.8	-4.9	-9.5	2.6	2.9	2.1	zero	-3.6	-15.6	-35.3	0.395
POWER LEVEL II	PR300UM2-P2	180	Core-Lokt® Ultra Bonded®	9 ½ M	2980	2742	2515	2300	2096	1902	3549	3004	2528	2114	1755	1445	0.1	0.6	zero	-1.9	-5.1	-9.9	1.6	1.4	zero	-2.8	-7.1	-20.7	-42.4	0.395
	PR300UM3-P2	180	Swift Scirocco® Bonded	9 ½ M	2980	2793	2614	2442	2276	2116	3549	3118	2730	2382	2070	1790	0.1	0.6	zero	-1.8	-4.8	-9.2	1.5	1.3	zero	-2.6	-6.6	-19.0	-38.1	0.507
POWER LEVEL I	PRA300UM1-P1	150	AccuTip™ Boat Tail	9 ½ M	2910	2686	2473	2270	2077	1893	2820	2403	2037	1716	1436	1193	0.1	0.7	zero	-2.0	-5.4	-10.3	1.7	1.5	zero	-2.9	-7.4	-21.5	-43.7	0.415
	R300UM1-P1	150	Core-Lokt® Pointed Soft Point	9 ½ M	2910	2617	2342	2083	1843	1622	2820	2281	1827	1445	1131	876	0.2	0.7	zero	-2.2	-5.9	-11.4	1.8	1.6	zero	-3.2	-8.2	-24.4	-50.9	0.314
	RL300UM1	150	Core-Lokt® Pointed Soft Point	9 ½	2815	2528	2258	2005	1770	1556	2639	2127	1698	1339	1043	806	0.3	0.8	zero	-2.3	-6.4	-12.3	2.0	1.8	zero	-3.5	-8.8	-26.4	-55.1	0.314
32-20 Win	R32201	100	Lead	6 ½	1210	1021	913	834	769	712	325	231	185	154	131	113	zero	-5.7	-19.7	-43.1	-76.9	-122.2	zero	-11.2	-31.7	-62.7	-105.2	-228.5	-410.8	0.166
32 Win Special	R32WS2	170	Core-Lokt® Soft Point	9 ½	2250	1921	1626	1372	1175	1044	1911	1393	998	710	521	411	0.3	zero	-2.6	-8.0	-16.7	-29.3	1.7	zero	-4.5	-12.4	-24.1	-62.1	-125.3	0.239
8mm Rem Magnum	RS8MMRA	200	Swift A-Frame® PSP	9 ½ M	2900	2623	2361	2115	1885	1672	3734	3054	2476	1987	1577	1241	0.2	0.7	zero	-2.1	-5.8	-11.2	1.8	1.6	zero	-3.1	-8.0	-23.9	-49.6	0.332
8mm Mauser	R8MSR	170	Core-Lokt® Soft Point	9 ½	2360	1969	1622	1333	1123	997	2102	1463	993	671	476	375	0.2	zero	-2.4	-7.6	-16.1	-28.6	1.6	zero	-4.4	-12.0	-23.7	-62.8	-128.9	0.205
338 Marlin Express	R338ME1	250	Soft Point	9 ½	2215	1946	1698	1477	1289	1143	2723	2101	1601	1211	922	725	0.3	zero	-2.5	-7.7	-15.9	-27.6	1.7	zero	-4.4	-11.8	-22.6	-56.8	-112.0	0.291
338 Win Mag	RS338WA	225	Swift A-Frame® PSP	9 ½ M	2785	2517	2266	2029	1808	1605	3871	3165	2565	2057	1633	1286	0.0	zero	-1.2	-4.0	-8.5	-14.8	2.0	1.8	zero	-3.5	-8.8	-26.1	-54.1	0.337
	R338W1	225	Core-Lokt® Pointed Soft Point	9 ½ M	2780	2572	2374	2184	2003	1832	3860	3305	2815	2383	2004	1676	0.0	0.8	zero	-2.2	-5.9	-11.4	1.9	1.7	zero	-3.2	-8.1	-23.4	-47.5	0.435
	PRC338WA	225	Core-Lokt® Ultra Bonded®	9 ½ M	2780	2582	2392	2210	2036	1871	3860	3329	2858	2440	2071	1748	0.2	0.8	zero	-2.2	-5.9	-11.2	1.9	1.6	zero	-3.2	-7.9	-23.0	-46.5	0.456
	R338W2	250	Core-Lokt® Pointed Soft Point	9 ½ M	2660	2456	2261	2075	1898	1731	3927	3348	2837	2389	1999	1663	0.0	zero	-1.4	-4.3	-8.9	-15.4	2.1	1.9	zero	-3.5	-8.9	-26.0	-52.7	0.431
338 Remington Ultra Mag®	PR338UM2	250	Core-Lokt® Pointed Soft Point	9 ½ M	2860	2647	2443	2249	2064	1887	4540	3888	3314	2807	2363	1977	0.2	0.7	zero	-2.1	-5.6	-10.6	1.7	1.5	zero	-3.0	-7.6	-22.0	-44.7	0.431
	PR338UM1	250	Swift A-Frame® PSP	9 ½ M	2860	2645	2440	2244	2057	1879	4540	3882	3303	2794	2347	1960	0.2	0.7	zero	-2.0	-5.6	-10.7	1.7	1.5	zero	-3.0	-7.6	-22.1	-44.9	0.427
338 Lapua Magnum	RM338LMR1	250	Scenar®	9 ½ M	2960	2820	2683	2551	2423	2299	4863	4412	3996	3613	3259	2932	0.1	0.6	zero	-1.7	-4.7	-8.9	2.4	2.8	2.0	zero	-3.3	-13.9	-30.4	0.675
35 Remington	R35R1	150	Core-Lokt® Pointed Soft Point	9 ½	2300	1874	1506	1218	1039	934	1762	1169	755	494	359	291	0.3	zero	-2.7	-8.6	-18.2	-32.6	1.8	zero	-4.9	-13.7	-27.1	-73.0	-150.8	0.184
	R35R2	200	Core-Lokt® Soft Point	9 ½	2080	1698	1376	1140	1001	911	1921	1280	841	577	445	369	0.5	zero	-3.5	-10.7	-22.6	-40.1	2.3	zero	-6.1	-16.7	-33.0	-86.6	-174.8	0.192
35 Whelen	R35WH1	200	Core-Lokt® Pointed Soft Point	9 ½ M	2675	2378	2100	1842	1606	1399	3177	2510	1958	1506	1145	869	0.0	zero	-1.5	-4.7	-9.9	-17.3	2.3	2.0	zero	-16.8	-33.1	-86.9	-175.4	0.294
	R35WH3	250	Pointed Soft Point	9 ½ M	2400	2197	2005	1823	1652	1496	3197	2680	2230	1844	1515	1242	0.1	zero	-1.9	-5.7	-11.8	-20.4	2.9	2.4	zero	-4.6	-11.5	-33.6	-68.4	0.409
9.3 x 62mm	R93x621	286	Pointed Soft Point	9 ½	2360	2155	1960	1777	1607	1451	3536	2948	2440	2005	1639	1337	0.1	zero	-2.0	-6.0	-12.3	-21.1	1.5	zero	-3.6	-9.4	-17.7	-43.0	-81.7	0.400
375 H&H Mag	R375M1	270	Soft Point	9 ½ M	2690	2363	2060	1780	1530	1317	4338	3347	2543	1900	1403	1039	0.4	1.0	zero	-2.8	-7.6	-14.8	2.4	2.1	zero	-4.1	-10.6	-32.3	-69.0	0.267
	RS375MA	300	Swift A-Frame® PSP	9 ½ M	2525	2282	2053	1838	1639	1459	4246	3470	2808	2251	1790	1419	0.0	zero	-1.7	-5.2	-10.8	-18.7	2.6	2.2	zero	-4.3	-10.9	-32.1	-66.3	0.350
375 Remington Ultra Mag®	PR375UM2	270	Soft Point	9 ½ M	2900	2558	2241	1947	1678	1442	5041	3922	3010	2272	1689	1246	0.0	0.8	zero	-2.3	-6.3	-12.3	1.9	1.7	zero	-3.5	-8.9	-27.0	-57.6	0.267
	PR375UM3	300	Swift A-Frame® PSP	9 ½ M	2760	2505	2263	2035	1822	1624	5073	4178	3412	2759	2210	1757	0.3	0.8	zero	-2.4	-6.4	-12.4	2.0	1.8	zero	-3.5	-8.8	-26.1	-53.9	0.350
416 Rem Magnum	RS416RA	400	Swift A-Frame® PSP	9 ½ M	2400	2175	1962	1763	1579	1414	5115	4201	3419	2760	2214	1775	0.1	zero	-1.9	-5.9	-12.1	-20.8	1.3	zero	-3.3	-8.9	-17.0	-41.9	-80.8	0.367
44 Rem Magnum	R44MG2	240	Soft Point	2 ½	1760	1380	1114	970	878	806	1650	1015	661	501	411	346	zero	-2.1	-8.7	-21.2	-40.6	-68.2	zero	-5.6	-17.0	-35.4	-61.9	-143.8	-270.9	0.166
	R44MG3	240	Semi-Jacketed Hollow Point	2 ½	1760	1380	1114	970	878	806	1650	1015	661	501	411	346	zero	-2.1	-8.7	-21.2	-40.6	-68.2	zero	-5.6	-17.0	-35.4	-61.9	-143.8	-270.9	0.166
444 Marlin	R444M	240	Soft Point	9 ½	2350	1815	1377	1087	941	846	2942	1755	1010	630	472	381	0.3	zero	-2.9	-9.3	-20.4	-37.4	1.9	zero	-5.4	-15.5	-31.5	-86.8	-181.5	0.146
45-70 Government	R4570L	300	Semi-Jacketed Hollow Point	9 ½	1810	1497	1244	1073	969	895	2182	1492	1031	767	625	533	zero	-1.7	-7.3	-17.6	-33.5	-56.0	zero	-4.7	-14.2	-29.2	-50.9	-117.6	-221.3	0.213
	R4570G	405	Soft Point	9 ½	1330	1168	1055	977	918	869	1590	1227	1001	858	758	679	zero	-4.1	-14.6	-32.2	-57.6	-91.4	zero	-8.4	-24.0	-47.3	-79.0	-170.4	-303.0	0.281
450 Bushmaster	PRA450B1	260	Core-Lokt® Ultra Bonded®	7 ½	2180	1665	1263	1028	904	817	2743	1601	1263	609	472	385	0.4	zero	-3.6	-11.4	-24.6	-44.7	2.4	0.0	-6.6	-18.6	-37.5	-101.3	-207.5	0.144
	PRHH450B1	275	Barnes XPB™	7 ½	2125	1775	1470	1227	1064	964	2757	1924	1320	919	691	567	0.4	zero	-3.2	-9.7	-20.2	-35.6	2.1	zero	-5.4	-14.9	-29.3	-76.2	-153.8	0.215

Note: These ballistics reflected a test barrel length of 24" except those for 30 Carbine and 44 Remington Magnum, which are 20" barrels. Specifications are nominal. Ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "Zero" indicates yardage at which rifle was sighted in.

1 Inches above or below line of sight. Hold low for positive numbers, high for negative numbers.
2 280 Remington and 7mm Express Remington are interchangeable.
3 6mm Remington and 244 Remington are interchangeable.
4 Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range.
5 Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.

HYPERSONIC® CENTERFIRE (Page 82)
HOG HUNTER™ (Page 84)
MANAGED-RECOIL® (Page 96)
PREMIER® COPPER SOLID® (Page 89)
PREMIER® CORE-LOKT® ULTRA BONDED® (Page 90)
PREMIER® DISINTEGRATOR® VARMINT (Page 88)
PREMIER® MATCH (Page 89)
PREMIER® ACCUTIP™ (Page 87)
PREMIER® SCIROCCO® BONDED (Page 86)
PREMIER® A-FRAME® (Page 85)
UMC® (Page 114)
CORE-LOKT® (Page 94)

CENTERFIRE PISTOL AND REVOLVER BALLISTICS

32 S&W – 45 GAP

CALIBER	INDEX/ EDI NO.	WT (GR)	BULLET STYLE	PRIMER NO.	VELOCITY (FTPS)			ENERGY (FT-LB)			MID-RANGE TRAJECTORY (IN)		BARREL LENGTH
					MUZZLE	25	50	MUZZLE	25	50	25	50	
32 S&W	RTG32SW	88	Lead Round Nose	1 ½	680	662	644	90	86	81	0.6	2.5	3"
32 S&W Long	RTG32SWL	98	Lead Round Nose	1 ½	705	687	669	108	103	97	0.6	2.3	4"
32 (7.65mm) Auto.	L32AP	71	Metal Case	1 ½	905	879	854	129	122	115	0.4	1.4	4"
357 Mag.**	RTP357M7	110	Semi-Jacketed Hollow Point	5 ½	1295	1182	1093	410	341	292	0.2	0.8	4"
	RTP357M1	125	Semi-Jacketed Hollow Point	5 ½	1450	1338	1240	583	497	427	0.1	0.6	4"
	L357M12	125	Jacketed Soft Point	5 ½	1450	1338	1240	583	497	427	0.1	0.6	4"
	GS357MA	125	Brass Jacketed Hollow Point	5 ½	1220	1152	1095	413	368	333	0.2	0.8	4"
	RTP357M2	158	Semi-Jacketed Hollow Point	5 ½	1235	1164	1104	535	475	428	0.2	0.8	4"
	RTP357M3	158	Soft Point	5 ½	1235	1164	1104	535	475	428	0.2	0.8	4"
	RTG357M5	158	Semi-Wadcutter	5 ½	1235	1164	1104	535	475	428	0.2	0.8	4"
	RTP357M10	180	Semi-Jacketed Hollow Point	5 ½	1145	1095	1052	524	479	443	0.2	0.9	8 ⅜"
357 Sig.	L357S1	125	Metal Case	5 ½	1350	1238	1146	506	425	365	0.2	0.7	4"
	L357S2	125	Jacketed Hollow Point	5 ½	1350	1245	1157	506	430	372	0.2	0.7	4"
9mm Luger	RTP9MM1	115	Jacketed Hollow Point	1 ½	1145	1092	1048	335	304	280	0.2	0.9	4"
	RTP9MM6	115	Jacketed Hollow Point +P ‡	1 ½	1250	1175	1113	399	353	316	0.2	0.8	4"
	L9MM1	115	Jacketed Hollow Point	1 ½	1145	1092	1048	335	304	280	0.2	0.9	4"
	L9MM3	115	Metal Case	1 ½	1145	1092	1048	335	304	280	0.2	0.9	4"
	LL9MM11	115	Flat Nose Enclosed Base	1 ½	1145	1092	1048	335	304	280	0.2	0.9	4"
	LL9MM2	124	Flat Nose Enclosed Base	1 ½	1110	1069	1031	339	314	292	0.2	0.9	4"
	GS9MMB	124	Brass Jacketed Hollow Point	1 ½	1125	1074	1031	348	317	293	0.2	0.9	4"
	GS9MMD	124	Brass Jacketed Hollow Point +P ‡	1 ½	1180	1131	1089	383	352	326	0.2	0.8	4"
	HD9MMBN	124	Brass Jacketed Hollow Point	1 ½	1125	1074	1031	348	317	293	0.2	0.9	4"
	L9MM2	124	Metal Case	1 ½	1110	1069	1031	339	314	292	0.2	0.9	4"
	RTP9MM8	147	Jacketed Hollow Point (Subsonic)	1 ½	990	965	941	320	304	289	0.3	1.1	4"
	GS9MMC	147	Brass Jacketed Hollow Point	1 ½	990	965	941	320	304	289	0.3	1.1	4"
	L9MM9	147	Metal Case	1 ½	990	965	941	320	304	289	0.3	1.1	4"
	LL9MM9	147	Flat Nose Enclosed Base	1 ½	990	965	941	320	304	289	0.3	1.1	4"
380 Auto.	RTP380A1	88	Jacketed Hollow Point	1 ½	990	954	923	191	178	166	0.3	1.2	4"
	L380AP	95	Metal Case	1 ½	955	904	860	192	172	156	0.3	1.3	4"
	LL380AP2	95	Flat Nose Enclosed Base	1 ½	955	904	860	192	172	156	0.3	1.3	4"
	GS380B	102	Brass Jacketed Hollow Point	1 ½	940	920	901	200	192	184	0.3	1.3	4"
	HD380BN	102	Brass Jacketed Hollow Point	1 ½	940	920	901	200	192	184	0.3	1.3	4"
38 Super Auto	L38SUP	130	Metal Case	1 ½	1215	1152	1099	426	383	348	0.2	0.8	4"
38 S&W	RTG38SW	146	Lead Round Nose	1 ½	685	668	652	152	145	138	0.6	2.5	4"
38 Special**	RTP38S10	110	Semi-Jacketed Hollow Point +P ‡	1 ½	995	958	926	242	224	210	0.3	1.2	4"
	RTP38S16	110	Semi-Jacketed Hollow Point	1 ½	950	919	890	220	206	194	0.3	1.3	4"
	RTP38S2	125	Semi-Jacketed Hollow Point +P ‡	1 ½	945	921	898	248	235	224	0.3	1.3	4"
	GS38SB	125	Brass Jacketed Hollow Point +P ‡	1 ½	975	950	927	264	250	238	0.3	1.3	4"
	HD38SBN	125	Brass Jacketed Hollow Point +P ‡	1 ½	975	950	927	264	250	238	0.3	1.3	4"
	LL38S17	125	Flat Nose Enclosed Base	1 ½	850	836	822	201	184	188	0.3	1.4	4"
	L38S2	125	Jacketed Hollow Point +P ‡	1 ½	945	921	898	248	235	224	0.3	1.3	4"
	L38S11	130	Metal Case	1 ½	800	787	775	185	179	173	0.3	1.7	4"
	RTG38S3	148	Targetmaster® Lead WC Match	1 ½	710	671	634	166	148	132	0.6	2.4	4"
	RTG38S5	158	Lead Round Nose	1 ½	755	739	723	200	191	183	0.5	2.1	4"
	RTG38S6	158	Semi-Wadcutter	1 ½	755	739	723	200	191	183	0.5	2.1	4"
	RTP38S12	158	Lead Hollow Point +P ‡	1 ½	890	872	855	278	267	256	0.3	1.4	4"
	L38S5	158	Lead Round Nose	1 ½	755	739	723	200	191	183	0.5	2.1	4"
38 Short Colt**	RTG38SC	125	Lead Round Nose	1 ½	730	708	686	148	139	131	0.5	2.1	6"
40 S&W	RTP40SW1	155	Jacketed Hollow Point	5 ½	1205	1146	1095	500	452	413	0.2	0.8	4"
	GS40SWA	165	Brass Jacketed Hollow Point	5 ½	1150	1089	1040	484	435	396	0.2	0.9	4"
	HD40SWBN	180	Brass Jacketed Hollow Point	5 ½	1015	986	960	412	388	368	0.3	1.1	4"
	RTP40SW2	180	Jacketed Hollow Point	5 ½	1015	986	960	412	388	368	0.3	1.1	4"
	GS40SWB	180	Brass Jacketed Hollow Point	5 ½	1015	986	960	412	388	368	0.3	1.1	4"
	L40SW2	180	Jacketed Hollow Point	5 ½	1015	986	960	412	388	368	0.3	1.1	4"
	L40SW3	180	Metal Case	5 ½	990	964	940	392	371	353	0.3	1.1	4"
	LL40SW5	180	Flat Nose Enclosed Base	5 ½	990	964	940	392	371	353	0.3	1.1	4"
10mm Auto.	L10MM6	180	Metal Case	2 ½	1150	1103	1063	528	486	451	0.2	0.9	4"
41 Rem. Mag.**	RTP41MG1	210	Soft Point	2 ½	1300	1226	1162	788	701	629	0.2	0.7	4"
44 Rem. Mag.**	L44MG7	180	Jacketed Soft Point	2 ½	1610	1482	1366	1036	878	745	0.1	0.5	4"
	RTP44MG2	240	Soft Point	2 ½	1180	1126	1081	742	676	623	0.2	0.9	4"
	RTP44MG3	240	Semi-Jacketed Hollow Point	2 ½	1180	1126	1081	742	676	623	0.2	0.9	4"
44 S&W Special**	RTG44SW	246	Lead Round Nose	2 ½	755	740	725	311	299	287	0.4	2.2	6"
45 Colt**	RTG45C1	225	Semi-Wadcutter	2 ½	830	804	780	344	323	304	0.4	1.6	5"
	HD45C410	230	Brass Jacketed Hollow Point	2 ½	850	830	811	369	352	335	0.4	1.6	5"
	RTG45C	250	Lead Round Nose	2 ½	750	733	717	312	298	285	0.5	2.0	5"
45 Auto.	RTP45AP2	185	Jacketed Hollow Point	2 ½	1000	968	939	411	385	362	0.3	1.1	5"
	GS45APA	185	Brass Jacketed Hollow Point	2 ½	1015	981	951	423	395	371	0.3	1.1	5"
	GS45APC	185	Brass Jacketed Hollow Point +P ‡	2 ½	1140	1086	1041	534	484	445	0.2	0.9	5"
	L45AP1	185	Metal Case	2 ½	1015	981	951	423	395	371	0.3	1.1	5"
	RTP45AP7	230	Jacketed Hollow Point (Subsonic)	2 ½	835	817	800	356	341	326	0.4	1.6	5"
	GS45APB	230	Brass Jacketed Hollow Point	2 ½	875	853	833	391	372	354	0.4	1.5	5"
	HD45APBN	230	Brass Jacketed Hollow Point	2 ½	875	853	833	391	372	354	0.4	1.5	5"
	L45AP4	230	Metal Case	2 ½	835	817	800	356	341	326	0.4	1.6	5"
	L45AP7	230	Jacketed Hollow Point	2 ½	835	817	800	356	341	326	0.4	1.6	5"
	LL45AP8	230	Flat Nose Enclosed Base	2 ½	835	817	800	356	341	326	0.4	1.6	5"
45 GAP	L45GAP4	230	Metal Case	2 ½	880	860	841	395	378	361	0.4	1.5	5"

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. *Test Barrel Length ** Vented Barrel Ballistics

REMINGTON® HTP (Page 113)
REMINGTON® TARGET (Page 113)
GOLDEN SABER® (Page 112)
HOME DEFENSE (Page 110)
UMC® (Page 114)
UMC® LEADLESS (Page 114)


RIFLE CARTRIDGES
Remington
PREMIER® ACCUTIP™




FOR CONSUMER INFORMATION, ARMS SERVICE, PARTS & REPAIRS AND CUSTOM SHOP:

remington.com/facebook

300, ADL, Accelerator, AWR, BDL, Bandit, Brite Bore, Bronze Point, BuckHammer, Bullet, Bullet Design, CBEE 22, CDL, Classic, Conquest, Copper-Lokt, Copper Solid, Core-Lokt, Custom Carry, Cyclone, D-Series, Deer Hunter, Desert Recon, Disintegrator, DriLube, Driving Band, Drop-Dead Better, Duplex, Echo, Elite Hunter, Elite Skinner, Elsag, E.R. Remington & Sons, Escape, ETA, EtronX, Excursion, Express, Express-Steel, EZ, F.A.S.T., Fast Action Soft Touch, Fieldmaster, Figure 8, Fireball, Flexitab, FLX, G3, Gamemaster, Genesis, Green Color, Golden, Golden Saber, Grizzly, Gun Club, Hi-Speed, Ideal, Insignia Edition, Kleanbore, Lead-Lokt, LV SF, M24, M24A2, M24A3, MAX Gobbler, M-Series, Managed-Recoil, Marine Magnum, MCS Picatinny, Model Five, Model Seven, Model 105 CTi, Model 11-87, Model 11-87P, Model 32, Model 332, Model 365, Model 40-X, Model 40-XB, Model 40-XBBR, Model 40-XC, Model 40-XR, Model 40-XRBR, Model 40-XS, Model 412, Model 504, Model 504-T, Model 552, Model 572, Model 597, Model 673, Model 700, Model 700P, Model 700P USR, Model 710, Model 750, Model 770, Model 798, Model 799, Model 830, Model 870, Model 870 MCS, Model 870P, Model 870P MAX, Model 887, Model 1100, Model 7400, Model 7600, Model 7600P, Model 7615, Model 7615P, Model SP-10, MoistureGuard, Nitro 27, Nitro CLP, Nitro Mag, Nitro Turkey, Nitro-Steel, Parker, Peters, Pheasant, Power-Lokt, Power Piston, Predator, Premier, ProBore, Quick Look, R, R-15, R-25, R-P, Rangemaster, Ready, Realwood, Rem, Rem Dri 35, Rem DriLube, RemCloth, RemGrip, Rem-Line, Rem-Lite, Rem-Tech, Remington, Remington Fieldmaster, Remington Law Enforcement, Remington Leadless, Remington Racing, Remington Shooting School and Remington Shooting School logo, Remington Targetmaster, Remington Ultra, Rescue, Rustless, S.A.S.S., Sendero, Shoot Like A Girl … If You Can!, ShurShot, Slugger, SP, SPS, SP-T, SPS-T, Speedmaster, Sportsman, STS, Subsonic, SuperCell, Super Magnum, Super Slug, SWIFT-LOKT, TAC 8, Tango, Targetmaster, The Deadliest Mushroom in the Woods, Thunderbolt, TorchCam, TriNyte, TVP, Ultra Bonded, Ultra Mag, UMC, Unibody, Viper, VLS, Vortex and Vortex logo, VS, VSF, VS SF, VTR, Weathermaster, Wetproof, Wingmaster, Wingmaster HD, Woodsmaster, XCR Extreme, XHR, XM3, X-Mark Pro, XR-100, Yellow Jacket and Zulu are trademarks of RA Brands, L.L.C., Madison, NC 27025. Palusol is a trademark of BASF. Boy Scouts of America is a registered trademark of Boy Scouts of America. Briley is a trademark of Briley Manufacturing. Bushnell and Sharpshooter are trademarks of Bushnell. TORX is a trademark of Camcar LLC. Delrin, Kevlar, Teflon and Tyvek are trademarks of DuPont. Match King is a trademark of Sierra Bullet Co., LLC. Swift, A-Frame and Scirocco are trademarks of Swift Bullet Co. Break-Up, Brush, Duck Blind, Mossy Oak, New Break-Up, Treestand, and Obsession are trademarks of Haas Outdoors, Inc. V-Max is a trademark of Hornady Manufacturing Company. Hogue is a trademark of Hogue, Inc. Advantage, Advantage Max-4, Advantage Timber, AP, APG, HD and Realtree are trademarks of Jordan Outdoor Enterprises, Ltd. SpecOps is a trademark of Knoxx Industries, LLC., HiViz is a trademark of North Pass, Ltd. Kraton is a trademark of Shell. Sako is a trademark of Sako, Ltd., Shilen is a trademark of Shilen, Inc., Speedfeed is a trademark of Armory Accessories, Inc. LimbSaver is a trademark of Steven Sims, Inc. Digital Tiger is a trademark of Tiger Stripe Products. TRUGLO is a trademark of Truglo, Inc. Skyline, Excel and Fall Flight are trademarks of Skyline Cover, LLC. Weaver is a trademark of Weaver Outdoor Optics. Williams and Fire Sights are trademarks of Williams Gun Sight Co. A-TACS is a trademark of Digital Concealment Systems. Judge is a trademark of Taurus International. Pardus is a trademark of DPMS Panther Arms. The Bone Collector is a trademark of Michael Waddell, LLC. XS is a trademark of XS Sight Systems, Inc.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, LLC, 870 Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.



Remington®

FOR CONSUMER INFORMATION, ARMS SERVICE, PARTS & REPAIRS AND CUSTOM SHOP:

Call (800) 243-9700 or visit www.remington.com

©2013 Remington Arms Company, LLC., Madison, NC 27025 Facebook is a registered trademark of Facebook, Inc.

remington.com/facebook

Printed in U.S.A.
RM2318